


# 2021 VEHICLE LUBRICANT & CHEMICAL CATALOG



**MOPAR®**

*At your service*





# TABLE OF CONTENTS

ORDERING INFORMATION . . . . .	3
ALPHABETICAL INDEX . . . . .	4
AIR CONDITIONING . . . . .	8
ASSEMBLY & REPAIR . . . . .	10
AUTOMATIC TRANSMISSION FLUIDS . . . . .	12
COOLANT . . . . .	14
DIESEL FLUIDS . . . . .	17
MOPAR® BULK OIL . . . . .	18
ECOBX™ . . . . .	20
ENGINE OILS . . . . .	21
FUEL CLEANERS . . . . .	26
GEAR & AXLE LUBRICANTS . . . . .	28
HAND CLEANERS & DISINFECTING SOLUTIONS . . . . .	33
LEAK DETECTION . . . . .	35
LUBRICANTS & GREASE . . . . .	36
POWER STEERING & BRAKE FLUIDS . . . . .	39
SEALANTS & ADHESIVES . . . . .	40
VEHICLE PREP AND DETAIL . . . . .	44
WINDSHIELD WASHER SOLVENT . . . . .	46
TOUCH-UP PAINT ASSORTMENT KIT & DISPLAY RACK . . . . .	51
WHEEL TOUCH-UP PAINT KIT . . . . .	52
TIRE SERVICE KITS . . . . .	53
NUMERICAL PART NUMBER INDEX . . . . .	54



# Ordering Information

All Mopar® vehicle care and maintenance products may be ordered via the normal Mopar Parts ordering functions on DealerCONNECT.

Mopar vehicle care and maintenance products are stocked at Mopar Parts Distribution Centers (PDC).

## DEPARTMENT OF TRANSPORTATION REQUIREMENTS

The U.S. Department of Transportation (DOT) strictly regulates the packaging, labeling and shipping of hazardous materials that are transported via ground or air. Particular restrictions are placed on hazardous materials that can be shipped via air. DOT federal regulations found at 49 CFR Part 172 Subpart H provide that you or your employees are required to receive INITIAL (within 90 days of beginning employment) and RECURRING (minimum of at least once every 3 years) hazardous materials training IF you meet the following criteria:

- If you or any employee ever work in an area involved with the shipping or receiving of hazardous materials or work in the hazardous materials handling area
- If you or any employee are ever involved in any aspect of transporting hazardous materials by ground or air
- If you or any employee are involved with preparing hazardous materials for transport

Mopar recognizes that hazardous materials pose a risk to health, safety and the environment when being transported. Mopar strictly complies with all DOT Hazardous Materials Regulations (HMR) to ensure both a high level of security and employee safety when shipping our products. Mopar's commitment to HMR compliance includes providing the appropriate packaging and labeling to ensure proper shipping of our products.

It is important that you understand your responsibilities as an employer/shipper and the consequences of failing to comply with federal DOT Hazardous Materials Regulations when shipping or returning vehicle parts and maintenance products to Mopar. By strictly adhering to HMR requirements, you will be able to safely and properly ship any returned parts or maintenance products to Mopar.

For more information on compliance requirements, please visit the DOT Web site at: <http://hazmat.dot.gov>.

## MATERIAL SAFETY DATA SHEETS

The Federal Hazard Communication Standard and many state regulations require that Material Safety Data Sheets (MSDS) be readily available for all applicable products to users of those products. The MSDS provides detailed health, handling and safety information on the particular product.

## DealerCONNECT ACCESS TO MATERIAL SAFETY DATA SHEETS

DealerCONNECT Interactive Access to Material Safety Data Sheets (MSDS) allows for quick and easy retrieval of an MSDS for any potentially hazardous part. The following procedure is designed to guide you through the basic steps for interactively accessing a Material Safety Data Sheet (MSDS) through DealerCONNECT.

1. Log on to DealerCONNECT using <https://dealerconnect.chrysler.com>.
2. From the DealerCONNECT welcome screen, sign on with your Dealer ID, Password, and Dealer Code, Press the **[SUBMIT]** key.
3. From the DealerCONNECT homepage, click on the **[PARTS]** tab.
4. From the Parts page, click on the **[MSDS]** link under the Reference Library.
5. Type in the Part Number on the MSDS inquiry screen and click on the **[SEARCH]** key.
6. Select the appropriate product and click on the **[DISPLAY MSDS]** key.

## TO PRINT AN MSDS:

Once the MSDS sheet is displayed, click on the **[PRINTER]** icon on the toolbar to print.

## CONTROL INFORMATION

For 24-hour poison control information, call the Security Information Center **(248) 576-8888**.

## CATALOG ACRONYMS

4WD	Four Wheel Drive	OSHA	Occupational Safety & Health Administration
A/C	Air Conditioning	Oz.	Ounce
ATF	Automatic Transmission Fluid	PAG	Polyalkaline Glycol
C.A.R.B.	California Air Resources Board	PCV	Positive Crankcase Ventilation
EGR	Exhaust Gas Recirculation	RTV	Room Temperature Vulcanization
Fl	Fluid	SAE	Society of Automotive Engineers
mL	Milliliter	TCE	Trichloroethylene
MS	Material Standard	UV	Ultraviolet
MSQ	Minimum Ship Quantity	VOC	Volatile Organic Compound



# ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>AIR CONDITIONING</b>			
1234YF A/C Refrigerant	160 Oz.	68224028AB	9
A/C Compressor Oil	7.1 Oz.	68232939AB	8
A/C Compressor Oil POE Type	250 mL Can	68453175AA	8
Cooling Coil Cleaner	8 Oz.	05170022AB	9
Cooling Coil Coating	8 Oz.	04728942AC	9
Electric A/C Compressor Oil	4.2 Oz.	68192413AB	8
ND-11 A/C Compressor Oil POE Type	250 mL	68043289AB	8
ND-OIL 8 A/C Compressor Oil PAG Type	250 mL	82300102AC	8
ND-OIL 12 A/C Compressor Oil	210 mL	68224150AB	9
R-134A A/C Refrigerant	30 Lb.	82300101AC	9
RL-897 A/C Compressor Oil POE Type	210 mL	68170681AB	8
SP-15 A/C Compressor Lubricant	250 mL	04886129AB	8
VC-PAG 46 A/C Compressor Lubricant	7 Oz.	05114554AD	9
<b>ASSEMBLY &amp; REPAIR</b>			
Anti-Squeak Tape		05019054AA	11
Black Corrosion Resistant Protectant	4 Fl. Oz.	68317791AA	11
Cavity Wax Kit	31 Oz.	68042969AB	10
Cavity Wax Kit Refill	31 Oz.	68042970AB	10
Electrical Contact Cleaner	9.7 Oz.	05018045AB	10
Flock Tape		68230057AB	11
Foam Tape		05019056AA	11
Foam Tape		05019057AA	11
Foam Tape		05019058AA	11
Gear Marking Compound	4 Fl. Oz.	04883065AB	10
Gel Pack Rain Sensor		68224945AA	11
Grease Lubricant		05019060AC	11
MP-50	9 Oz.	04549626AD	10
Nickel Anti-Seize Lubricant	8 Oz.	05012249AC	11
Oil Lubricant		05019059AC	11
Rear Window Defogger Repair Kit	1.5 Gram Kit	04549275AB	11
Rust Penetrant	10.8 Oz.	04318039AE	10
Undercoat Kit	31 Oz.	68042967AB	10
Undercoat Kit Refill	31 Oz.	68042968AB	10
<b>AUTOMATIC TRANSMISSION FLUIDS</b>			
8 & 9 Speed ATF	1L	68218925AB	12
8 & 9 Speed ATF	1 Qt. Pallet (1,008)	68218926AB	12
ASRC & Trade; ATF	1 Qt.	05189966AD	12
ASRC & Trade; ATF	1 Gal.	05189977AB	12
ASRC & Trade; ATF	1 Qt. Pallet (1,008)	05189978AA	12
ASRC & Trade; ATF	180 Gal. Pallet	05189979AA	12
ATF+4	1 Qt.	68218057AC	12
ATF+4	5L	68218058AC	12
ATF+4	220 Qt. Drum	68218054AA	12
ATF+4	1 Qt. Pallet (1,008)	68218056AA	12
ATF+4	5L Pallet (180)	68218059AA	12
CVTF+4 Transmission Fluid	1 Qt.	05191184AB	12
CVTF+4 Transmission Fluid	5L	05191185AC	12
CVTF+4 Transmission Fluid	1 Qt. Pallet (1,008)	05191186AE	12
CVTF+4 Transmission Fluid	216 Gal. Pallet	05191187AA	12
DEXRON-VI Automatic Transmission Fluid	1 Qt.	68043742AB	13

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>AUTOMATIC TRANSMISSION FLUIDS (Continued)</b>			
Long Life Automatic Transmission Fluid DAF 6-SPD AISIN JWS3309	1 Qt.	68333587AA	13
Long Life Manual Transmission Lubricant	1 Qt.	68333586AA	13
MB236.12 Automatic Transmission Fluid	1 Qt.	05127382AB	12
MB236.12 Automatic Transmission Fluid	504 Qt. Pallet	68002823AA	12
SP-IV M Automatic Transmission Fluid	1 Qt.	68171866AB	12
SP-IV M Automatic Transmission Fluid	1 Gal.	68171869AB	12
Transmission Cooler Flush	1 Gal.	04796268AB	13
<b>COOLANT</b>			
<b>IAT FAMILY</b>			
Antifreeze/Coolant 3-Year Formula — Embittered	1 Gal.	04267020AD	14
Antifreeze/Coolant 3-Year Formula — Embittered	Gal. Half Pallet	68002827AC	14
Antifreeze/Coolant 3-Year Formula — Embittered	Gal. Pallet	04762648AC	14
Antifreeze/Coolant 3-Year Formula — Embittered	Gal. Drum	68002825AC	14
<b>HOAT FAMILY</b>			
50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	1 Gal.	68051212AC	14
50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Half Pallet	68051217AC	14
50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Pallet	68051216AC	14
50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Drum	68051218AB	14
Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	1 Gal.	68048953AC	14
Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Half Pallet	68051215AC	14
Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Pallet	68051213AC	14
Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Drum	68051214AB	14
<b>OAT FAMILY</b>			
50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	1 Gal.	68163849AB	15
50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Half Pallet	68306482AB	15
50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Pallet	68306473AB	15
50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Drum	68140973AA	15
Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	1 Gal.	68163848AB	15
Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Half Pallet	68306483AB	15
Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Pallet	68306476AB	15
Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Drum	68140983AA	15
<b>POAT FAMILY</b>			
55/45 Premixed Extended Life	1 Gal.	68334695AA	15
<b>COOLANT SYSTEM TREATMENTS</b>			
Cooling System Flush	22 Oz. Bottle	04856977AC	16
Stop Leak Pellets		04318005	16
Water Pump Lubricant	12 Oz. Bottle	68029698AC	16
<b>DIESEL FLUIDS</b>			
DEF Nozzles	1- and 2.5 Gal.	68461587AA	17

# ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>DIESEL FLUIDS (Continued)</b>			
Diesel Exhaust Fluid	55 Gal. Drum	68035700AC	17
Diesel Exhaust Fluid (DEF)	1 Gal.	68035704AC	17
Diesel Exhaust Fluid (DEF)	2.5 Gal.	68056278AC	17
Diesel Exhaust Fluid (DEF)	20 2.5 Gal. Bottle Pallet	68441881AA	17
Diesel Turbocharger Cleaner	14 Oz. Aerosol Can	68044565AB	17
EGR System Cleaner	1L Bottle (33.8 Oz.)	68028729AB	17
<b>ENGINE OILS</b>			
Mopar SAE 0W-20 Engine Oil	1 Qt.	68218950AC	21
Mopar SAE 0W-20 Engine Oil	5L	68218951AB	21
Mopar SAE 0W-20 Engine Oil	220 Qt. Drum	68218952AA	21
Mopar SAE 0W-30 Engine Oil	1 Qt.	68444159AA	21
Mopar SAE 5W-20 Engine Oil	1 Qt.	68218890AC	21
Mopar SAE 5W-20 Engine Oil	5L	68218891AC	21
Mopar SAE 5W-20 Engine Oil	220 Qt. Drum	68218892AA	21
Mopar SAE 5W-20 Engine Oil	1 Qt. Pallet (1,008)	68218893AC	21
Mopar SAE 5W-20 Engine Oil	5L Pallet (180)	68218894AA	21
Mopar SAE 5W-30 Engine Oil	1 Qt.	68218920AC	21
Mopar SAE 5W-30 Engine Oil	5L	68218921AB	21
Mopar SAE 5W-30 Engine Oil	220 Qt. Drum	68218922AA	21
Mopar SAE 5W-30 Engine Oil	1 Qt. Pallet (1,008)	68218923AC	21
Mopar SAE 5W-30 Engine Oil	5L Pallet (180)	68218924AA	21
Mopar SAE 10W-30 Engine Oil	1 Qt.	68218930AC	21
Mopar SAE 10W-30 Engine Oil	5L	68218931AC	21
Mopar SAE 10W-30 Engine Oil	220 Qt. Drum	68218932AA	21
Mopar SAE 10W-30 Engine Oil	1 Qt. Pallet (1,008)	68218933AC	21
Mopar SAE 10W-30 Engine Oil	5L Pallet (180)	68218934AA	21
Mopar SAE 15W-40 Engine Oil	1 Qt.	68218940AD	21
Mopar SAE 15W-40 Engine Oil	5L	68218941AC	21
Mopar SAE 15W-40 Engine Oil	220 Qt. Drum	68218942AA	21
Mopar SAE 15W-40 Engine Oil	1 Qt. Pallet (1,008)	68218943AD	21
Mopar SAE 15W-40 Engine Oil	5L Pallet (180)	68218944AA	21
Pennzoil Gold SAE 5W-20 Semi-Synthetic	1 Qt.	68169968PB	24
Pennzoil Gold SAE 5W-20 Semi-Synthetic	220 Qt. Drum	68169972PA	24
Pennzoil Gold SAE 5W-20 Semi-Synthetic	1 Qt. Pallet (750)	68185114PC	24
Pennzoil Gold SAE 5W-30 Semi-Synthetic	1 Qt.	68169969PB	24
Pennzoil Gold SAE 5W-30 Semi-Synthetic	220 Qt. Drum	68169973PA	24
Pennzoil Gold SAE 5W-30 Semi-Synthetic	1 Qt. Pallet (750)	68185115PC	24
Pennzoil Gold SAE 10W-30 Semi-Synthetic	1 Qt.	68169970PB	24
Pennzoil Gold SAE 10W-30 Semi-Synthetic	220 Qt. Drum	68169976PA	24
Pennzoil Gold SAE 10W-30 Semi-Synthetic	1 Qt. Pallet (750)	68185116PC	24
Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	1 Qt.	05127394PD	25
Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	220 Qt. Drum	68044407PB	25
Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	1 Qt. Pallet (750)	05166246PD	25

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>ENGINE OILS (Continued)</b>			
Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	1 Qt.	68152004PC	25
Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	220 Qt. Drum	68152005PA	25
Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	1 Qt. Pallet (750)	68199087PC	25
Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	1 Qt.	05166240PB	25
Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	220 Qt. Drum	68146832PA	25
Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	1 Qt. Pallet (750)	05166247PC	25
Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	1 Qt.	05166241PC	25
Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	220 Qt. Drum	68146834PA	25
Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	1 Qt. Pallet (750)	05166248PC	25
Pennzoil Platinum SAE 10W-30 Full Synthetic Motor Oil	1 Qt.	05166242PB	25
Pennzoil Platinum SAE 10W-30 Full Synthetic Motor Oil	1 Qt. Pallet (750)	05166249PC	25
Pennzoil SAE 5W-20 Engine Oil	1 Qt.	04761872PC	24
Pennzoil SAE 5W-20 Engine Oil	220 Qt. Drum	68044413PB	24
Pennzoil SAE 5W-20 Engine Oil	1 Qt. Pallet (1,008)	04762632PD	24
Pennzoil SAE 5W-30 Engine Oil	1 Qt.	04761838PC	24
Pennzoil SAE 5W-30 Engine Oil	5.1 Qt. Bottle	04761844PE	24
Pennzoil SAE 5W-30 Engine Oil	220 Qt. Drum	68044414PB	24
Pennzoil SAE 5W-30 Engine Oil	1 Qt. Pallet (1,008)	04762630PD	24
Pennzoil SAE 5W-30 Engine Oil	5.1 Qt. Pallet (180)	04762635PC	24
Pennzoil SAE 10W-30 Engine Oil	1 Qt.	04761839PC	24
Pennzoil SAE 10W-30 Engine Oil	5.1 Qt. Bottle	04761845PE	24
Pennzoil SAE 10W-30 Engine Oil	1 Gal.	04761845PA	24
Pennzoil SAE 10W-30 Engine Oil	220 Qt. Drum	68044416PB	24
Pennzoil SAE 10W-30 Engine Oil	1 Qt. Pallet (1,008)	04762631PD	24
Pennzoil SAE 10W-30 Engine Oil	5.1 Qt. Pallet (180)	04762636PC	24
Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	1 Qt.	68171066PC	25
Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	5 Gal. Pail	68171067PA	25
Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	220 Qt. Drum	68171068PA	25
Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	1 Qt. Pallet (750)	68171069PC	25
Pennzoil Ultra Platinum SAE 5W-30 Full Synthetic Motor Oil	1 Qt.	68001334PD	25
Pennzoil Ultra Platinum SAE 5W-30 Full Synthetic Motor Oil	1 Qt. Pallet (750)	68001335PC	25
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	1 Qt.	68024966PD	23
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	1 Gal.	68024967PB	23
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	220 Qt. Drum	68044417PB	23
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	1 Qt. Pallet (1,008)	68024968PE	23
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	225 Gal. Pallet	68024969PB	23

# ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>ENGINE OILS (Continued)</b>			
Shell Rotella T5 SAE 10W-30 Synthetic Blend Heavy Duty Diesel Engine Oil	1 Gal.	68438447PA	23
Shell Rotella T5 SAE 10W-30 Synthetic Blend Heavy Duty Diesel Engine Oil	2.5 Gal.	68475202PA	23
Shell Rotella T5 SAE 10W-30 Synthetic Blend Heavy Duty Diesel Engine Oil	220 Qt. Drum	68440571PA	23
Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	1 Qt.	68001332PC	23
Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	1 Gal.	68171006PB	23
Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	220 Qt. Drum	68147411PB	23
Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	1 Qt. Pallet (750)	68001333PD	23
<b>FUEL CLEANERS</b>			
Combustion Chamber Cleaner	13 Oz.	04318001AE	27
Diesel Injector Cleaner	30 Oz.	68194640AB	26
Fuel Injector Cleaner	12 Oz.	68158590AE	26
Fuel System Cleaner	12 Oz.	05019625AB	26
Premium Diesel Fuel Treatment	11 Oz.	05191800AB	26
Premium Fuel System Cleaning Kit		05174566AB	26
Premium Fuel System Cleaning Kit		68079093AB (California)	26
Throttle Body Cleaner	13 Oz.	04897156AD	27
<b>GEAR &amp; AXLE LUBRICANTS</b>			
C Series DDCT SAE 75W Hydraulic Fluid	1 Qt.	68092638AB	30
C Series Manual & Dual Dry Clutch Transmission Fluid	1 Qt.	68092630AA	32
C Series Manual & Dual Dry Clutch Transmission Fluid	1 Gal.	68092636AA	32
Dry Clutch Transmission Fluid SAE 75W-85	1 Qt.	68256847AA	32
Front Axle Power Transfer Unit Lubricant SAE 75W-90	1 Qt.	68280932AA	28
Gear & Axle Lubricant SAE 80W-90	64 Qts.	68218043AA	28
Gear & Axle Lubricant SAE 80W-90	1 Qt.	68218041AB	28
Gear Lubricant SAE 90	1 Qt.	05136033AC	30
Hypoid Gear Lubricant SAE 75W-80	1 Qt.	68339072AA	28
Limited Slip Additive	4 Oz.	04318060AD	32
Limited Slip Differential Axle Lubricant Synthetic SAE 75W-85	1 Qt.	68232948AB	29
Long Life Hypoid Gear Oil SAE 75W-85	1 Qt.	68333589AA	29
Manual Transaxle and Quadra-trac Lubricant	1 Qt.	04874465	30
Manual Transmission Lubricant	1 Qt.	04874464AC	30
Multi Axle Lubricant SAE 75W-85	1 Qt.	68364258AA	28
Open Differential Axle Lubricant Synthetic SAE 75W-85	1 Qt.	68232947AB	29
Ram 1500 2017+ Rear Axle Lubricant SAE 75W-90	1 Qt.	68340460AA	30
Rear Axle Differential Module Lubricant SAE 75W-90	1 Qt.	68280933AA	28
Rear Axle Lubricant SAE 75W-85	1L	68083381AA	28
Single Speed Transmission Fluid	1 Qt.	68210514AB	32
Synthetic Axle Lubricant SAE 75W-85	1 Qt.	68210057AB	29
Synthetic Axle Lubricant SAE 75W-85	1 Qt.	05136035AC	30
Synthetic Gear & Axle Lubricant SAE 75W-140	64 Qts.	68218658AA	29
Synthetic Gear & Axle Lubricant SAE 75W-140	1 Qt.	68218657AB	29

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>GEAR &amp; AXLE LUBRICANTS (Continued)</b>			
Synthetic Gear & Axle Lubricant SAE 75W-85	1 Qt.	68378949AA	30
Synthetic Gear & Axle Lubricant SAE 75W-90	64 Qts.	68218656AA	29
Synthetic Gear & Axle Lubricant SAE 75W-90	1 Qt.	68218655AC	29
Synthetic Hydraulic Control Fluid	1 Qt.	68227766AB	32
Synthetic Manual Transmission Lubricant SAE 75W-85	1 Qt.	04874459	32
Synthetic Gear & Axle Lubricant SAE 75W-90	1 Qt.	68218654AB	30
Transfer Case Lubricant	1 Qt.	05016796AC	31
Transfer Case Lubricant for BorgWarner 44-45, 44-46, 44-47, 44-48 and Pre-2016 44-44	1 Qt.	68089195AA	31
Transfer Case Lubricant for BorgWarner 44-40 And 2016+ 44-44	1L	68049954AC	31
Transfer Case Lubricant NV146	1 Qt.	68001758AB	31
Transfer Case Lubricant NV246	1.004 Qt. (950 mL)	05179014AA	31
Transfer Case Lubricant SAE 75W	1 Qt.	68377611AA	31
Vitalom ZH-M Hydraulic Fluid	16.9 Oz.	68035321AB	32
<b>HAND CLEANERS &amp; DISINFECTING SOLUTIONS</b>			
Bioesque Botanical Disinfectant Solution	32 Oz. Trigger Spray	68526614AA	34
Bioesque Botanical Disinfectant Solution	1 Gal.	68526615AA	34
Cherry Gel	67 Oz. Bag-in-Box	68291701AA	34
Dispenser for Bag-In-Box	1 Dispenser	04897618AB	33
Gojo Scrubbing Towels		68442705AA	33
Hand Cleaner/Natural Citrus	1 Gal.	82300022AB	33
Hand Sanitizer	4 Oz.	68533959AA	34
Hand Sanitizer	12 Oz.	68533960AA	34
Hand Sanitizer	1 Gal.	68533961AA	34
Orange Scent Hand Cleaner	67 Oz. Bag-in-Box	04856970AD	33
Ultra-Max Hand Cleaner	67 Oz. Bag-in-Box	04856971AD	33
<b>LEAK DETECTION</b>			
4-in-1 Leak Detection Dye	1/4 Fl. Oz.	05010042AC	35
Air Leak Detector	8 Oz.	05191804AA	35
Coolant Leak Detection Dye	1 Oz. Bottle	05161618AC	35
R-134A Leak Detection Dye	1/4 Fl. Oz. Bottles	04798219AC	35
<b>LUBRICANTS &amp; GREASE</b>			
Brake & Suspension Grease	0.88 Oz. Tube	05019061AB	37
Brake Lubricant	1.76 Oz. Tube	04796269AB	37
Bushing Grease	2 Oz. Tube	68028730AA	37
Coil Dielectric Grease	2 Oz. Tube	68364292AA	37
Dielectric Grease	2 Oz. Tube	J8126688AB	37
Half Shaft Grease	4.93 Oz. Tube	68194558AA	36
Liquid Gasket for MMC	3 Oz.	MD974421	38
Multi-Mileage Lube	14.5 Oz. Cartridge	04897841AB	36
Multi-Purpose Grease	3 Oz.	05083160AA	38
Multi-Purpose Grease	14.5 Oz. Cartridge	05083150AA	36
Nye Dielectric Grease	2 Oz.	05013781AA	38
Nye Synthetic Lubricant	1 Oz. Tube	05018626AA	38
Output Shaft Assembly Lubricant	1.76 Oz. Tube	68002256AB	37
P-80 Grip-It Lubricant	10 mL Tube	68425736AA	38

# ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>LUBRICANTS &amp; GREASE (Continued)</b>			
Rubber Bushing Installation Lube	4 Oz. Can	05010319AB	36
Silicone Spray Lube	12 Oz. Aerosol Can	04318070AE	36
Spray White Lube Lithium Grease	12 Oz. Aerosol Can	04318066AE	36
Weatherstrip Lubricant	1 Oz. Bottle	04773427AB	38
Wheel Bearing Grease	1 Lb. Tub	05083149AA	36
<b>POWER STEERING &amp; BRAKE FLUIDS</b>			
Brake & Clutch Fluid DOT 4 Motor Vehicle	12 Oz. Bottle	04549625AE	39
Brake Fluid DOT 3 Motor Vehicle	12 Oz. Bottle	04318080AD	39
Brake Parts Cleaner Non-Chlorinated	15 Oz. Aerosol Can	68065196AB	39
Brake Parts Cleaner Non-Chlorinated	Half Pallet (432 Cans)	68065198AA	39
Brake Parts Cleaner Non-Chlorinated	Full Pallet (864 Cans)	68065199AA	39
Brake Parts Cleaner Non-Chlorinated VOC Exempt	15 Oz. Aerosol Can	68065197AD	39
Brake Parts Cleaner Non-Chlorinated VOC Exempt	Half Pallet (432 Cans)	68065225AC	39
Brake Parts Cleaner Non-Chlorinated VOC Exempt	Full Pallet (864 Cans)	68065226AC	39
Electric Steering Pump Fluid	1 Pint (16 Oz.)	68088485AB	39
Hydraulic System Power Steering Fluid	1 Qt.	68234631AB	39
Power Steering Fluid +4	1 Qt. Bottle	68218064AC	39
<b>SEALANTS &amp; ADHESIVES</b>			
ATF-RTV	3 Oz. Tube	05010884AD	40
Axle RTV	3 Oz. Tube	05013477AD	40
Bed Plate Sealant	50 mL Tube	04773257	41
Bond-All Gel	.06 Oz. Tube	04467709AB	42
Butyl Tape (ROPE)	15' Roll	04076274AB	41
Engine Sealant RTV Silicone Rubber Adhesive	3 Oz. Tube	04883971AC	40
Gasket Maker	50 mL Tube	04318083AC	41
Gasket Sealant	9 Oz. Aerosol Can	04318035AC	41
Hylomar Gasket Dressing/Flange Sealant	1.2 Oz. Tube	05127819AA	41
Lock & Seal Adhesive	6 mL Tube	04318031AB	42
Loctite SI 598 Flange Sealant		68089566AA	43
Rear View Mirror Adhesive	Kit: 0.3 mL Adhesive 0.6 mL Activator	05015983AD	42
RTV Sealant	5 Oz. Bottle	68379579AA	40
RTV Silicone Rubber Adhesive	2.6 Oz. Tube	68119754AA	40
Silicone Rubber RTV	3 Oz. Tube	82300234AC	41
Silicone Windshield & Glass Sealer	1.5 Oz. Tube	04467708	42
Stud N' Bearing Mount Adhesive	6 mL Tube	04318032	42
Thread Sealant with PTFE	6 mL Tube	04318034AC	42
Threebond 1281B Transmission Sealant	4.1 Oz. Tube	68145518AB	43
Threebond Engine RTV	5 Oz. Tube	68082860AB	40
Transfer Case Sealant		68384493AA	43
Urethane Adhesive	9.8 Oz. Tube	68400418AA	43
Vinyl Foam Tape	30' Roll	04318028	41
Weatherstrip Adhesive	5 Oz. Tube	04773774AC	42
Windshield Install Adhesive Package		04864015AD	42

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>VEHICLE PREP AND DETAIL</b>			
Battery Terminal Protector Pads	2 Pads	68048547AA	47
Car Wash Concentrate	55 Gal. Drum	68350001AB	47
Car Wash Concentrate	5 Gal. Pail (Liquid)	05013678AD	47
Car Wash Liquid Concentrate	1 Quart Bottle	68442387AA	47
Car Wash Super Concentrate	1 Gal.	05003238AD	47
Carpet Cleaner	18 Oz.	05175050AB	48
Chrome Cleaner	16 Oz. Bottle	04318013AD	44
Cigarette Odor Eliminator, Unscented	24 Oz. Spray Bottle	68441884AB	47
Cleaner Wax	16 Oz.	04796237AD	48
Convertible Cloth Top Cleaner Concentrate	16 Oz.	05012245AE	45
Convertible Cloth Top Treatment	16 Oz.	05012246AC	45
Degreaser Concentrate	1 Gal.	05003241AD	49
Engine Degreaser	12 Oz. Aerosol Can	04318040AC	45
Finish Enhancer	16 Oz.	04796238AD	48
Glass Cleaner	11 Oz. Aerosol Can	04318014AC	44
Glass Cleaner	16 Oz.	04897623AD	44
Interior Cleaner Concentrate	1 Gal.	05003240AC	49
Jeep Vehicle Soft Glass Window Cleaner	16 Oz. Bottle	05012248AE	45
Leather, Rubber & Vinyl Protector	16 Oz. Bottle	04318017AC	44
Mopar Automatic Car Wash Detergent	5 Gal.	05093094AC	50
Mopar Car Care Kit	4 Oz. Spray Bottles (3)	68319193AA	48
Mopar Complete Windshield Washer Solvent	64 Oz. Bottle	68044762AB	46
Mopar FIAT Starter Kit w/Display Rack		68436632AA	51
Mopar 4-in-1 Paint Tube Assortment Kit		68493461AA	51
Odor Remover	24 Oz.	05073224AC	47
Premium Windshield Washer Solvent/De-Icer	64 Oz. Bottle	05139803AB	46
Rain Repellent Windshield Washer Fluid	64 Oz. Bottle	05139804AB	46
Rain Repelling Glass Treatment	Box of 24 Kits	68194881AA	44
Shop Floor Cleaner Concentrate	50 Lb.	04883968AB	50
Soft Top Zipper Cleaner & Lubricant	2 Oz. Bottle	05066440AB	45
Sunroof Track Grease	1.98 Oz. Tube	68337909AA	45
Super Kleen Bug, Tar & Spot Remover	16 Oz. Bottle	04886330AD	44
Tire & Wheel Cleaner	24 Oz.	05066247AE	47
Tire & Wheel Cleaner	5 Gal. Pail	05066248AD	47
Tire Cleaner Concentrate	1 Gal.	05003239AC	49
Tire Service Kit			53
Tire Treatment	16 Oz.	04796240AD	48
Total Clean	16 Oz.	04897840AD	48
Total Clean	1 Gal.	04318020AE	48
Touch-up Paint Assortment Kit w/Display Rack		68436630AA	51
Touch-up Paint Display Rack		68290303AA	51
Wheel Touch-Up Paint Kit		68441921AA	52
Whitewall & Vinyl Top Cleaner	16 Oz.	04856593AC	45
Windshield Washer Solvent	16 Oz.	04318067AC	46
Windshield Washer Solvent	1 Qt.	04318068AC	46
Windshield Washer Solvent	55 Gal. Drum	68040095AB	46

# AIR CONDITIONING



## ND-OIL 8 A/C COMPRESSOR OIL PAG TYPE

250 mL Can  
MSQ: 1 Can  
**Part No. 82300102AC /**  
AIR90021\*\*



## RL-897 A/C COMPRESSOR OIL POE TYPE

Formulated for use in certain  
piston type and electrically  
driven compressors.  
210 mL Can  
MSQ: 1 Can  
**Part No. 68170681AB /**  
AIR90021\*\*



## A/C COMPRESSOR OIL POE TYPE

250 mL Can  
MSQ: 1 Can  
**Part No. 68453175AA /**  
AIR90021\*\*



## ND-11 A/C COMPRESSOR OIL POE TYPE

Formulated for use only in  
electrically driven compressors.  
250 mL Can  
MSQ: 1 Can  
**Part No. 68043289AB /**  
AIR90021\*\*



## A/C COMPRESSOR OIL

Formulated to lubricate specific automotive  
air conditioning systems.  
7.1 Oz. Can  
MSQ: 1  
**Part No. 68232939AB /** AIR90021\*\*



## ELECTRIC A/C COMPRESSOR OIL

Synthetic POE lubricant formulated  
to be used in electric air conditioner  
compressors. Do not mix with other  
type of compressor lubricants.  
4.2 Oz. Can  
MSQ: 1 Can  
**Part No. 68192413AB**  
MS-12727



## SP-15 A/C COMPRESSOR LUBRICANT

250 mL Can  
MSQ: 1 Can  
**Part No. 04886129AB /** AIR90021\*\*  
MS-9176

\*\*Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.



# AIR CONDITIONING



## ND-OIL 12 A/C COMPRESSOR OIL

Formulated for use in automotive air conditioning systems using R-1234yf refrigerants.

210 mL Can

MSQ: 1 Can

**Part No. 68224150AB**



## R-134A A/C REFRIGERANT

Convenient 30 lb. non-returnable container.

30 lb. Cylinder

MSQ: 30 (unit of measure represents lbs.)

**Part No. 82300101AC / ROB34788N1\*\***

MS-50034



## 1234YF A/C REFRIGERANT

New Air Conditioning Refrigerant for use in vehicles equipped with the 1234YF systems.

Net Weight 10 lbs. (4.5kg) Cylinder

MSQ: 160 Oz. (unit of measure represents oz.)

**Part No. 68224028AB / RTIACX1280M\*\***

MS-50039



## VC-PAG 46 A/C COMPRESSOR LUBRICANT

Specifically intended for use in Visteon air conditioning compressors.

7 Oz. (210 mL) Per Can

MSQ: 7 Cans

**Part No. 05114554AD / AIR90021\*\***



## COOLING COIL COATING

Provides a durable coating to the air conditioning evaporator to reduce or eliminate odors.

8 Oz. Bottle

MSQ: 6 Bottles

**Part No. 04728942AC / AIR62644\*\***



## COOLING COIL CLEANER

Heavy-duty, fast-acting cleaner. Removes dirt and odor-causing organic matter. Biodegradable, safe on automotive surfaces.

8 Oz. Bottle

MSQ: 12 Bottles

**Part No. 05170022AB / AIR62644\*\***

 \*\*Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

## ASSEMBLY & REPAIR



### CAVITY WAX KIT

Custom installation kit includes one flexible direct spray wand, one flexible fan spray wand, one rigid fan spray wand, and two bottles of cavity wax.

31 Oz. Container

MSQ: 1 Kit

**Part No. 68042969AB**

### CAVITY WAX KIT REFILL

To maintain the integrity of the repair following any welding or repairs where metal is exposed.

31 Oz. Container

MSQ: 4 Bottles

**Part No. 68042970AB** / TOOL IS PROVIDED IN KIT P/N 68042969AB\*\*



### UNDERCOAT KIT

Kit includes air undercoating gun and two 31 oz. bottles of undercoat mixture.

31 Oz. Container

MSQ: 1 Kit

**Part No. 68042967AB**

### UNDERCOAT KIT REFILL

Refill kit of four 31 oz. bottles of undercoat mixture.

31 Oz. Container

MSQ: 4 Bottles

**Part No. 68042968AB** / TOOL IS PROVIDED IN KIT P/N 68042967AB\*\*



### ELECTRICAL CONTACT CLEANER

Cleans and loosens any oxidation deposits from all kinds of electrical terminals, connectors or contacts. Removes oxide and sulphide deposits, residue, resin, oil or dirt. Eliminates distortion and the occurrence of unreliable resistance or cracking noises. Safe for use on automotive circuit boards. Specify non-chlorinated.

9.7 Oz. Aerosol Can

MSQ: 12 Cans

**Part No. 05018045AC**



### RUST PENETRANT

Superior formula to loosen virtually all rusted and corroded parts. Excellent heat valve solvent.

10.8 Oz. Aerosol Can

MSQ: 12 Cans

**Part No. 04318039AE**

MS-3613



### MP-50

Displaces moisture from wet ignition system and leaves a moisture-resistant barrier. Penetrates metal fittings to ease disassembly and provides short-term rust prevention and protection.

9 Oz. Aerosol Can

MSQ: 12 Cans

**Part No. 04549626AD**



### GEAR MARKING COMPOUND

Brightly colored gear marking compound to aid in assembly and adjustment of ring and pinion preload or lash. Convenient brush-top can.

4 Fl. Oz. Can

MSQ: 1 Can

**Part No. 04883065AB**

\*\*Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

## ASSEMBLY & REPAIR



### NICKEL ANTI-SEIZE LUBRICANT

Nickel-graphite lubricant prevents corrosion and eliminates galling. Use on oxygen sensors, EGR bolts, manifold/turbocharger studs and spark plug threads. Withstands temperatures up to 2,600°F and will not wash off.


8 Oz. Bottle  
MSQ: 1 Bottle  
**Part No. 05012249AC**



### REAR WINDOW DEFOGGER REPAIR KIT

A one-step, air curable silver coating that quickly repairs broken or cracked rear defogger electric grids. Kit contains silver compound, brush, template and instruction sheet.


1.5 Gram Kit  
MSQ: 1 Kit  
**Part No. 04549275AB**



### BUZZ, SQUEAKS & RATTLES

These items may help eliminate cabin noises.


Anti-Squeak Tape  
**Part No. 05019054AA** – MSQ: 24  
Flock Tape –  
**Part No. 68230057AB** – MSQ: 4  
Foam Tape –  
**Part No. 05019056AA** – MSQ: 24,  
**Part No. 05019057AA** – MSQ: 24,  
**Part No. 05019058AA** – MSQ: 24  
Oil Lubricant –  
**Part No. 05019059AC** – MSQ: 1  
Grease Lubricant –  
**Part No. 05019060AC** – MSQ: 1



### GEL PACK RAIN SENSOR

The Light Rain Sensor Module (LRSM) is equipped with a clear, silicone gelatin (SilGel) adhesive membrane that serves as an optical coupler between the sensor and the windshield glass. The membrane should only come into contact with the clean and dry inside surface of the glass within the mounting bracket bonded to the windshield. Use **EXTREME CARE WHEN INSTALLING**. Do not touch the membrane with your fingers or tools.

Sealed Package  
MSQ: 1  
**Part No. 68224945AA**



### BLACK CORROSION RESISTANT PROTECTANT

Formulated as a low VOC, fast-drying water-based corrosion resistant coating. Designed to protect metal substrates at low coating thickness.

4 Fl. Oz. (118 mL)  
MSQ: 1  
**Part No. 68317791AA**



# AUTOMATIC TRANSMISSION FLUIDS



## 8 & 9 SPEED ATF

Formulated as a high-quality fluid specifically for the ZF 8HP45 & ZF 9HP45 transmission used in FCA US LLC vehicles. Ensures smooth and quiet operation. Provides superior lubrication to reduce wear. Meets ZF specifications.

1 Liter Bottle MSQ: 6

**Part No. 68218925AB**

1,008 Quart Pallet MSQ: 1

**Part No. 68218926AB**



## ATF+4\*

The approved automatic transmission fluid for all vehicles factory filled with ATF+4.

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 68218057AC**

5L Bottle MSQ: 3

**Part No. 68218058AC**

220 Quart Drum MSQ: 220

**Part No. 68218054AB / SMNWF1\*\***

1,008 Quart Pallet MSQ: 1

**Part No. 68218056AD**

180 5L Bottle Pallet MSQ: 1

**Part No. 68218059AC**

MS-9602



## SP-IV M AUTOMATIC TRANSMISSION FLUID

This ATF is specifically designed and approved for use in the 6-speed automatic Powertech transmission for front-wheel drive or all-wheel drive FCA US LLC vehicles (only transverse engine layout). Controls oxidation and minimizes the formation of deposits.

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 68171866AB**

1 Gallon Bottle MSQ: 4

**Part No. 68171869AB**



## ASRC & TRADE; ATF

Formulated as an exceptionally high-performance lubricant for use in AS68RC and AS69RC slip-controlled lock-up automatic transmissions. Recommended for use in transmissions made by Aisin-Seiki requiring Type T-IV fluids. Refer to vehicle owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 05189966AD**

1 Gallon Bottle MSQ: 4

**Part No. 05189977AB**

1,008 Quart Pallet MSQ: 1

**Part No. 05189978AA**

180 Gallon Pallet MSQ: 1

**Part No. 05189979AA**



## CVTF+4 TRANSMISSION FLUID

Mopar® CVT fluid is specially formulated for Continuously Variable Transmission in PM/MK body.

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 05191184AB**

5L Bottle MSQ: 3

**Part No. 05191185AC**

1,008 Quart Pallet MSQ: 1

**Part No. 05191186AE**

216 Gallon Pallet MSQ: 1

**Part No. 05191187AA**



## MB236.12 AUTOMATIC TRANSMISSION FLUID

This fluid is specifically designed for Chrysler Crossfire and Dodge Sprinter automatic transmissions. Not intended for use in power steering systems or other FCA US LLC transmissions. Meets MB236.12.

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 05127382AB**

504 Quart Pallet MSQ: 1

**Part No. 68002823AA**

**\*\*Tooling part number. Available through Mopar Essential Tools and Service Equipment.**

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

\*ATF+4 products must be purchased using a promo code. The promo code has no discount but it ensures the dealer orders in the correct quantity which is 4 drums. The minimum sales quantity (MSQ) for each drum is 220 which represent the number of quarts in a 55 gallon drum. Dealer must order in 880 increments which is 4 drums. Promo code MDO to purchase Mopar branded drum ATF+4.

# AUTOMATIC TRANSMISSION FLUIDS



## DEXRON®-VI AUTOMATIC TRANSMISSION FLUID

For use only in Chrysler Hybrid Electric Vehicle (HEV) transmissions. Controls oxidation and helps reduce formation of deposits.

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 68043742AB**



## LONG LIFE AUTOMATIC TRANSMISSION FLUID DAF 6-SPD AISIN JWS3309

Formulated for 6-speed automatic transmissions to protect against rusting, corrosion and foaming. Viscosity stability helps ensure adequate lubrication without excessive thinning in severe high-temperature operation or thickening at low starting temperatures.

1 Quart (32 Oz.) Bottle  
MSQ: 2 Bottles  
**Part No. 68333587AA**



## TRANSMISSION COOLER FLUSH

For back-flushing ATF cooler and lines. Dissolves and flushes unwanted particles in transmission system. Does not foam up and is compatible with transmission cooler system components.

1 Gallon Bottle  
MSQ: 6 Bottles  
**Part No. 04796268AB**  
MS-552



## LONG LIFE MANUAL TRANSMISSION LUBRICANT SAE 75W-90

This lubricant is formulated to provide smooth shifting for 6-speed manual transmissions. Helps ensure viscosity stability and adequate lubrication without excessive thinning in severe high temperature operation or thickening at low starting temperatures. It meets SAE 75W-90, API GL-4 and 9.55550-DA specifications.

1 Quart (32 Oz.) Bottle MSQ: 1  
**Part No. 68333586AA**



# COOLANT

## IAT FAMILY



### **ANTIFREEZE/COOLANT 3-YEAR FORMULA — EMBITTERED**

Ethylene glycol based three-year formulation to prevent freeze-up and boil-over while inhibiting corrosion. Only for vehicles factory filled with three-year coolant.

1 Gallon Bottle  
MSQ: 6 Bottles  
**Part No. 04267020AD**

Gallon Half Pallet  
MSQ: 108  
**Part No. 68002827AC**

Gallon Pallet  
MSQ: 216  
**Part No. 04762648AC**

Gallon Drum  
MSQ: 2 Drums (110 Gallons)  
**Part No. 68002825AC / SMNWF1\*\***  
MS-7170

## HOAT FAMILY



### **50/50 PREDILUTED ANTIFREEZE/COOLANT 5-YEAR/100,000-MILE — EMBITTERED**

Do not add water. Ethylene glycol-based five-year formulation to prevent freeze-up and boil-over while inhibiting corrosion. Only for vehicles factory filled with 5-year/100,000-mile coolant.

1 Gallon Bottle  
MSQ: 6 Bottles  
**Part No. 68051212AC**

Gallon Half Pallet  
MSQ: 108  
**Part No. 68051217AC**

Gallon Pallet  
MSQ: 216  
**Part No. 68051216AC**

Gallon Drum  
MSQ: 2 Drums (110 Gallons)  
**Part No. 68051218AB / SMNWF1\*\***  
MS-9769G



### **CONCENTRATE ANTIFREEZE/COOLANT 5-YEAR/100,000-MILE — EMBITTERED**

Ethylene glycol-based five-year formulation to prevent freeze-up and boil-over while inhibiting corrosion. Only for vehicles factory filled with 5-year/100,000-mile coolant.

1 Gallon Bottle  
MSQ: 6 Bottles  
**Part No. 68048953AC**

Gallon Half Pallet  
MSQ: 108  
**Part No. 68051215AC**

Gallon Pallet  
MSQ: 216  
**Part No. 68051213AC**

Gallon Drum  
MSQ: 2 Drums (110 Gallons)  
**Part No. 68051214AB / SMNWF1\*\***  
MS-9769G

 \*\*Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.



# COOLANT

## OAT FAMILY



### 50/50 PREDILUTED ANTIFREEZE/COOLANT 10-YEAR/150,000-MILE

Do not add water. Ethylene glycol based formulation to prevent freeze-up and boil-over while inhibiting corrosion. Must not be mixed with any non-conforming antifreeze. OAT (Organic Acid Technology). Developed for new vehicle technologies.

1 Gallon Bottle MSQ: 4 Bottles <b>Part No. 68163849AB</b> MS-12106	Gallon Half Pallet MSQ: 84 <b>Part No. 68306482AB</b>	Gallon Pallet MSQ: 168 <b>Part No. 68306473AB</b>	Gallon Drum MSQ: 55 <b>Part No. 68140973AA*</b> / SMNWF1**
---	---	---	---



### CONCENTRATE ANTIFREEZE/COOLANT 10-YEAR/150,000-MILE

Ethylene glycol based formulation to prevent freeze-up and boil-over while inhibiting corrosion. Must not be mixed with any non-conforming antifreeze. OAT (Organic Acid Technology). Developed for new vehicle technologies.

1 Gallon Bottle MSQ: 4 Bottles <b>Part No. 68163848AB</b> 9.555 23, MS-12106, MS-90032	Gallon Half Pallet MSQ: 84 <b>Part No. 68306483AB</b>	Gallon Pallet MSQ: 68 <b>Part No. 68306476AB</b>	Gallon Drum MSQ: 55 <b>Part No. 68140983AA*</b> / SMNWF1**
--	---	--	---

\*Coolants are interchangeable

## POAT FAMILY



### 55/45 PREMIXED EXTENDED LIFE

5-year, green-colored coolant formulated as an ethylene glycol-based product for long-lasting protection. Developed to provide corrosion and rust protection for aluminum and all other cooling system components. Requires no additional corrosion inhibitors and provides year-round protection. For use in FIAT® 124 Spider only.

1 Gallon Bottle MSQ: 1 <b>Part No. 68334695AA</b>
---

 \*\*Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.



# COOLANT

## COOLANT SYSTEM TREATMENTS



### COOLING SYSTEM FLUSH

Dissolves oil and sludge from cooling system while removing scale and rust from components. Does not foam and is compatible with all aluminum components.

22 Oz. Bottle

MSQ: 12 Bottles

**Part No. 04856977AC**



### WATER PUMP LUBRICANT

Formulated to help prevent rust and corrosion while lubricating the water pump. This is compatible with the 5-year/100,000-miles coolant, HOAT. It is not compatible with the 10-year/150,000-mile coolant, OAT.

12 Oz. Bottle

MSQ: 12 Bottles

**Part No. 68029698AC**



### STOP LEAK PELLETS

Permanently seals minor coolant leaks in radiator, block, head gasket or hose connections. Approved for all types of coolant.

MSQ: 24

**Part No. 04318005**

MS-3417

# DIESEL FLUIDS

Federal emission standards for many diesel vehicles, including all 2011 and later Ram 3500/4500/5500 Diesels, require a new chemical to operate.

## DIESEL EXHAUST FLUID (DEF)

DEF is carried in a separate tank on board the vehicle and injected into the exhaust system. DEF consumption is expected to be approximately 2% of fuel consumption.

### DIESEL EXHAUST FLUID

55 Gallon Drum  
MSQ: 110 (2 Drums)  
**Part No. 68035700AC** / JD0DEF1A\*\*



### DIESEL EXHAUST FLUID (DEF)

DEF is carried in a separate tank on board the vehicle and injected into the exhaust system. DEF consumption is expected to be approximately 2% of fuel consumption.

1 U.S. Gallon  
MSQ: 4

**Part No. 68035704AC**

2.5 U.S. Gallons  
MSQ: 2

**Part No. 68056278AC**

20 2.5 U.S. Gallon Bottle Pallet  
MSQ: 1  
**Part No. 68441881AA**  
ISO 22241

### DEF NOZZLES

MSQ: 24  
**Part No. 68461587AA**

Pour spout nozzles for use with the DEF 1- and 2.5-gallon containers.



### EGR SYSTEM CLEANER

For use with appropriate Service Manual cleaning procedure. Must be diluted with water.

1 Liter Bottle (33.8 Oz.)  
MSQ: 6 Bottles  
**Part No. 68028729AB**



### DIESEL TURBOCHARGER CLEANER

Formulated as a non-flammable, water-based solvent for removing soot accumulation on internal diesel turbocharger exhaust components.

14 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 68044565AB**

\*\*Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.



# MOPAR® BULK OIL QUALIFIER



The Mopar® Bulk Oil (MBO) program wants to give all FCA US dealers credit where credit is due! Qualifying dealers will need to hit a \$12 or greater ratio of oil purchased through the program to unique FCA US vehicle identification numbers (VINs).

## Example 1 (QUALIFIES FOR REWARDS)

Month 1	Month 2	Month 3 (Current Month)		
<b>\$2,000</b>	<b>\$2,000</b>	<b>\$2,000</b>	=	<b>\$6,000</b>
<b>500</b>			=	<b>\$12</b>

(Prior 3 months Unique FCA US VINs)

If a dealer purchases \$2,000 for the current month, \$4,000 for the prior two months, and services 500 unique FCA US vehicles, the calculation of \$12 meets the \$12 minimum threshold per VIN.

## Example 2 (DOES NOT QUALIFY FOR REWARDS)

Month 1	Month 2	Month 3 (Current Month)		
<b>\$1,000</b>	<b>\$1,000</b>	<b>\$1,000</b>	=	<b>\$3,000</b>
<b>750</b>			=	<b>\$4</b>

(Prior 3 months Unique FCA US VINs)

If a dealer purchases \$1,000 for the current month, \$2,000 for the prior two months, and services 750 unique FCA US vehicles, the calculation of \$4 does not meet the \$12 minimum threshold per VIN.

ALL MBO product pack sizes and bulk will be included!

### Combined Oil Metrics = Oil Penetration

The Oil Penetration target is \$12 per unique VIN serviced. It includes all bulk, packaged oil and ATF. The MBO Oil Penetration qualifier will also be used for Dealer Rewards.

**1. MBO Filter Rewards** dealers receive monthly credit based on the retail sales (sold on a CRO, IRO or Service Contract) of the following Mopar® Parts:

- ▶ Mopar Oil Filters - Earn 45% of Dealer Net MBO Rewards credit\*
- ▶ Mopar Air Filters - Earn 25% of Dealer Net MBO Rewards credit\*

\*MBO Rewards credit requires the retail sale of the Mopar Bulk Oil quart part number on the same repair order.

**2. MBO Quarterly Cash Back** is a quarterly rebate based on the total combined purchases of Mopar Bulk Oil/ATF+4.

**3. An Additional Benefit** of being enrolled in the MBO program is inclusion into special promotions and incentives. 2019 examples: Summer Service Lane incentive, select MSER LOF incentives, Digital LBN Consumer Rush.

*Quarterly Cash Back is still calculated based on bulk gallons (packaged gallons not included).*

To enroll in the MBO program, [CLICK HERE](#) or contact Mopar Bulk Oil headquarters at 800-352-2174.

**4. Mopar Bulk Oil** 100% interest-free funding through Shell Lubricants for loans up to five years. These BDFs (Business Development Funds) can be used to install equipment that will help grow the dealer's Express Lane/Oil business. **In addition, new eligible funding categories, including local marketing, personnel and technology expenses, have been added to the BDF funding program.**

For more BDF information, [CLICK HERE](#) or contact MBO headquarters at 800-352-2174.



**6. MBO Purchases** [CLICK HERE](#) to earn Dealer Rewards, (dealers can earn up to 9% Dealer Rewards Discount).

**7. MBO Dealers** [CLICK HERE](#) to earn Mopar One funds, and earn discounts on Mopar Vehicle Protection® and convenience items.

**8. MBO Dealers** earn 2% - 4% Parts Return Allowance on Bulk Oil purchased from Mopar.

MBO Rewards credit requires the dealer's retail service sales data to be extracted from the dealer's DBS and transmitted to Mopar.

QUARTERLY CASH BACK SCALE	
500 to 999 gallons . . . . .	\$0.05 per gallon
1,000 to 1,499 gallons . . . . .	\$0.10 per gallon
1,500 to 2,999 gallons . . . . .	\$0.15 per gallon
3,000 to 5,999 gallons . . . . .	\$0.20 per gallon
6,000 to 11,999 gallons . . . . .	\$0.30 per gallon
12,000 to 19,999 gallons . . . . .	\$0.50 per gallon

HIGH-VOLUME QUARTERLY CASH BACK SCALE	
20,000 to 34,999 gallons . . . . .	\$0.60 per gallon
35,000+ gallons . . . . .	\$0.70 per gallon

**5. Mopar Bulk Oil** is delivered and invoiced in metered gallons. Dealers must use the bulk **quart** part numbers listed in the second column that correspond with the gallon part number invoiced to report sales and charge out Mopar Bulk Oil/ATF+4 in the parts section of a CRO, IRO or Service Contract:

Tier	Quart	Oil Description	Bulk Gallon
Good	68523001AA	Pennzoil 5W20	68523000AA
	68523016AA	Pennzoil 5W30	68523009AA
	68523004AA	Pennzoil High Millage 5W20	68523002AA
	68523018AA	Pennzoil High Millage 5W30	68523017AA
Better	68055893AA	Shell Rotella T Triple Protection CJ-4 15W40	68101999AB
	68523006AA	Pennzoil 5W20	68523005AA
	68523020AA	Pennzoil 5W30	68523019AA
Best	68523030AA	Pennzoil 0W20	68523029AA
	68523008AA	Pennzoil Platinum 5W20	68523007AA
	68523022AA	Pennzoil Platinum 5W30	68523021AA
	68522999AA	Pennzoil Platinum 0W20	68522989AA
	68523028AA	Pennzoil Platinum Euro 5W40	68523027AA
ATF	68357422AA	Pennzoil Platinum Euro 5W40	68232237AB
	68055894AA	Shell ATF+4	68102000AA
	68333664AA	Pennzoil Platinum LV Multi Vehicle ATF	68333663AA

Please contact Mopar Bulk Oil Headquarters at 800-352-2174 or [support@mboprogram.com](mailto:support@mboprogram.com) for more information on the MBO program.





## PENNZOIL® ECOBOX™ CARTONS FOR ECOBOX™ SYSTEM

**One Ecobox™ is the equivalent of 24 single-quart plastic bottles**

- **FASTER BAY TIME** because there's no handling of individual single-quart bottles
- **BETTER INVENTORY CONTROL** thanks to the built-in visual ports with graduated inventory markings, which make gauging oil level easier
- **LESS RESTOCKING** when you compare to restocking bottles
- **BETTER VALUE** because the cost is less per quart
- **FRIENDLIER TO THE ENVIRONMENT** because an Ecobox™ plastic liner results in 89% less plastic landfill waste than the equivalent 24 single-quart plastic bottles. The Ecobox™ carton is also fully recyclable

QUART	DESCRIPTION	ECOBX™
05127394PD	Pennzoil Platinum® Euro SAE 5W-40 Full Synthetic Motor Oil	68218065AB
68001332PC	Shell Rotella® T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	68218066AB
68169968PB	Pennzoil Gold™ SAE 5W-20 Semi-Synthetic	68218896AA
05166240PB	Pennzoil Platinum® SAE 5W-20 Full Synthetic Motor Oil	68218897AA
05166241PC	Pennzoil Platinum® SAE 5W-30 Full Synthetic Motor Oil	68218927AA
68152004PC	Pennzoil Platinum® SAE 0W-20 Full Synthetic Motor Oil	68218956AA

Pennzoil and the Pennzoil logo are registered trademarks of SOPUS Inc.



## MOPAR® ENGINE OILS



### SAE 0W-20 ENGINE OIL

Mopar® 0W-20 Full Synthetic

*Rating API SN Energy Conserving, ILSAC GF-5*  
Specially developed with FCA US engineering, this product exceeds requirements for API Certified SN engine oils.

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 68218950AC**

5L Bottle MSQ: 3

**Part No. 68218951AB**

220 Quart Drum MSQ: 220

**Part No. 68218952AA**

MS-6395



### SAE 0W-30 MOPAR ENGINE OIL

This fully synthetic motor oil is formulated specifically for use in turbocharged engines, providing high levels of durability, engine protection, emission system protection and fuel economy for a wide range of vehicles. Protects against Low-Speed Pre-ignition (LSPI). It is formulated to meet MS-13340, ILSAC GF-5, API SN PLUS Energy Conserving and all previous categories. Refer to your owner's manual for correct viscosity grade.

1 Quart (32 Oz.) Bottle  
MSQ: 12

**Part No. 68444159AA**



### SAE 5W-20 MOPAR ENGINE OIL

*Rating API SN Energy Conserving, ILSAC GF-5*  
Specially developed with FCA US engineering, this product exceeds requirements for API Certified SN engine oils.

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 68218890AC**

5L Bottle MSQ: 4

**Part No. 68218891AC**

220 Quart Drum MSQ: 220

**Part No. 68218892AA**

1,008 Quart Pallet MSQ: 1

**Part No. 68218893AC**

180 5L Bottle Pallet MSQ: 1

**Part No. 68218894AA**

MS-6395



### SAE 5W-30 MOPAR ENGINE OIL

*Rating: API SN / GF-5 Energy Conserving*

Approved to service all engines that require SAE 5W-30 engine oils in all climates. Suitable for use in gasoline, flexible fuel (E85).

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 68218920AC**

5L Bottle MSQ: 4

**Part No. 68218921AB**

220 Quart Drum MSQ: 220

**Part No. 68218922AA**

1,008 Quart Pallet MSQ: 1

**Part No. 68218923AC**

180 5L Bottle Pallet MSQ: 1

**Part No. 68218924AA**

MS-6395



### SAE 5W-40 MOPAR ENGINE OIL

*Rating: API SN, Energy Conserving, ILSAC GF-5*

Approved to service all engines that require SAE 5W-40 engine oils in all climates. Suitable for use in both gasoline and flexible fuel engines.

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 68231020AA**

5L Bottle MSQ: 4

**Part No. 68231021AA**



### SAE 10W-30 MOPAR ENGINE OIL

*Rating: API SN, Energy Conserving, ILSAC GF-5*

Approved to service all engines that require SAE 10W-30 engine oils in all climates. Suitable for use in both gasoline and flexible fuel engines.

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 68218930AC**

5L Bottle MSQ: 4

**Part No. 68218931AC**

220 Quart Drum MSQ: 220

**Part No. 68218932AA**

1,008 Quart Pallet MSQ: 1

**Part No. 68218933AC**

180 5L Bottle Pallet MSQ: 1

**Part No. 68218934AA**

MS-6395

## MOPAR® ENGINE OILS



### SAE 15W-40 MOPAR ENGINE OIL

*Rating: API CJ-4/CI-4+*

6700 CJ-4 rated for Ram truck with low emissions 6.7L Cummins turbo diesel engine. Approved for 5.9L Cummins diesels operating on low or high sulfur fuel.

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 68218940AD**

5L Bottle MSQ: 4

**Part No. 68218941AC**

220 Quart Drum MSQ: 220

**Part No. 68218942AA**

1,008 Quart Pallet MSQ: 1

**Part No. 68218943AD**

180 5L Bottle Pallet MSQ: 1

# SHELL ENGINE OILS



## SHELL ROTELLA® T4 SAE 15W-40 HEAVY DUTY ENGINE OIL

(NOTE: T Triple is now named T4)

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 68024966PD**

1 Gallon Bottle MSQ: 3  
**Part No. 68024967PB**

220 Quart Drum MSQ: 220  
**Part No. 68044417PB**

1,008 Quart Pallet MSQ: 1  
**Part No. 68024968PE**

225 Gallon Pallet MSQ: 1  
**Part No. 68024969PB**

MS-10902  
 MS-6395



## SHELL ROTELLA T5 SAE 10W-30 SYNTHETIC BLEND HEAVY DUTY DIESEL ENGINE OIL

1 Gallon Bottle MSQ: 6  
**Part Number: 68438447PA**

2.5 Gallon Bottle MSQ: 6  
**Part Number: 68475202PA**

220 Quart Drum MSQ: 220  
**Part Number: 68440571PA**



## SHELL ROTELLA® T6 SAE 5W-40 FULL SYNTHETIC HEAVY DUTY ENGINE OIL

Approved for 5.9L Cummins turbo diesel. Recommended for heavy duty drive cycle, towing and commercial use. Preferred when temperature is 5° F or below.


1 Quart (32 Oz.) Bottle MSQ: 6  
**Part No. 68001332PC**

1 Gallon MSQ: 6  
**Part No. 68171006PB**

220 Quart Drum MSQ: 220  
**Part No. 68147411PB**

750 Quart Pallet MSQ: 1  
**Part No. 68001333PD**  
 MS-10902



 Ecobox™ available. See page 20.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.





# PENNZOIL ENGINE OILS



## PENNZOIL SAE 10W-30 ENGINE OIL

Rating: API SN, Energy Conserving, ILSAC GF-5  
Approved to service all engines that require SAE 10W-30 engine oils in all climates. Suitable for use in both gasoline and flexible fuel engines.

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 04761839PC**

5.1 Quart Bottle MSQ: 3  
**Part No. 04761845PE**

1 Gallon Bottle MSQ: 4  
**Part No. 04761845PA**

220 Quart Drum MSQ: 220  
**Part No. 68044416PB**

1,008 Quart Pallet MSQ: 1  
**Part No. 04762631PD**

180 5.1 Quart Pallet MSQ: 1  
**Part No. 04762636PC**  
MS-6395



## PENNZOIL SAE 5W-20 ENGINE OIL

Rating API SN Energy Conserving, ILSAC GF-5  
Specially developed with FCA US engineering, this product exceeds requirements for API Certified SN engine oils.

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 04761872PC**

220 Quart Drum MSQ: 220  
**Part No. 68044413PB**

1,008 Quart Pallet MSQ: 1  
**Part No. 04762632PD**  
MS-6395



## PENNZOIL SAE 5W-30 ENGINE OIL

Rating: API SN PLUS  
Approved to service all engines that require SAE 5W-30 engine oils in all climates. Suitable for use in gasoline, flexible fuel (E85).

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 04761838PC**

5.1 Quart Bottle MSQ: 3  
**Part No. 04761844PE**

220 Quart Drum MSQ: 220  
**Part No. 68044414PB**

1,008 Quart Pallet MSQ: 1  
**Part No. 04762630PD**

180 5.1 Quart Pallet MSQ: 1  
**Part No. 04762635PC**  
MS-6395



## PENNZOIL GOLD SAE 10W-30 SEMI-SYNTHETIC

This oil is designed for vehicles with over 75,000 miles to help keep the engine running clean and going strong. It meets the requirements of Chrysler MS-6395.

1 Quart (32 Oz.) Bottle MSQ: 6  
**Part No. 68169970PB**

220 Quart Drum MSQ: 220  
**Part No. 68169976PA**

750 Quart Pallet MSQ: 1  
**Part No. 68185116PC**



## PENNZOIL GOLD SAE 5W-20 SEMI-SYNTHETIC

This oil is enhanced with conditioning agents to help stop leaks from seals and reduce the oil consumption that is typical of older, worn engines. It meets the requirements of Chrysler MS-6395, Ford WSS-M2C945-A and GM dexos1™ Gen 2 (Lic. # D10072GE014).

1 Quart (32 Oz.) Bottle MSQ: 6  
**Part No. 68169968PB**

220 Quart Drum MSQ: 220  
**Part No. 68169972PA**

750 Quart Pallet MSQ: 1  
**Part No. 68185114PC**




## PENNZOIL GOLD SAE 5W-30 SEMI-SYNTHETIC

This oil provides added protection for older vehicles. It meets the requirements of Chrysler MS-6395, Ford WSS-M2C946-A and GM dexos1™ Gen 2 (Lic. # D10039GD014).

1 Quart (32 Oz.) Bottle MSQ: 6  
**Part No. 68169969PB**

220 Quart Drum MSQ: 220  
**Part No. 68169973PA**

750 Quart Pallet MSQ: 1  
**Part No. 68185115PC**

 Ecobox™ available. See page 20.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

# PENNZOIL ENGINE OILS



## PENNZOIL ULTRA PLATINUM™ SAE 0W-40 FULL SYNTHETIC MOTOR OIL

Service Fill SRT8®, 6.4L.

1 Quart (32 Oz.) Bottle MSQ: 6  
**Part No. 68171066PC**

5 Gallon Pail MSQ: 20  
**Part No. 68171067PA**

220 Quart Drum MSQ: 220  
**Part No. 68171068PA**

750 Quart Pallet MSQ: 1  
**Part No. 68171069PC**

MS-12633



## PENNZOIL ULTRA PLATINUM™ SAE 5W-30 FULL SYNTHETIC MOTOR OIL

Approved for 3.0L CRD (WK) and Sprinter 3.0L OM642 (VB).

1 Quart (32 Oz.) Bottle MSQ: 6  
**Part No. 68001334PD**

750 Quart Pallet MSQ: 1  
**Part No. 68001335PC**

MS-11106 (MB-229.51)



## PENNZOIL PLATINUM® EURO SAE 5W-40 FULL SYNTHETIC MOTOR OIL

Service Fill SRT8, 6.1L.

Service Fill SRT10, 8.3L, 8.4L.  
Service Fill Crossfire & SRT6.  
Service Fill 2.8L diesel (KJ).

1 Quart (32 Oz.) Bottle MSQ: 6  
**Part No. 05127394PD**

220 Quart Drum MSQ: 220  
**Part No. 68044407PB**

750 Quart Pallet MSQ: 1  
**Part No. 05166246PD**

MS-12991



## PENNZOIL PLATINUM® SAE 0W-20 FULL SYNTHETIC MOTOR OIL

Approved to service all engines that require SAE 0W-20 engine oils.

1 Quart (32 Oz.) Bottle MSQ: 6  
**Part No. 68152004PC**

220 Quart Drum MSQ: 220  
**Part No. 68152005PA**

750 Quart Pallet MSQ: 1  
**Part No. 68199087PC**

MS-12145



## PENNZOIL PLATINUM® SAE 5W-20 FULL SYNTHETIC MOTOR OIL


Energy conserving viscosity grade recommended for many modern gasoline engines.

1 Quart (32 Oz.) Bottle MSQ: 6  
**Part No. 05166240PB**

220 Quart Drum MSQ: 220  
**Part No. 68146832PA**

750 Quart Pallet MSQ: 1  
**Part No. 05166247PC**

MS-12007



## PENNZOIL PLATINUM® SAE 5W-30 FULL SYNTHETIC MOTOR OIL

Energy conserving viscosity provides excellent all-season protection and unsurpassed levels of performance.

1 Quart (32 Oz.) Bottle MSQ: 6  
**Part No. 05166241PC**

220 Quart Drum MSQ: 220  
**Part No. 68146834PA**

750 Quart Pallet MSQ: 1  
**Part No. 05166248PC**

MS-13340




## PENNZOIL PLATINUM® SAE 10W-30 FULL SYNTHETIC MOTOR OIL

Provides unsurpassed levels of performance, cleaning power and engine wear protection. Service fill for 1997-2005 Viper 8.0L.

1 Quart (32 Oz.) Bottle MSQ: 6  
**Part No. 05166242PB**

750 Quart Pallet MSQ: 1  
**Part No. 05166249PC**

 Ecobox™ available. See page 20.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

# FUEL CLEANERS



## PREMIUM FUEL SYSTEM CLEANING KIT

This kit is designed to improve customer satisfaction by addressing drivability concerns, including rough idle, loss of power, hesitation, hard starting and poor fuel economy.

### One Kit Includes:

Premium Fuel System Cleaner, Premium Combustion Chamber Cleaner, Premium Air Intake Cleaner.

MSQ: 8

**Part No. 05174566AB / WYNZW04011\*\***

**Part No. 68079093AB (Low VOC) / WYNZW04011\*\***

Additional tools are available from Mopar® Essential Tools.

Log on to DealerCONNECT/Service Tab/Mopar Essential Tools.

*Air Intake Cleaner (pictured) ships in aerosol container for all states except CA, CT, DE, MD, NE and UT.  
Low VOC is applicable in all states.*



## FUEL SYSTEM CLEANER

The ultimate fuel injector cleaner. It is a powerful, non-halogenated cleaner for use in all fuel-injected gasoline engines. Catalytic converter and sensor safe.

12 Oz. Aerosol Can  
MSQ: 12 Cans

**Part No. 05019625AB**



## FUEL INJECTOR CLEANER

Cleans performance-robbing carbon deposits from the entire fuel system, restoring lost power, drivability and fuel economy. Cleans and protects sensitive fuel gauge sensors from harmful sulfur in some gasolines.

12 Oz. Bottle  
MSQ: 6 Bottles

**Part No. 68158590AE**



## DIESEL INJECTOR CLEANER

Compatible with all diesel fuels and bio-diesel. Emissions-reducing formula is non-corrosive and contains no alcohol. Rated "superior" in Cummins L-10 test for injector cleanliness. Complies with federal ultra-low sulfur content requirements for use in all diesel motor vehicles and non-road engines. Increases power and reduces black smoke.

30 Oz. Bottle  
MSQ: 12 Bottles

**Part No. 68194640AB**



## PREMIUM DIESEL FUEL TREATMENT

Increases cetane rating 2-5 numbers. Improves fuel economy and corrosion protection. Removes fuel injector/system deposits and may reduce emissions. Provides exceptional fuel lubricity for reducing fuel pump and injector wear. Improves cold temperature flow for low temperature starting, smoother idling and shortened warm-up time. Stabilizes fuel when in storage. This diesel fuel additive complies with the federal low sulfur content requirements for use in diesel motor vehicles and non-road engines.

11 Oz. Bottle  
MSQ: 24 Bottles

**Part No. 05191800AB**

\*\*Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.



# FUEL CLEANERS



## COMBUSTION CHAMBER CLEANER

Cleans carburetors, intake manifolds, intake and exhaust valves, pistons and combustion chambers. Removes deposits, eliminates carbon knock and restores performance.

13 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 04318001AE**



## THROTTLE BODY CLEANER

Quickly removes deposits and carbon buildup from throttle bodies, carburetors, chokes, linkages and PCV valves. Meets C.A.R.B. automotive product VOC standards.

13 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 04897156AD**

# GEAR & AXLE LUBRICANTS



## FRONT AXLE POWER TRANSFER UNIT LUBRICANT SAE 75W-90

Formulated as a full-synthetic multi-grade, long life 75W-90 GL-5 for use specifically in axles produced by GKN Driveline. Lubricant offers fuel savings and reduced emissions due to balanced viscometric and frictional characteristics. Optimal anti-wear, extreme pressure performance at all ambient temperatures and load conditions.

1 Quart (32 Oz.) Bottle  
MSQ: 1

**Part No. 68280932AA**



## REAR AXLE DIFFERENTIAL MODULE LUBRICANT SAE 75W-90

75W-90 GL-5 is formulated as a full synthetic for use specifically in axles produced by GKN Driveline. Lubricant is formulated with age-resistant and excellent cold flow properties. It offers excellent thermal and oxidative stability, excellent shear stability, constant viscosity and performance during oil life.

1 Quart (32 Oz.) Bottle  
MSQ: 1

**Part No. 68280933AA**



## REAR AXLE LUBRICANT SAE 75W-85

Rear Axle Lube for ZF-ELSD Assembly.

1 Liter Bottle  
MSQ: 4 Bottles

**Part No. 68449546AA**  
MS-A0759



## REAR AXLE LUBRICANT SAE 75W-85

Rear Axle Lube for ZF-ELSD Assembly.

1 Liter Bottle  
MSQ: 4 Bottles

**Part No. 68083381AA**



## MULTI AXLE LUBRICANT SAE 75W-85

Fully synthetic lubricant formulated for car differential units where API GL5 is required. Specific formulation warrants total protection of the differential also at the most extreme temperatures. Protects fuel economy and lowers operating temperatures and noise. Refer to vehicle owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle  
MSQ: 1

**Part No. 68364258AA**

FPW 9.55550 DA3



## GEAR & AXLE LUBRICANT SAE 80W-90

General purpose GL-5 gear lubricant. Use in select Dana axles as specified.

64 Quarts (60.56 Liters)  
MSQ: 64

**Part No. 68218043AA / AMLTIM64\*\***

MS-9020



## GEAR & AXLE LUBRICANT SAE 80W-90

General purpose GL-5 gear lube. Use in rear axles as specified. Excellent wear and noise protection.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles

**Part No. 68218041AB**

MS-9020



## TUTELA TRANSMISSION HYPOID GEAR LUBRICANT SAE 75W-80

Designed as a high-performance hypoid gear lubricant specifically formulated to withstand extreme pressure and provide lasting protection against surface stress under extreme conditions.

1 Quart (32 Oz.) Bottle  
MSQ: 1

**Part No. 68339072AA**

\*\*Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

\*Gear & Axle Lubricant products must be purchased using a promo code. The promo code has no discount but it ensures the dealer orders in the correct quantity which is 4 drums. The minimum sales quantity (MSQ) for each drum is 64 quarts. Dealer must order in 256 increments which is 4 drums. Promo code MGO to purchase Mopar Gear & Axle Lubricant.

# GEAR & AXLE LUBRICANTS



## SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-140

High-performance synthetic GL-5 gear lubricant. Recommended for trailer tow, heavy-duty and high-load in 2X4 and 4X4 applications.

64 Quarts (60.56 Liters)  
MSQ: 64

**Part No. 68218658AA /**  
AMLTIM64\*\*  
MS-8985



## SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-140

75W-140 with friction modifier optimized for best performance. Premixed MS-8985 75W-140 with MS-10111 friction modifier (4.3% by volume) for D2 12.0 DRW rear axles.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 68449547AA**  
MS-10111



## SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-140

High-performance synthetic GL-5 gear lube. Also highly recommended for LX body rear axle. Recommended for trailer tow and heavy-duty, high-load vehicles.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 68218657AB**  
MS-8985



## SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-90

GL-5 formula for use in all FCA US LLC corporate axles (205mm, 8.25").

64 Quarts (60.56 Liters)

MSQ: 64  
**Part No. 68218656AA /**  
AMLTIM64\*\*  
MS-9763



## SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-90

Specifically formulated for improved fuel efficiency while providing exceptional antiwear properties. For use in all FCA US LLC corporate axles.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 68218655AC**  
MS-9763



## SYNTHETIC AXLE LUBRICANT SAE 75W-85

Formulated for use in specific Ram and Jeep® axles. Maintains proper shift quality in cold temperatures. Improved fuel efficiency, noise protection and anti-wear properties. Maintains lubrication under extreme pressure and high-temperature applications. Meets GL-5, MT-1, SAE J2360 specifications.

1 Quart (32 Oz.) Bottle  
MSQ: 12  
**Part No. 68210057AB**



## OPEN DIFFERENTIAL AXLE LUBRICANT SYNTHETIC SAE 75W-85

Formulated for use only in select ZF open differential axles. Maintains proper shift quality in cold temperatures. Improved fuel efficiency, noise protection and anti-wear properties. Maintains lubrication under extreme pressure and high-temperature applications. Meets GL-5, MT-1, SAE J2360 specifications.

1 Quart (32 Oz.) Bottle  
MSQ: 6  
**Part No. 68232947AB**



## LIMITED SLIP DIFFERENTIAL AXLE LUBRICANT SYNTHETIC SAE 75W-85

Formulated for use only in Alfa Romeo vehicles. Maintains proper shift quality in cold temperatures. Improved fuel efficiency, noise protection and exceptional anti-wear properties. Maintains lubrication under extreme pressure and high-temperature applications. Refer to your service manual for lubricant specifications.

1 Quart (32 Oz.) Bottle  
MSQ: 1  
**Part No. 68232948AB**  
MS-A0358

\*\*Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

## GEAR & AXLE LUBRICANTS



### LONG LIFE HYPOID GEAR OIL SAE 75W-85

Formulated as a rear differential fluid to resist breakdown under high temperatures and pressure produced by hypoid gear boxes. Meets SAE 75W-85, API GL-4 and 9.55550-MZ3 specifications.

1 Quart (32 Oz.) Bottle  
MSQ: 1  
**Part No. 68333589AA**



### MANUAL TRANSEXLE AND QUADRA-TRAC LUBRICANT

Unique lubricant specially formulated for the NV T350 transaxle and Jeep Q-trac. Required to maintain shift properties.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 04874465**



### MANUAL TRANSMISSION LUBRICANT

Unique lubricant specially formulated for the NV 3500 and NSG 370 transmissions. Required to maintain shift properties.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 04874464AC**  
MS-9224



### GEAR LUBRICANT SAE 90

Formulated as a GL-5 fluid intended for use only in Dodge Sprinter axle assemblies. Not intended for use in other FCA US LLC vehicles.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 05136033AC**



### SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-90

SAE 75W-90 for use specifically in DR 2500-3500 and axles produced by American Axle Manufacturing.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 68218654AB**



### SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-85

Designed as an API GL-5 synthetic gear and axle lubricant formulated to withstand extreme pressure for improved fuel economy in heavy-, mid- and light-duty applications. This lubricant contains extreme pressure additives, as well as rust, oxidation and corrosion inhibitors to protect gears and bearings operated under a wide variety of load conditions. Refer to your owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 68378949AA**  
MS-A0450



### SYNTHETIC AXLE LUBRICANT SAE 75W-85

This fully synthetic GL-5 fluid is intended for use only in the Chrysler Crossfire axle assembly. Not intended for use in other FCA US LLC vehicles.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 05136035AC**



### C SERIES DDCT SAE 75W HYDRAULIC FLUID

Fully synthetic lubricant specifically for cars with Selespeed gearboxes. Cleans mechanical parts and provides extreme fluidity when cold, and protection when hot.

1 Quart (32 Oz.) Bottle  
MSQ: 6 Bottles  
**Part No. 68092638AB**



## GEAR & AXLE LUBRICANTS



### RAM 1500 2017+ REAR AXLE LUBRICANT SAE 75W-90

This lubricant is specifically formulated to meet MS-A0160 specifications for the C235 rear axle used in the Ram 1500 2017+. Not intended for use in other vehicles. Refer to the owner's manual for proper specifications.

1 Quart (32 Oz.) Bottle  
MSQ: 6  
**Part No. 68340460AA**  
MS-A0160



### TRANSFER CASE LUBRICANT FOR BORGWARNER 44-40 AND 2016+ 44-44

Transfer case lubricant for all BorgWarner 44-40, and 2016 and newer BorgWarner 44-44. Formulated for use in LX (Charger 300) BorgWarner 44-40, and 2016 model year BorgWarner 44-44 DS (Ram 1500) Transfer Case. Not recommended for use in other applications. Consult vehicle service manual for further information.

1 Liter (33.8 Fl. Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 68049954AC**



### TRANSFER CASE LUBE FOR BORGWARNER 44-45, 44-46, 44-47, 44-48 AND PRE-2016 44-44

Specified for use in BorgWarner 44-45, 44-46, 44-47, 44-48 and pre-2016 44-44 transfer case. Not recommended for use in other applications. Consult vehicle service manual for further information. Do not use in any transmission or transaxle. ISO 32 viscosity grade, classified as Automatic Transmission Fluid under California law.

1 Quart (32 Oz.) Bottle  
MSQ: 6 Bottles  
**Part No. 68089195AA**



### TRANSFER CASE LUBRICANT SAE 75W

All-wheel drive synthetic that is specifically formulated to withstand the most severe operating conditions required in fill-for-life lubrication applications. Refer to the vehicle owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle  
MSQ: 1  
**Part No. 68377611AA**



### TRANSFER CASE LUBRICANT NV146

Specially formulated high-performance lubricant required for carbon fiber clutch plates used in the Jeep® Grand Cherokee SRT8 NV 146 transfer case.

1 Quart (32 Oz.) Bottle  
MSQ: 6 Bottles  
**Part No. 68001758AB**



### TRANSFER CASE LUBRICANT NV246

Unique lubricant required for NV246 in 2006 DR Truck.

1.004 Quart (950 mL) Bottle  
MSQ: 12 Bottles  
**Part No. 05179014AA**



### TRANSFER CASE LUBRICANT

This lubricant is intended for use in the NV245, NV247 and NV249 transfer case and not recommended for use in other vehicle transfer case applications.

1 Quart (32 Oz.) Bottle  
MSQ: 12  
**Part No. 05016796AC**

# GEAR & AXLE LUBRICANTS



## C SERIES MANUAL & DUAL DRY CLUTCH TRANSMISSION FLUID

Specifically blended for the C51 O/ C514/C635 Manual Transmissions and C635/C725/C735 Dual Dry Clutch Transmissions. Maintains component durability, shift quality and cold temperature properties. Not intended for conventional automatic transmissions, power steering systems or other transmissions unless specified in your Chrysler/FIAT service manual.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 68092630AA**

1 Gallon Bottle  
MSQ: 4 Bottles  
**Part No. 68092636AA**



## DRY CLUTCH TRANSMISSION FLUID SAE 75W-85

This is a full-synthetic manual transmission lubricant with outstanding low-temperature fluidity, oxidation stability and synchronizer performance. It's approved for extended service intervals in mid-range transmissions. Also recommended for passenger car and light commercial vehicle transmissions, transaxles and transfer cases where API GL-3 or GL-4, and SAE 75W-85 or SAE 80 viscosity is specified.

1 Quart (32 Oz.) Bottle  
MSQ: 12  
**Part No. 68256847AA**



## LIMITED SLIP ADDITIVE

Reduces wear, noise and chatter in limited slip (Sure-Grip, Trak-Lok, Power-Lok) differentials. Should be added whenever the gear oil is changed or improper limited slip operation is detected.

4 Oz. Bottle  
MSQ: 24 Bottles  
**Part No. 04318060AD**  
MS-10111



## SINGLE SPEED TRANSMISSION FLUID

For use only in DAC single speed transmissions. Provides excellent viscosity stability and resistance to foaming. Refer to vehicle owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle  
MSQ: 1  
**Part No. 68210514AB**



## VITAMOL ZH-M HYDRAULIC FLUID

Recommended for Chrysler Sebring (JS-27) convertible/retractable hardtop system.

16.9 Oz. Bottle  
MSQ: 4 Bottles  
**Part No. 68035321AB**



## SYNTHETIC MANUAL TRANSMISSION LUBRICANT SAE 75W-85

This unique synthetic transmission lubricant is specially formulated for the NV-4500 and certain T56 transmissions – check your owner's manual. Required to maintain shift properties. Do not use in other manual transmissions unless specified in your vehicle service manual. GL-4, MIL-L2105 rated.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 04874459**  
MS-9070



## SYNTHETIC HYDRAULIC CONTROL FLUID

Formulated for use only in rear drive module servo subsystem (Hydraulic Control Fluid). Maintains proper shift quality in cold temperatures and provides noise protection.

1 Quart (32 Oz.) Bottle  
MSQ: 6  
**Part No. 68227766AB**

# HAND CLEANERS & DISINFECTING SOLUTIONS



## GOJO SCRUBBING TOWELS

Gojo® products use formulations, which are universally recognized and trusted for effectively getting your hands and tools clean!

MSQ: 6

**Part No. 68442705AA**



## DISPENSER FOR BAG-IN-BOX

Dispenser for Ultra-Max, Orange Scent and Cherry gel Hand Cleaner.

1 Dispenser

MSQ: 1 Dispenser

**Part No. 04897618AB**



## HAND CLEANER/NATURAL CITRUS

Citrus scented hand cleaner with aloe, lanolin and jojoba to clean hands quickly and naturally without harsh solvents. Contains pumice to remove heavy grime.

1 Gallon Bottle

MSQ: 4 Bottles

**Part No. 82300022AB**



## ULTRA-MAX HAND CLEANER

Advanced cleaning agent for heavy-duty soils. Enables the removal of the heaviest grease and grime, including tough contaminants such as oil, asphalt and tar without unnecessarily damaging the skin. The sanitary, sealed, Bag-in-Box dispensing system means easy-to-load cartridge refills that minimize waste at a minimal cost. Use with dispenser P/N 04897618AB.

67 Oz. Bag-in-Box

MSQ: 4 Boxes

**Part No. 04856971AD**



## ORANGE SCENT HAND CLEANER

Contains a Natural Citrus Ingredient with Fine Italian Pumice for fast, complete cleaning combined with gentle skin care. The Natural Citrus Ingredient leaves hands with a pleasant Citrus scent. The sanitary sealed, Bag-in-Box dispensing system means minimized waste at minimal cost per wash. Use with dispenser P/N 04897618AB.

67 Oz. Bag-in-Box

MSQ: 4 Boxes

**Part No. 04856970AD**

# HAND CLEANERS & DISINFECTING SOLUTIONS



## CHERRY GEL

The all-new Gel formula cuts through the toughest dirt, grease and oil with an awesome cherry blast fragrance that eliminates odors and leave hands smelling clean. The sanitary, sealed, Bag-in-Box dispensing system means easy-to-load cartridge refills that minimize waste at a minimal cost. Use with dispenser P/N 04897618AB.

67 Oz. Bag-in-Box  
MSQ: 4 Boxes  
**Part No. 68291701AA**



## BIOESQUE BOTANICAL DISINFECTANT SOLUTION

Capable of cleaning, sanitizing, disinfecting and deodorizing in a single step, Bioesque's Botanical Disinfectant Solution is the natural solution for a wide range of cleaning. This innovative product features the patented Thymox technology and a botanically derived active ingredient. Kills 99.99 percent of viruses in one minute; can be used to effectively kill COVID-19 virus.

32 Oz. Trigger Spray  
MSQ: 12  
**Part No. 68526614AA**  
1 Gallon Bottle  
MSQ: 4  
**Part No. 68526615AA**



## HAND SANITIZER 4 OZ.

Non-gel liquid hand sanitizer comes in a convenient pump spray; perfect for car, home, school or office. It's simple to use: just spray on hands and rub. No-mess quick dry formula won't leave a tacky residue. Use when soap and water are not readily available. Hand sanitizer is 80% ethanol formula based on WHO-recommended standards and comes in a refillable bottle.

4 Oz. Pump Spray  
MSQ: 12  
**Part No. 68533959AA**



## HAND SANITIZER 12 OZ.

Non-gel liquid hand sanitizer comes in a convenient trigger spray (4 sprayers included in case). Larger (12 oz.) size is perfect for use at home or office to get a grip on germs. Simple to use: just spray on hands or other large surfaces. No-mess quick dry formula won't leave a tacky residue. Hand sanitizer is 80% ethanol formula based on WHO-recommended standards and comes in a refillable bottle.

12 Oz. Trigger Spray  
MSQ: 12  
**Part No. 68533960AA**



## HAND SANITIZER 1 GAL.

Non-gel liquid hand sanitizer comes in an economical refill size for both 4 oz. and 12 oz. spray containers. Simple to use: just spray on hands or other large surfaces. No-mess quick dry formula won't leave a tacky residue. Hand sanitizer is 80% ethanol formula based on WHO-recommended standards.

1 Gallon Bottle  
MSQ: 6  
**Part No. 68533961AA**



# LEAK DETECTION



## COOLANT LEAK DETECTION DYE

Coolant Leak Detection Dye is used in Mopar® 5-Year/100,000-Mile Antifreeze P/N 05066386AA. Dilution ratio of 1 oz. to 4 quarts of antifreeze.

1 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 05161618AC**



## R-134A LEAK DETECTION DYE

Bright Solution's A/C dye products meet the new SAE J2297 standard for both R-134A and R-1234YF refrigerants.

1/4 Fl. Oz. Bottles  
MSQ: 24 Bottles  
**Part No. 04798219AC / AIR90021\*\***

## LEAK DETECTION DYES

Simple-to-use dye identifies leaks. Fluorescent dye leak detecting compounds make short work of pinpointing difficult-to-diagnose leaks by glowing brightly when exposed to ultraviolet (UV) light. Convenient, single-application bottles.



## AIR LEAK DETECTOR

8 Oz. Bottle  
MSQ: 1 Bottle  
**Part No. 05191804AA / WTTJ2791\*\***



## 4-IN-1 LEAK DETECTION DYE

4-in-1 Leak Detection Dye can be used in engine oil (1/4 oz. dye per 4-5 quarts of oil), ATF (1/4 oz. dye per 6 quarts of ATF), fuel (1/4 oz. dye per 2 gallons of fuel), and power steering fluid. (NOTE: For finding power steering leaks, only use 1/4 of total amount of dye in the 4-in-1 1/4 oz. dye bottle).

1/4 Fl. Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 05010042AC**



\*\*Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

# LUBRICANTS & GREASE



## WHEEL BEARING GREASE

Extreme temperature, extreme pressure grease. Use on wheel bearings, ball joints, tie rod ends, clutch linkages, axle bearings, driveline splines and slip yokes.

1 Lb. Tub  
MSQ: 12 Tubs  
**Part No. 05083149AA**  
MS-6560



## MULTI-MILEAGE LUBE

An excellent suspension and steering linkage grease. A barium-based grease that stands up to punishing conditions. Protects and reduces wear on ball joints, tie rod ends, universal joints and axle shaft bearings.

14.5 Oz. Cartridge  
MSQ: 10 Cartridges  
**Part No. 04897841AB / MCOGG45\*\***  
MS-4178



## MULTI-PURPOSE GREASE

General purpose grease for lubricating clutch torque shaft bearings, clutch release bearing sleeves, clutch release forks, brake assemblies, wheel bearings and more (NLGI - 2 certified).

14.5 Oz. Cartridge  
MSQ: 10 Cartridges  
**Part No. 05083150AA / MCOGG45\*\***  
MS-6560



## RUBBER BUSHING INSTALLATION LUBE

An excellent lubricant that quickly becomes a dry film. Aids in the installation and assembly of press-fit rubber bushings. Will not deteriorate or degrade rubber.

4 Oz. Can  
MSQ: 1 Can  
**Part No. 05010319AB**



## HALF SHAFT GREASE

Formulated as a NLGI number 1-2 grease for CY joint lubrication.

4.93 Oz. Tube  
MSQ: 6  
**Part No. 68194558AA**



## SPRAY WHITE LUBE LITHIUM GREASE

An all-purpose, lithium-based white grease for automotive and general purpose applications. Ideal for hinges, slide tracks and lock mechanisms.

12 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 04318066AE**



## SILICONE SPRAY LUBE

Ideal for all sticking and/or squeaking, sliding or hinged contact points. Makes locks operate smoothly and protects from freezing. Not for use on plastic or rubber components.

12 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 04318070AE**



\*\*Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

# LUBRICANTS & GREASE



## BRAKE LUBRICANT

Superior lubricant to prevent noise, squeaks and backing plate wear. Lubricates contact points between brake shoes and backing plates. Required on NS minivan.

1.76 Oz. Tube  
MSQ: 1 Tube  
**Part No. 04796269AB**  
MS-9708



## BRAKE & SUSPENSION GREASE

High-temperature grease intended for brake calipers, parking brake cables and ball joints. Excellent water resistance and mechanical stability over a wide temperature range.

0.88 Oz. Tube  
MSQ: 1 Tube  
**Part No. 05019061AB**  
MS-7751



## BUSHING GREASE

Rubber bushing lubricant. Aids in the installation and assembly of press-fit rubber bushings.

2 Oz. Tube  
MSQ: 1 Tube  
**Part No. 68028730AA**



## DIELECTRIC GREASE

A silicone-based, electrically thermal insulating grease for use on wiring harnesses, bulkhead connectors, spark wires and other electrical connections. Prevents dirt, grease and moisture from contaminating connection and causing open circuits.

2 Oz. Tube  
MSQ: 12 Tubes  
**Part No. J8126688AB**  
MS-3089



## COIL DIELECTRIC GREASE

For use on ignition coils, spark plug boots and electric connections. Formulated as an NLGI 2-3 grade.

2 Oz. Tube  
MSQ: 12  
**Part No. 68364292AA**  
DOW MOLYKOTE  
G-5008  
MS-A0366



## OUTPUT SHAFT ASSEMBLY LUBRICANT

For use in completely coating the splined area of the NAG1 transmission output shaft prior to installing the MS-140 transfer case.


1.76 Oz. Tube  
MSQ: 1  
**Part No. 68002256AB**

# LUBRICANTS & GREASE



## NYE® DIELECTRIC GREASE

2 Oz.  
MSQ: 1  
Part No. 05013781AA



## NYE® SYNTHETIC LUBRICANT

1 Oz. Tube  
MSQ: 1  
Part No. 05018626AA



## MULTI-PURPOSE GREASE

3 Oz. Tube  
MSQ: 12  
Part No. 05083160AA



## LIQUID GASKET FOR MMC

3 Oz. Tube  
MSQ: 1  
Part No. MD974421



## WEATHERSTRIP LUBRICANT

Unique Krytox (synthetic fluorinated lubricant) formulation lubricates weatherstripping to prevent it from sticking to door glass and frames. Clear fluid provides long-lasting lubrication. Will not stain or mar clothing. Features built-in sponge applicator.

1 Oz. Bottle  
MSQ: 1 Bottle  
Part No. 04773427AB



## P-80 GRIP-IT LUBRICANT

Temporary rubber assembly lubricant. Use this quick-drying lubricant with cling to ease the installation of bushings, grips, grommets, hoses, O-rings, seals and many other parts.

10 mL Tube  
MSQ: 1  
Part No. 68425736AA  
MS-3881



# POWER STEERING & BRAKE FLUIDS



## HYDRAULIC SYSTEM POWER STEERING FLUID

Specifically developed for WK hydraulic/power steering systems.

1 Quart (32 Oz.) Bottle  
MSQ: 4 Bottles  
**Part No. 68234631AB**  
MS-10838



## ELECTRIC STEERING PUMP FLUID

This fluid is approved for EPS pump systems and meets material specification MS-11655. Do not mix power steering fluid types. Severe electrical power steering pump damage may result if a different fluid is used. Do not overfill.

1 Pint (16 Oz.) Bottle  
MSQ: 6 Bottles  
**Part No. 68088485AB**  
MS-11655



## POWER STEERING FLUID +4

Convenient, easy-to-pour, pint-sized container. Meets FCA US material specification for post-1998 power steering systems that require MS-9602 fluid. Compatible with ATF+4.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 68218064AC**



## BRAKE FLUID DOT 3 MOTOR VEHICLE

For use in hydraulic brake systems specifying DOT 3 brake fluid or disc or drum brakes. Meets or exceeds SAE and federal specifications.

12 Oz. Bottle  
MSQ: 12 Bottles  
**Part No. 04318080AD**  
MS-4574



## BRAKE & CLUTCH FLUID DOT 4 MOTOR VEHICLE

Specially blended to withstand brake heat and pressure. DOT 4 fluid meets all DOT requirements for DOT 4.

12 Oz. Bottle  
MSQ: 12 Bottles  
**Part No. 04549625AE**  
MS-90039 (MS-9971)



## BRAKE PARTS CLEANER NON-CHLORINATED

Removes oil, grease and brake fluid residue from all metal brake parts. Loosens brake dust for easy removal.

15 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 68065196AB**  
Half Pallet (432 Cans)  
MSQ: 1  
**Part No. 68065198AA**  
Full Pallet (864 Cans)  
MSQ: 1  
**Part No. 68065199AA**



## BRAKE PARTS CLEANER NON-CHLORINATED VOC EXEMPT

Removes oil, grease and brake fluid residue from all metal brake parts. Loosens brake dust for easy removal. Meets C.A.R.B. automotive product VOC standards.

15 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 68065197AD**  
Half Pallet (432 Cans) MSQ: 1  
**Part No. 68065225AC**  
Full Pallet (864 Cans) MSQ: 1  
**Part No. 68065226AC**

# SEALANTS & ADHESIVES



### ATF-RTV

Silicone rubber RTV developed specifically to retain sealing and adhesion properties when exposed to automatic transmission fluid.

3 Oz. Tube  
MSQ: 12 Tubes  
**Part No. 05010884AD**  
MS-GF41B



### AXLE RTV

The only RTV sealer approved for use in Chrysler built axles using Mopar SAE 75W-90 Axle Lubricant P/N 68218655AC. This is the only factory used sealer compatible for use with this lubricant.

3 Oz. Tube  
MSQ: 12 Tubes  
**Part No. 05013477AD**



### THREEBOND™ ENGINE RTV

Formulated as a high-performance temperature-vulcanized silicone. It has good elasticity, temperature and chemical resistance when cured. Highly resistant to oils such as motor oil, transmission fluid or gear oil. Not recommended for sealing engine coolant.

5 Oz. Tube  
MSQ: 1 Tube  
**Part No. 68082860AB**



### ENGINE SEALANT RTV SILICONE RUBBER ADHESIVE

Use to seal components exposed to engine oil. Specifically designed black silicone rubber RTV retains adhesion and sealing properties when exposed to engine oil.

3 Oz. Tube  
MSQ: 12 Tubes  
**Part No. 04883971AC**  
MS-GF44B



### RTV SEALANT

High-performance temperature vulcanized sealant. Tested for elasticity, temperature and chemical resistance when cured.

5 Oz. Bottle  
MSQ: 1  
**Part No. 68379579AA**  
MS-50111



### RTV SILICONE RUBBER ADHESIVE

Developed specifically for use on the FIAT® 500 and 500L 2.0L engine oil pan. See service manual for proper applications and use.

2.6 Oz. Tube  
MSQ: 1  
**Part No. 68119754AA**

## SEALANT APPLICATIONS

Part No.	Description	MS	Color	Recommended Usage
04318035AC	Gasket Sealant	CD78D	Brown	Coolant
04318083AB	Gasket Maker	CD98D	Red	Metal to Metal
04773257	Bed Plate Sealant	CD98F	Green	Engine Main Bearing
04883971AC	Engine RTV	GF44B	Black	Engine Oil
05010884AD	ATF-RTV	GF41B	Black	Automatic Transmissions
05013477AD	Axle RTV	GF46	Red/Orange	Axle Section
82300234AC	World Engine Oil/Trans/Glycol Sealant RTV	GF44D	Gray	Gear Lube

# SEALANTS & ADHESIVES



## GASKET MAKER

Use when assembling metal-to-metal components. Red anaerobic sealer fills gaps to .030" and cures to a flexible seal in one to eight hours. Excellent resistance to solvents and gasoline.

50 mL Tube  
MSQ: 10 Tubes  
**Part No. 04318083AC**



## GASKET SEALANT

Slow drying, permanently soft sealer. Recommended for sealing threaded fittings and gaskets against leakage of oil and/or antifreeze/coolant. Use on threaded and machined parts under all temperatures. Prevents corrosion.

9 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 04318035AC**  
MS-CD78D



## SILICONE RUBBER RTV

Silicone rubber RTV developed specifically to be engine oil, gear lubricant and coolant compatible. Excellent adhesion, even on oily surfaces. Withstands temperatures to 635°F (330°C).

3 Oz. Tube  
MSQ: 12 Tubes  
**Part No. 82300234AC**  
MS-GF44D



## HYLOMAR GASKET DRESSING/ FLANGE SEALANT

High-tack gel sealant that is non-hardening, for easy disassembly of flanged components even after long-term operation. Temperature range -60°F to 600°F. Resists fuels, lubricants, water, glycol and related engine fluids. Contains no ODC/VOC solvents.

1.2 Oz. Tube  
MSQ: 6 Tubes  
**Part No. 05127819AA**



## BED PLATE SEALANT

Use when installing main bearing bed plates on engine assemblies. Delayed anaerobic green sealant that cures slowly to allow proper assembly and torquing of main cap plate. Cures with heat.

50 mL Tube  
MSQ: 10  
**Part No. 04773257**  
MS-CD98F



## BUTYL TAPE (ROPE)

Forms a windproof and waterproof seal. Not for use in place of urethane. Each roll contains 4 feet of 3/8" bead Butyl Tape.

15' Roll  
MSQ: 1 Roll  
**Part No. 04076274AB**



## VINYL FOAM TAPE

Builds up low spots in doors and trunks. Weatherstrips to seal out leaks and noise. Easy to cut to exact length; adheres quickly and securely. Each roll contains 30 feet of 3/16" (thick) by 1" (wide) tape.

30' Roll  
MSQ: 1 Roll  
**Part No. 04318028**



# SEALANTS & ADHESIVES



**WEATHERSTRIP ADHESIVE**  
Adheres weatherstripping to painted metals for a permanent bond. Withstands heat and freezing conditions; also resists gasoline, kerosene, antifreeze and most solvents.

5 Oz. Tube  
MSQ: 10 Tubes  
**Part No. 04773774AC**  
MS-CC223



**BOND-ALL GEL**  
Super adhesive glue instantly bonds a wide variety of materials. Thick, no-run glue for use on weatherstripping, bumper rub strips, body side moldings and many other items where permanent repair is needed.

.06 Oz. Tube  
MSQ: 10 Tubes  
**Part No. 04467709AB**  
MS-CC15



**WINDSHIELD INSTALL ADHESIVE PACKAGE:**  
10.5 Oz. Tube Urethane Adhesive  
1.1 Oz. Bottle Painted Metal Primer  
1.1 Oz. Bottle Black Glass Primer  
1.1 Oz. Bottle Clear Glass Primer

1 Application Dauber  
10 Foam Spacers  
2 Windshield Supports  
MSQ: 1  
**Part No. 04864015AD**  
MS-90098, MS-90069, MS-90062,  
MS-90070



**REAR VIEW MIRROR ADHESIVE**  
Two part, single application package of accelerant and adhesive to permanently rebond inside rear view mirror to windshield. (Non-TCE Formula.)

Kit contains:  
0.3 mL Adhesive  
0.6 mL Activator  
MSQ: 12 Kits  
**Part No. 05015983AD**  
MS-CC86



**SILICONE WINDSHIELD & GLASS SEALER**  
Clear, flowable sealant for windshields, sunroofs and headlamp assemblies. Flows into leaks like water, but dries to a tough, flexible waterproof seal that is resistant to temperature changes, vibration and shock.

1.5 Oz. Tube  
MSQ: 12 Tubes  
**Part No. 04467708**  
MS-CD929



**LOCK & SEAL ADHESIVE**  
Locks nuts and bolts to prevent vibration loosening, wear and thread corrosion. Seals against air, oil, fuel and hydraulic leaks. Can be disassembled. Blue threadlocking compound.

6 mL Tube  
MSQ: 10 Tubes  
**Part No. 04318031AB**  
MS-90061



**STUD N' BEARING MOUNT ADHESIVE**  
Securely locks studs and high-strength fasteners into place. Retains bearings to prevent spin out. Strengthens light press fittings, permanently locks nuts and bolts, prevents leaks. Requires heat for disassembly. Red threadlocking compound.

6 mL Tube  
MSQ: 10 Tubes  
**Part No. 04318032**  
MS-90061



**THREAD SEALANT WITH PTFE**  
Liquid that seals fittings instantly and allows them to be adjusted without losing their seal. Ideal for use with imperfect threads. Resists chemicals and gasses. Allows easy disassembly.

6 mL Tube  
MSQ: 10 Tubes  
**Part No. 04318034AC**  
MS-90061



## SEALANTS & ADHESIVES



### LOCTITE® SI 598™ FLANGE SEALANT

This sealer is required for the end item transfer case assembly P/N 52123492AB. This Loctite® product is used to seal the two halves of the transfer case housings when they are bolted together.

MSQ: 1 Tube

**Part No. 68089566AA**



### TRANSFER CASE SEALANT

A low-odor, RTV silicone compound sealant. See owner's manual for further instructions.

3 Oz. Tube

MSQ: 12

**Part No. 68384493AA**



### URETHANE ADHESIVE

Primer not required when used on glass. One-hour drive away time. Product has very high green strength.

9.8 Oz. Tube

MSQ: 1 Tube

**Part No. 68400418AA**



### THREEBOND™ 1281B TRANSMISSION SEALANT

High-viscosity silicone adhesive for sealing transmission housings and gear boxes with ATF resistance. Corrodes copper and copper-based alloys. Refer to service manual for additional information.

4.1 Oz. Tube

MSQ: 1

**Part No. 68145518AB**



## VEHICLE PREP AND DETAIL



### CHROME CLEANER

Excellent chrome surfaces cleaner. Specifically formulated for use on surfaces that are exposed to weather or water. Use on chrome bumpers; wheels, including chrome-clad wheels; mirror backs and grilles.

16 Oz. Bottle  
MSQ: 12 Bottles  
**Part No. 04318013AD**



### SUPER KLEEN BUG, TAR & SPOT REMOVER

Wipes away gummy substances such as tar, asphalt, oil and undercoating from automobile finishes. Also helps keep interiors looking new by removing grease, wax, lipstick and gum from upholstery.

16 Oz. Bottle  
MSQ: 8 Bottles  
**Part No. 04886330AD**



### LEATHER, RUBBER & VINYL PROTECTOR

Renews and preserves leather, rubber and vinyl interior components. Protects surfaces with a beautiful medium gloss shine. Prevents weathering with UV protectant.

**Warning:** This is a medium gloss product used for vehicle detailing. To minimize glare, do not use on dashboard surfaces. Do not use to detail or prep new vehicles.

16 Oz. Bottle  
MSQ: 12 Bottles  
**Part No. 04318017AC**



### RAIN REPELLING GLASS TREATMENT

Professional Grade Glass treatment that repels water, sleet and snow. Improves visibility for up to 3 months. This bulk box contains 24 easy-to-use individual applications.

Box of 24 Kits  
MSQ: 1 Box  
**Part No. 68194881AA**



### GLASS CLEANER

Streak-free, maximum cleaning formula removes dirt, grime, oil and even freshly sprayed paint from glass. Year-round formulation. A must for every dealership.

11 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 04318014AC**



### GLASS CLEANER

Reformulated for automotive use. Quickly removes haze, smudges, smears and film. Streak-free formula.

16 Oz. Trigger Spray Bottle  
MSQ: 12 Bottles  
**Part No. 04897623AD**

## VEHICLE PREP AND DETAIL



### JEEP® VEHICLE SOFT GLASS WINDOW CLEANER

Safely cleans all plastic windows without scratching. Removes fine scratches to improve visibility and provides UV protection to help prevent yellowing. Simply rinse window, then apply Jeep® Soft Window Cleaner with a clean towel.

16 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 05012248AE**



### SOFT TOP ZIPPER CLEANER & LUBRICANT

Specially formulated to clean and lubricate all types of plastic and metal zippers. The patented push/pull dispenser brush removes harmful dirt, sand and salt deposits. Rinses away, yet leaves a unique protective film which lubricates without collecting residue. Biodegradable; contains no silicones or wax.

2 Oz. Bottle  
MSQ: 24 Bottles  
**Part No. 05066440AB**



### SUNROOF TRACK GREASE

For use on sunroof tracks and open slideways.

1.98 Oz. Tube  
MSQ: 1  
**Part No. 68337909AA**



### CONVERTIBLE CLOTH TOP CLEANER CONCENTRATE

Formulated to clean cloth tops. Concentrated formula makes 6 to 8 gallons of cleaning solution. For vinyl tops, use Mopar® Vinyl Top Cleaner P/N 04856593AC.

16 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 05012245AE**



### CONVERTIBLE CLOTH TOP TREATMENT

Restores water-repellent nature to cloth convertible tops. Simply spray on and allow to dry. Use in conjunction with Cloth Top Cleaner Concentrate P/N 05012245AE.

16 Oz. Trigger Spray  
MSQ: 12 Bottles  
**Part No. 05012246AC**



### WHITEWALL & VINYL TOP CLEANER

Effectively and easily removes scuff marks and abrasions from whitewall tires, vinyl and convertible tops. Also excellent on floor mats. Safe for use near paint, glass, rubber or chrome. Not for use on cloth tops. For cloth tops, use Convertible Cloth Top Cleaner Concentrate P/N 05012245AA.

16 Oz. Pump Spray Bottle  
MSQ: 6 Bottles  
**Part No. 04856593AC**



### ENGINE DEGREASER

Formulated to penetrate and dissolve grease, oil, dirt and grime on vehicle engines. Safe for use on hoses, wiring and rubber parts. Fast, emulsifying degreaser leaves a clean, dry surface.

12 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 04318040AC**

## VEHICLE PREP AND DETAIL



### RAIN REPELLANT WINDSHIELD WASHER FLUID

Removes insect debris, oily films, grime, dirt, frost and ice. Also waterproofs windshield; rain and snow bead on the windshield and roll right off. Ready to use. No mixing required. Protects to -25°F.

64 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 05139804AB**



### PREMIUM WINDSHIELD WASHER SOLVENT/DE-ICER

Removes frost; won't refreeze after spraying on frosted windshield. Provides freeze protection to -30°F (-34.4°C). Formulated for all-season use. Ready to use. No mixing required.

64 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 05139803AB**



### MOPAR COMPLETE WINDSHIELD WASHER SOLVENT

Concentrate contains a heavy-duty de-icer, a premium detergent package and rain repellent. Solvent must be diluted with water. Protects to -25°F (-31.6°C).

64 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 68044762AB**



### 55 GALLON DRUM WINDSHIELD WASHER SOLVENT

Concentrated 99% methanol formula. 1:1.2 ratio protects to -30°F (-34.4°C). 1:9 ratio protects to 20°F (-6.6°C).

55 Gallon Drum  
MSQ: 110 (2 Drums)  
**Part No. 68040095AB / SMNWF1\*\***

## WINDSHIELD WASHER SOLVENT



Washer Solvent (Parts)	Water (Parts)	Freeze Point	16 Oz. Makes	32 Oz. Makes
1	5	+24°F	3/4 gal.	1-1/2 gal.
1	4	+20°F	5/8 gal.	1-1/4 gal.
1	3	+10°F	1/2 gal.	1 gal.
1	2	-5°F	3/8 gal.	3/4 gal.
1	1	-25°F	1/4 gal.	1/2 gal.

16 Oz. Bottle  
MSQ: 24 Bottles  
**Part No. 04318067AC**  
*MS-3037*

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 04318068AC**  
*MS-3037*

Concentrated methanol formula removes bugs, dirt and grime. Will not harm automotive finishes. Protects to -25°F. Concentrated formula: 16 Oz. makes up to 3/4 gallon; 32 Oz. bottle makes up to 1-1/2 gallons (depending on dilution rate and freeze point desired).

\*\*Tooling part number. Available through Mopar® Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.



## VEHICLE PREP AND DETAIL



### CAR WASH CONCENTRATE

Clean up to 3,500 cars with one 55-gallon drum of Mopar® Car Wash Concentrate. Special gloss enhancers will have your vehicles looking like new. This versatile and safe new product can be used by hand, through a power washer or through your automatic cloth car wash. Use according to directions and your cost per car will be under 10 cents!

55 Gallon Drum (Liquid)  
MSQ: 1 Drum

**Part No. 68350001AB / SMNWF1\*\***



### CAR WASH CONCENTRATE

This economical detergent cleans over 400 vehicles. Just a splash of product into the bottom of a pail will create lots of creamy lather when hit with water. Perfect for power washer or automatic car wash use. Contains gloss enhancers to renew that showroom shine.

5 Gallon Pail (Liquid)  
MSQ: 1 Pail  
**Part No. 05013678AD**



### CAR WASH SUPER CONCENTRATE

This fast-acting streak-free detergent easily dissolves dirt and grime. Works well in both hard and soft water. Comes with dispensing pump and makes 128 gallons of finished car wash solution.


1 Gallon Bottle  
MSQ: 4 Bottles  
**Part No. 05003238AD**



### CAR WASH LIQUID CONCENTRATE

Powerful concentrated shampoo and gloss enhancer is formulated to bring out a vibrant shine on all paint colors, making any car look just waxed and detailed. Polymers increase washing lubricity to help release tough dirt and grime from vehicle surfaces to safely clean with a streak-free shine. 2 ounces makes up to 4 gallons.

1 Quart (32 Oz.) Bottle  
MSQ: 12  
**Part No. 68442387AA**



### BATTERY TERMINAL PROTECTOR PADS

This kit helps to clean terminals and prevent corrosion. This kit includes Battery Terminal Cleaner and Battery Terminal Protector pads.

2 Pads  
MSQ: 25 Pouches  
**Part No. 68048547AA**



### TIRE & WHEEL CLEANER

This all-in-one cleaner removes brake dust, dirt and grease. And it cleans raised white lettering. Non-toxic, biodegradable formula is safe to use on chrome, aluminum or painted wheels.

24 Oz. Trigger Spray Bottle  
MSQ: 6 Bottles  
**Part No. 05066247AE**

5 Gallon Pail  
MSQ: 1  
**Part No. 05066248AD**



### ODOR REMOVER

Eliminates odor by neutralizing the source. Non-scented, non-staining formula removes pet, smoke and food odors from carpeting and upholstery. An unscented, non-toxic, highly efficient product that permanently eliminates odors.

24 Oz. Trigger Spray Bottle  
MSQ: 6 Bottles  
**Part No. 05073224AC**



### CIGARETTE ODOR ELIMINATOR, UNSCENTED

Non-staining, non-toxic, unscented odor eliminator safely removes cigarette odors from all vehicle interiors. Spray on all soft surfaces (e.g., fabric seats, carpeting, headliner), then close vehicle doors and windows and allow to dry. This is a great product to use in the used car sales department.

24 Oz. Trigger Spray Bottle  
MSQ: 6  
**Part No. 68441884AB**

**X** \*\*Tooling part number. Available through Mopar Essential Tools and Service Equipment.

Product images may vary from those shown and may be subject to availability delays or discontinuance. FCA US LLC reserves the right to change product images and specifications without notice.

## VEHICLE PREP AND DETAIL



### CARPET CLEANER

Premium formula foaming action cleaner removes dirt and stains from interior carpeting. Perfect for new vehicle prep or used vehicle reconditioning. FCA US engineering approved.

18 Oz. Aerosol Can  
MSQ: 12 Bottles  
**Part No. 05175050AB**



### TOTAL CLEAN

Superior cleaner for use on interiors. Has a pleasant scent. Deodorizes and restores fresh scent to vehicle. Use on fabric, velour, carpet, leather and vinyl. Ready-to-use formula; no mixing required.

16 Oz. Trigger Spray Bottle  
MSQ: 12 Bottles  
**Part No. 04897840AD**  
  
1 Gallon Bottle  
MSQ: 6 Bottles  
**Part No. 04318020AE**



### CLEANER WAX

Specially formulated for today's sophisticated paints. Leaves finish glossy and well protected. Easy one-step application. Removes light swirls and surface pollutants while providing durable wax protection.

16 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 04796237AD**



### TIRE TREATMENT

Spray and wipe to enhance tire appearance. Designed as an occasional use product, exclusively for tires and sidewalls.

16 Oz. Trigger Spray Bottle  
MSQ: 6 Bottles  
**Part No. 04796240AD**



### FINISH ENHANCER

Use between washes to remove dust and other pollutants. Quick and easy, just mist and wipe. Safe for clear and pearl coat high-tech finishes.

16 Oz. Trigger Spray Bottle  
MSQ: 6 Bottles  
**Part No. 04796238AD**



### MOPAR® CAR CARE KIT

Strengthen your owner loyalty with the Mopar® Car Care Kit. Created especially for your customers, this useful cleaning kit will help them maintain the interior of their vehicles. Kit includes Glass Cleaner, Leather & Vinyl Protectant and Total Clean.

3 4 Oz. Spray Bottles  
MSQ: 1 kit  
**Part No. 68319193AA**

## VEHICLE PREP AND DETAIL

The Mopar® line of concentrated vehicle cleaning products is the economical and efficient way to tackle even the toughest cleaning jobs. With these concentrated cleaning products and the free dispensing pump provided, you will increase efficiency in the prep and detail area of your dealership.



### TIRE CLEANER CONCENTRATE

Excellent for removing grease, grime, road film and scuffs. Cleans whitewalls and raised white lettering. Safe for use on all factory wheels and wheel covers.

1 Gallon Bottle  
MSQ: 3 Bottles

**Part No. 05003239AC**

*Empty labeled spray bottle plus pail label  
Dispensing pump included*



### INTERIOR CLEANER CONCENTRATE

Formulated to clean quickly without leaving residue. Cleans fabric, upholstery and vinyl. Safe for use on carpets, door panels, seats and head liners. Leaves a clean, fresh fragrance.

1 Gallon Bottle  
MSQ: 3 Bottles

**Part No. 05003240AC**

*Empty labeled spray bottle plus pail label  
Dispensing pump included*



### DEGREASER CONCENTRATE

Dissolves dirt, grease and oil from engine compartments and wheel wells. Great for stubborn grease and oil stains in carpeted areas, or on plastic surfaces.

1 Gallon Bottle  
MSQ: 3 Bottles

**Part No. 05003241AD**

*Empty labeled spray bottle plus pail label  
Dispensing pump included*

## VEHICLE PREP AND DETAIL



### SHOP FLOOR CLEANER CONCENTRATE

One box of this heavy-duty Shop Floor Cleaner will clean over 5,000 square feet. Just sprinkle the powder onto a wet floor and agitate with a broom or mop. Rinse well. Will not harm floor paint or remove floor stripping.

50 Lb. Container

MSQ: 1

**Part No. 04883968AB**



### MOPAR<sup>®</sup> AUTOMATIC CAR WASH DETERGENT

This concentrated detergent contains a high foaming cleaning agent that removes surface dirt, bugs and road film. At the same time, it lubricates both car wash brushes and cloths. This product can be used in a pressure washer.

5 Gal. Container

MSQ: 1

**Part No. 05093094AC**



# TOUCH-UP PAINT ASSORTMENT KIT & DISPLAY RACK

## 4-in-1 Paint Tube Assortment Kit

2019-2020 CHRYSLER, DODGE, JEEP, RAM AND FIAT\*


PAINT CODE	SALES CODE	COLOR	PART NUMBER	QTY.
VCA	PCA	FROSTBITE	06103278AA	4
VCD	PCD	BLACK EYE	06103284AA	4
VJB	PJB	GOLD RUS	06103282AA	4
VAE	PAE	SMOKE SHOW	06103276AA	4
VGW	PGV	GATOR	06103286AA	4
VEC	PEC	SINAMON STICK	06103280AA	4
			<b>TOTAL:</b>	<b>24</b>

Order Assortment Kit with a display rack part **#68493461AA** or just the Display Rack part **#68290303AA** through DealerCONNECT.

## Mopar. FIAT Starter Kit

PAINT CODE	SALES CODE	COLOR NAME	PART NUMBER	QTY.
VR-108/B	PRT	Rossa Perla/Deep Lava Red	68262121AA	1
VR-111/A	PR1	Rosso/Red	68262127AA	1
VR-231/B	PTA	Mocha Latte/ Mocha Latte	68262117AA	1
VR-268/A	PW3	Bianco/White	68262129AA	1
VR-296/A	PWV	Bianco Gelato (White Clear Coat)	68306235AA	1
VR-330/B	PGG	Verde Toscana (Green Metallic)	68306236AA	1
VR-331/B	PJ1	Grigio Arte (Grey Clear Coat)	68306237AA	1
VR-348/B	PSN	Grigio Argento (Grey Metallic)	68306238AA	1
VR-390/B	PGQ	Verde Bosco Perla/Forest Green	68262123AA	1
VR-399/B	PUL	Bronzo Magnetico (Bronze Metallic)	68306239AA	1
VR-400/C	PUM	Bronzo Magnetico Opaco (Matte Bronze)	68306240AA	1
VR-483/B	PBN	Blu Chiaro/Light Blue	68262119AA	1
VR-530/A	PBR	Tornado Blue/Tornado Blue	68262133AA	1
VR-562/B	PKP	Aranco (Orange)	68306241AA	1
VR-601	PX8	Nero/Black	68262131AA	2
VR-609/B	PDW	Grigio Scuro/Grey Metallic/	68262115AA	1
VR-612/A	PAF	Grigio Chiaro/Graphite Metallic/ (Light Grey)	68262113AA	1
VR-679/B	PSA	Brigio Graphite	68306242AA	1
VR-824/C	PY3	Giallo Tristrato (Tricoat Yellow)	68306243AA	1
VR-830/B	PYN	Giallo/Yellow	68262125AA	1
VR-831/C	PRB	Rosso Amore	68306244AA	1
VR-888/B	PB1	Blu Venezia (Blue Metallic)	68306245AA	1
VR-895/B	PR2	Rosso Passione	68306246AA	1
			<b>TOTAL:</b>	<b>24</b>

Order FIAT Starter Kit with a display rack P/N **68436632AA** through DealerCONNECT.



Visit the Service Drive Store to reference, download and print the guide



2019-2020 TOUCH-UP PAINT GUIDE

# WHEEL TOUCH-UP PAINT KIT

## A COMPLETE 3-in-1 SOLUTION FOR MINOR SCRATCHES ON WHEELS

1. Includes a fine sanding stick to remove dirt or rust
2. Clearcoat for light surface scratches
3. Original single-step factory colors for deep scratches

DISPLAY FITS PERFECTLY ON THE PARTS AND SERVICE COUNTER-TOP!




1- Sanding Stick



2- Clearcoat

3- Original Factory Color



## Wheel Touch-Up Paint Kit

SALES CODE	COLOR NAME	PART NUMBER	QTY.
PX8	Gloss Black	68414449AA	2
PXY	Hyper Black	68414450AA	2
PXF	Jet Black	68414451AA	2
PXW/PCR	Low Gloss Black	68414452AA	2
PD5	Satin Carbon	68414453AA	1
PAU	High Gloss Granite Crystal	68414454AA	1
PA7	Satin Gloss Granite Crystal	68414455AA	1
PNW	Black Noise	68423870AA	1
<b>TOTAL:</b>			<b>12</b>

Order the 12-pen kit with a display rack P/N **68441921AA** through DealerCONNECT.

## TIRE SERVICE KITS

### COMPRESSORS AND SEALANTS

Emergency tire inflator kits include a tire compressor and a tire sealant canister assembled in a single unit. Sealant bottle contents for temporary seal of one tire only. See owner's manual for more information.



Tire Service Kit 05181361AE



Tire Service Kit 68417610AA



Tire Sealant 68320204AA

TIRE SEALANT	TIRE SERVICE KIT
68400709AA	05181361AE
68316717AB	68417610AA
68320204AA	Fits a variety of tire service kits. Order this sealant as a refill.

# NUMERICAL PART NUMBER INDEX

PART NUMBER	ITEM	PAGE NO.
04318005	Stop Leak Pellets	16
04318028	Vinyl Foam Tape	41
04318032	Stud N' Bearing Mount Adhesive	42
04318034AC	Thread Sealant with PTFE	42
04467708	Silicone Windshield & Glass Sealer	42
04773257	Bed Plate Sealant	41
04773774AC	Weatherstrip Adhesive	42
04874459	Synthetic Manual Transmission Lubricant SAE 75W-85	32
04874465	Manual Transaxle and Quadra-trac Lubricant	30
04076274AB	Butyl Tape (ROPE)	41
04267020AD	Antifreeze/Coolant 3-Year Formula — Embittered	14
04318001AE	Combustion Chamber Cleaner	27
04318013AD	Chrome Cleaner	44
04318014AC	Glass Cleaner	44
04318017AC	Leather, Rubber & Vinyl Protector	44
04318020AE	Total Clean	48
04318031AB	Lock & Seal Adhesive	42
04318035AC	Gasket Sealant	41
04318039AE	Rust Penetrant	10
04318040AC	Engine Degreaser	45
04318060AD	Limited Slip Additive	32
04318066AE	Spray White Lube Lithium Grease	36
04318067AC	Windshield Washer Solvent	46
04318068AC	Windshield Washer Solvent	46
04318070AE	Silicone Spray Lube	36
04318080AD	Brake Fluid DOT 3 Motor Vehicle	39
04318083AC	Gasket Maker	41
04467709AB	Bond-All Gel	42
04549275AB	Rear Window Defogger Repair Kit	11
04549625AE	Brake & Clutch Fluid DOT 4 Motor Vehicle	39
04549626AD	MP-50	10
04728942AC	Cooling Coil Coating	9
04761838PC	Pennzoil SAE 5W-30 Engine Oil	24
04761839PC	Pennzoil SAE 10W-30 Engine Oil	24
04761844PE	Pennzoil SAE 5W-30 Engine Oil	24
04761845PA	Pennzoil SAE 10W-30 Engine Oil	24
04761845PE	Pennzoil SAE 10W-30 Engine Oil	24
04761872PC	Pennzoil SAE 5W-20 Engine Oil	24
04762630PD	Pennzoil SAE 5W-30 Engine Oil	24
04762631PD	Pennzoil SAE 10W-30 Engine Oil	24
04762632PD	Pennzoil SAE 5W-20 Engine Oil	24
04762635PC	Pennzoil SAE 5W-30 Engine Oil	24
04762636PC	Pennzoil SAE 10W-30 Engine Oil	24
04762648AC	Antifreeze/Coolant 3-Year Formula — Embittered	14
04773427AB	Weatherstrip Lubricant	38
04796237AD	Cleaner Wax	48
04796238AD	Finish Enhancer	48
04796240AD	Tire Treatment	48
04796268AB	Transmission Cooler Flush	13
04796269AB	Brake Lubricant	37
04798219AC	R-134A Leak Detection Dye	35

PART NUMBER	ITEM	PAGE NO.
04856593AC	Whitewall & Vinyl Top Cleaner	45
04856970AD	Orange Scent Hand Cleaner	33
04856971AD	Ultra-Max Hand Cleaner	33
04856977AC	Cooling System Flush	16
04864015AD	Windshield Install Adhesive Package	42
04874464AC	Manual Transmission Lubricant	30
04883065AB	Gear Marking Compound	10
04883968AB	Shop Floor Cleaner Concentrate	50
04883971AC	Engine Sealant RTV Silicone Rubber Adhesive	40
04886129AB	SP-15 A/C Compressor Lubricant	8
04886330AD	Super Kleen Bug, Tar & Spot Remover	44
04897156AD	Throttle Body Cleaner	27
04897618AB	Dispenser for Bag-In-Box	33
04897623AD	Glass Cleaner	44
04897840AD	Total Clean	48
04897841AB	Multi-Mileage Lube	36
05003238AD	Car Wash Super Concentrate	47
05003239AC	Tire Cleaner Concentrate	49
05003240AC	Interior Cleaner Concentrate	49
05003241AD	Degreaser Concentrate	49
05010042AC	4-in-1 Leak Detection Dye	35
05010319AB	Rubber Bushing Installation Lube	36
05010884AD	ATF-RTV	40
05012245AE	Convertible Cloth Top Cleaner Concentrate	45
05012246AC	Convertible Cloth Top Treatment	45
05012248AE	Jeep Vehicle Soft Glass Window Cleaner	45
05012249AC	Nickel Anti-Seize Lubricant	11
05013477AD	Axle RTV	40
05013678AD	Car Wash Concentrate	47
05013781AA	Nye Dielectric Lubricant	38
05015983AD	Rear View Mirror Adhesive	42
05016796AC	Transfer Case Lubricant	31
05018045AB	Electrical Contact Cleaner	10
05018626AA	Nye Synthetic Lubricant	38
05019054AA	Anti-Squeak Tape	11
05019056AA	Foam Tape	11
05019057AA	Foam Tape	11
05019058AA	Foam Tape	11
05019060AC	Grease Lubricant	11
05019059AC	Oil Lubricant	11
05019061AB	Brake & Suspension Grease	37
05019625AB	Fuel System Cleaner	26
05066247AE	Tire & Wheel Cleaner	47
05066248AD	Tire & Wheel Cleaner	47
05066440AB	Soft Top Zipper Cleaner & Lubricant	45
05073224AC	Odor Remover	47
05083149AA	Wheel Bearing Grease	36
05083150AA	Multi-Purpose Grease	36
05083160AA	Multi-Purpose Grease	39
05093094AC	Mopar Automatic Car Wash Detergent	50
05114554AD	VC-PAG 46 A/C Compressor Lubricant	9



# NUMERICAL PART NUMBER INDEX

PART NUMBER	ITEM	PAGE NO.
05127382AB	MB236.12 Automatic Transmission Fluid	12
05127394PD	Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	25
05127819AA	Hylomar Gasket Dressing/Flange Sealant	41
05136033AC	Gear Lubricant SAE 90	30
05136035AC	Synthetic Axle Lubricant SAE 75W-85	30
05139803AB	Premium Windshield Washer Solvent/De-Icer	46
05139804AB	Rain Repellant Windshield Washer Fluid	46
05161618AC	Coolant Leak Detection Dye	35
05166240PB	Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	25
05166241PC	Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	25
05166242PB	Pennzoil Platinum SAE 10W-30 Full Synthetic Motor Oil	25
05166246PD	Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	25
05166247PC	Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	25
05166248PC	Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	25
05166249PC	Pennzoil Platinum SAE 10W-30 Full Synthetic Motor Oil	25
05170022AB	Cooling Coil Cleaner	9
05174566AB	Premium Fuel System Cleaning Kit	26
05175050AB	Carpet Cleaner	48
05179014AA	Transfer Case Lubricant NV246	31
05189966AD	ASRC & Trade; ATF	12
05189977AB	ASRC & Trade; ATF	12
05189978AA	ASRC & Trade; ATF	12
05189979AA	ASRC & Trade; ATF	12
05191184AB	CVTF+4 Transmission Fluid	12
05191185AC	CVTF+4 Transmission Fluid	12
05191186AE	CVTF+4 Transmission Fluid	12
05191187AA	CVTF+4 Transmission Fluid	12
05191800AB	Premium Diesel Fuel Treatment	26
05191804AA	Air Leak Detector	35
68001332PC	Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	23
68001333PD	Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	23
68001334PD	Pennzoil Ultra Platinum SAE 5W-30 Full Synthetic Motor Oil	25
68001335PC	Pennzoil Ultra Platinum SAE 5W-30 Full Synthetic Motor Oil	25
68001758AB	Transfer Case Lubricant NV146	31
68002256AB	Output Shaft Assembly Lubricant	37
68002823AA	MB236.12 Automatic Transmission Fluid	12
68002825AC	Antifreeze/Coolant 3-Year Formula — Embittered	14
68002827AC	Antifreeze/Coolant 3-Year Formula — Embittered	14
68024966PD	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	23
68024967PB	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	23
68024968PE	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	23
68024969PB	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	23
68028729AB	EGR System Cleaner	17
68028730AA	Bushing Grease	37
68029698AC	Water Pump Lubricant	16
68035321AB	Vitamol ZH-M Hydraulic Fluid	32
68035700AC	Diesel Exhaust Fluid	17
68035704AC	Diesel Exhaust Fluid (DEF)	17
68040095AB	Windshield Washer Solvent	46
68042967AB	Undercoat Kit	10

PART NUMBER	ITEM	PAGE NO.
68042968AB	Undercoat Kit Refill	10
68042969AB	Cavity Wax Kit	10
68042970AB	Cavity Wax Kit Refill	10
68043289AB	ND-11 A/C Compressor Oil POE Type	8
68043742AB	DEXRON-VI Automatic Transmission Fluid	13
68044407PB	Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	25
68044413PB	Pennzoil SAE 5W-20 Engine Oil	24
68044414PB	Pennzoil SAE 5W-30 Engine Oil	24
68044416PB	Pennzoil SAE 10W-30 Engine Oil	24
68044417PB	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	23
68044565AB	Diesel Turbocharger Cleaner	17
68044762AB	Mopar Complete Windshield Washer Solvent	46
68048547AA	Battery Terminal Protector Pads	47
68048953AC	Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68049954AC	Transfer Case Lubricant For BorgWarner 44-40 And 2016+ 44-44	31
68051212AC	50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68051213AC	Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68051214AB	Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68051215AC	Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68051216AC	50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68051217AC	50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68051218AB	50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	14
68056278AC	Diesel Exhaust Fluid (DEF)	17
68065196AB	Brake Parts Cleaner Non-Chlorinated	39
68065197AD	Brake Parts Cleaner Non-Chlorinated VOC Exempt	39
68065198AA	Brake Parts Cleaner Non-Chlorinated	39
68065199AA	Brake Parts Cleaner Non-Chlorinated	39
68065225AC	Brake Parts Cleaner Non-Chlorinated VOC Exempt	39
68065226AC	Brake Parts Cleaner Non-Chlorinated VOC Exempt	39
68079093AB (California)	Premium Fuel System Cleaning Kit	26
68082860AB	Threebond Engine RTV	40
68083381AA	Rear Axle Lubricant SAE 75W-85	28
68088485AB	Electric Steering Pump Fluid	39
68089195AA	Transfer Case Lube For BorgWarner 44-45, 44-46, 44-47, 44-48 and Pre-2016 44-44	31
68089566AA	Loctite SI 598 Flange Sealant	43
68092630AA	C Series Manual & Dual Dry Clutch Transmission Fluid	32
68092636AA	C Series Manual & Dual Dry Clutch Transmission Fluid	32
68092638AB	C Series DDCT SAE 75W Hydraulic Fluid	30
68119754AA	RTV Silicone Rubber Adhesive	40
68140973AA	50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	15
68140983AA	Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	15
68145518AB	Threebond 1281B Transmission Sealant	43
68146832PA	Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	25
68146834PA	Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	25

# NUMERICAL PART NUMBER INDEX

PART NUMBER	ITEM	PAGE NO.
68147411PB	Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	23
68152004PC	Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	25
68152005PA	Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	25
68158590AE	Fuel Injector Cleaner	26
68163848AB	Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	15
68163849AB	50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	15
68169968PB	Pennzoil Gold 5W-20 Semi-Synthetic	24
68169969PB	Pennzoil Gold 5W-30 Semi-Synthetic	24
68169970PB	Pennzoil Gold 10W-30 Semi-Synthetic	24
68169972PA	Pennzoil Gold 5W-20 Semi-Synthetic	24
68169973PA	Pennzoil Gold 5W-30 Semi-Synthetic	24
68169976PA	Pennzoil Gold 10W-30 Semi-Synthetic	24
68170681AB	RL-897 A/C Compressor Oil POE Type	8
68171006PB	Shell Rotella T6 SAE 5W-40 Full Synthetic Heavy Duty Engine Oil	23
68171066PC	Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	25
68171067PA	Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	25
68171068PA	Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	25
68171069PC	Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	25
68171866AB	SP-IV M Automatic Transmission Fluid	12
68171869AB	SP-IV M Automatic Transmission Fluid	12
68185114PC	Pennzoil Gold 5W-20 Semi-Synthetic	24
68185115PC	Pennzoil Gold 5W-30 Semi-Synthetic	24
68185116PC	Pennzoil Gold 10W-30 Semi-Synthetic	24
68192413AB	Electric A/C Compressor Oil	8
68194558AA	Half Shaft Grease	36
68194640AB	Diesel Injector Cleaner	26
68194881AA	Rain Repelling Glass Treatment	44
68199087PC	Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	25
68210057AB	Synthetic Axle Lubricant SAE 75W-85	29
68210514AB	Single Speed Transmission Fluid	32
68218041AB	Gear & Axle Lubricant SAE 80W-90	28
68218043AA	Gear & Axle Lubricant SAE 80W-90	28
68218054AA	ATF+4	12
68218056AA	ATF+4	12
68218057AC	ATF+4	12
68218058AC	ATF+4	12
68218059AA	ATF+4	12
68218064AC	Power Steering Fluid +4	39
68218654AB	Synthetic Gear & Axle Lubricant SAE 75W-90	30
68218655AC	Synthetic Gear & Axle Lubricant SAE 75W-90	29
68218656AA	Synthetic Gear & Axle Lubricant SAE 75W-90	29
68218657AB	Synthetic Gear & Axle Lubricant SAE 75W-140	29
68218658AA	Synthetic Gear & Axle Lubricant SAE 75W-140	29
68218890AC	SAE 5W-20 Mopar Engine Oil	21
68218891AC	SAE 5W-20 Mopar Engine Oil	21
68218892AA	SAE 5W-20 Mopar Engine Oil	21
68218893AC	Mopar SAE 5W-20 Engine Oil	21
68218894AA	SAE 5W-20 Mopar Engine Oil	21
68218920AC	SAE 5W-30 Mopar Engine Oil	21
68218921AB	SAE 5W-30 Mopar Engine Oil	21

PART NUMBER	ITEM	PAGE NO.
68218922AA	SAE 5W-30 Mopar Engine Oil	21
68218923AC	SAE 5W-30 Mopar Engine Oil	21
68218924AA	SAE 5W-30 Mopar Engine Oil	21
68218925AB	8 & 9 Speed ATF	12
68218926AB	8 & 9 Speed ATF	12
68218930AC	SAE 10W-30 Mopar Engine Oil	21
68218931AC	SAE 10W-30 Mopar Engine Oil	21
68218932AA	SAE 10W-30 Mopar Engine Oil	21
68218933AC	SAE 10W-30 Mopar Engine Oil	21
68218934AA	SAE 10W-30 Mopar Engine Oil	21
68218940AD	SAE 15W-40 Mopar Engine Oil	21
68218941AC	SAE 15W-40 Mopar Engine Oil	21
68218942AA	SAE 15W-40 Mopar Engine Oil	21
68218943AD	SAE 15W-40 Mopar Engine Oil	21
68218944AA	SAE 15W-40 Mopar Engine Oil	21
68218950AC	SAE 0W-20 Engine Oil	21
68218951AB	SAE 0W-20 Engine Oil	21
68218952AA	SAE 0W-20 Engine Oil	21
68224028AB	1234YF A/C Refrigerant	9
68224150AB	ND-OIL 12 A/C Compressor Oil	9
68224945AA	Gel Pack Rain Sensor	11
68227766AB	Synthetic Hydraulic Control Fluid	32
68230057AB	Flock Tape	11
68232939AB	A/C Compressor Oil	8
68232947AB	Open Differential Axle Lubricant Synthetic SAE 75W-85	29
68232948AB	Limited Slip Differential Axle Lubricant Synthetic SAE 75W-85	29
68234631AB	Hydraulic System Power Steering Fluid	39
68256847AA	Dry Clutch Transmission Fluid SAE 75W-85	32
68280932AA	Front Axle Power Transfer Unit Lubricant SAE 75W-90	28
68280933AA	Rear Axle Differential Module Lubricant SAE 75W-90	28
68290303AA	Touch-up Paint Display Rack	51
68291701AA	Cherry Gel	34
68306473AB	50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	15
68306476AB	Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	15
68306482AB	50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	15
68306483AB	Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	15
68317791AA	Black Corrosion Resistant Protectant	11
68319193AA	Mopar Car Care Kit	48
68333586AA	Long Life Manual Transmission Lubricant SAE 75W-90	13
68333587AA	Long Life Automatic Transmission Fluid DAF 6-SPD AISIN JWS3309	13
68333589AA	Long Life Hypoid Gear Oil SAE 75W-85	29
68334695AA	55/45 Premixed Extended Life	15
68337909AA	Sunroof Track Grease	45
68339072AA	Hypoid Gear Lubricant SAE 75W-80	28
68340460AA	Ram 1500 2017+ Rear Axle Lubricant SAE 75W-90	30
68350001AB	Car Wash Concentrate	47
68364258AA	Multi Axle Lubricant SAE 75W-85	28
68364292AA	Coil Dielectric Grease	37
68377611AA	Transfer Case Lubricant SAE 75W	31
68378949AA	Synthetic Gear & Axle Lubricant SAE 75W-85	30
68379579AA	RTV Sealant	40

# NUMERICAL PART NUMBER INDEX

PART NUMBER	ITEM	PAGE NO.
68384493AA	Transfer Case Sealant	43
68400418AA	Urethane Adhesive	43
68425736AA	P-80 Grip-It Lubricant	37
68436630AA	Touch-up Paint Assortment Kit w/Display Rack	51
68436632AA	Mopar FIAT Starter Kit w/Display Rack	51
68438447PA	Shell Rotella T5 SAE 10W-30 Synthetic Blend Heavy Duty Diesel Engine Oil	23
68440571PA	Shell Rotella T5 SAE 10W-30 Synthetic Blend Heavy Duty Diesel Engine Oil	23
68441881AA	Diesel Exhaust Fluid (DEF)	17
68441884AB	Cigarette Odor Eliminator, Unscented	47
68441921AA	Wheel Touch-Up Paint Kit	52
68442387AA	Car Wash Liquid Concentrate	47
68444159AA	SAE 0W-30 Mopar Engine Oil	21
68453175AA	A/C Compressor Oil POE Type	8
68461587AA	DEF Nozzles	17
68475202PA	Shell Rotella T5 SAE 10W-30 Synthetic Blend Heavy Duty Diesel Engine Oil	23
68493461AA	Mopar 4-in-1 Paint Tube Assortment Kit	51
68526614AA	Bioesque Botanical Disinfectant Solution	34
68526615AA	Bioesque Botanical Disinfectant Solution	34
68533959AA	Hand Sanitizer	34
68533960AA	Hand Sanitizer	34
68533961AA	Hand Sanitizer	34
82300022AB	Hand Cleaner/Natural Citrus	33
82300101AC	R-134A A/C Refrigerant	9
82300102AC	ND-OIL 8 A/C Compressor Oil PAG Type	8
82300234AC	Silicone Rubber RTV	41
J8126688AB	Dielectric Grease	37
MD974421	Liquid Gasket for MMC	38
	Tire Service Kit	53



**MOPAR®**

*At your service*

