

# 2018 VEHICLE LUBRICANT & CHEMICAL CATALOG



## ORDERING INFORMATION

All Mopar® vehicle care and maintenance products may be ordered via the normal Mopar Parts ordering functions on DealerCONNECT.

Mopar vehicle care and maintenance products are stocked at Mopar Parts Distribution Centers (PDC).

### DEPARTMENT OF TRANSPORTATION REQUIREMENTS

The U.S. Department of Transportation (DOT) strictly regulates the packaging, labeling and shipping of hazardous materials that are transported via ground or air. Particular restrictions are placed on hazardous materials that can be shipped via air. DOT federal regulations found at 49 CFR Part 172 Subpart H provide that you or your employees are required to receive INITIAL (within 90 days of beginning employment) and RECURRING (minimum of at least once every 3 years) hazardous materials training IF you meet the following criteria:

- If you or any employee ever work in an area involved with the shipping or receiving of hazardous materials or work in the hazardous materials handling area
- If you or any employee are ever involved in any aspect of transporting hazardous materials by ground or air
- If you or any employee are involved with preparing hazardous materials for transport

Mopar recognizes that hazardous materials pose a risk to health, safety and the environment when being transported. Mopar strictly complies with all DOT Hazardous Materials Regulations (HMR) to ensure both a high level of security and employee safety when shipping our products. Mopar's commitment to HMR compliance includes providing the appropriate packaging and labeling to ensure proper shipping of our products.

It is important that you understand your responsibilities as an employer/shipper and the consequences of failing to comply with federal DOT Hazardous Materials Regulations when shipping or returning vehicle parts and maintenance products to Mopar. By strictly adhering to HMR requirements, you will be able to safely and properly ship any returned parts or maintenance products to Mopar.

For more information on compliance requirements, please visit the DOT Web site at: <http://hazmat.dot.gov>.

### MATERIAL SAFETY DATA SHEETS

The Federal Hazard Communication Standard and many state regulations require that Material Safety Data Sheets (MSDS) be readily available for all applicable products to users of those products. The MSDS provides detailed health, handling and safety information on the particular product.

### DealerCONNECT ACCESS TO MATERIAL SAFETY DATA SHEETS

DealerCONNECT Interactive Access to Material Safety Data Sheets (MSDS) allows for quick and easy retrieval of an MSDS for any potentially hazardous part. The following procedure is designed to guide you through the basic steps for interactively accessing a Material Safety Data Sheet (MSDS) through DealerCONNECT.

1. Log on to DealerCONNECT using <https://dealerconnect.chrysler.com>.
2. From the DealerCONNECT welcome screen, sign on with your Dealer ID, Password, and Dealer Code, Press the **[SUBMIT]** key.
3. From the DealerCONNECT homepage, click on the **[PARTS]** tab.
4. From the Parts page, click on the **[MSDS]** link under the Reference Library.
5. Type in the Part Number on the MSDS inquiry screen and click on the **[SEARCH]** key.
6. Select the appropriate product and click on the **[DISPLAY MSDS]** key.

### TO PRINT AN MSDS:

Once the MSDS sheet is displayed, click on the **[PRINTER]** icon on the toolbar to print.

### CONTROL INFORMATION

For 24-hour poison control information, call the Security Information Center **(248) 576-8888**.

## CATALOG ACRONYMS

4WD	Four Wheel Drive
A/C	Air Conditioning
ATF	Automatic Transmission Fluid
C.A.R.B.	California Air Resources Board
EGR	Exhaust Gas Recirculation
FI	Fluid
mL	Milliliter
MS	Material Standard
MSQ	Minimum Ship Quantity

OSHA	Occupational Safety & Health Administration
Oz.	Ounce
PAG	Polyalkaline Glycol
PCV	Positive Crankcase Ventilation
RTV	Room Temperature Vulcanization
SAE	Society of Automotive Engineers
TCE	Trichloroethylene
UV	Ultraviolet
VOC	Volatile Organic Compound

# ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>AIR CONDITIONING</b>			
1234YF A/C Refrigerant	160 Oz.	68224028AB	7
A/C Compressor Oil	7.1 Oz.	68232939AB	7
Cooling Coil Cleaner	8 Oz.	05170022AB	7
Cooling Coil Coating	8 Oz.	04728942AC	7
ND-11 A/C Compressor Oil POE Type	250 mL	68043289AB	7
ND-OIL 8 A/C Compressor Oil PAG Type	250 mL	82300102AC	7
R-134A A/C Refrigerant	30 Lb.	82300101AC	7
RL-897 A/C Compressor Oil POE Type	210 mL	68170681AB	7
SP-15 A/C Compressor Lubricant	250 mL	04886129AA	7
VC-PAG 46 A/C Compressor Lubricant	7 Oz.	05114554AD	7
<b>ASSEMBLY &amp; REPAIR</b>			
Anti-Squeak Tape		05019054AA	9
Cavity Wax Kit	31 Oz.	68042969AB	8
Cavity Wax Kit Refill	31 Oz.	68042970AB	8
Electrical Contact Cleaner	9.7 Oz.	05018045AB	8
Flock Tape		68230057AB	9
Foam Tape		05019056AA	9
Foam Tape		05019058AA	9
Gear Marking Compound	4 Fl. Oz.	04883065AB	8
Grease Lubricant		05019059AC	9
MP-50	9 Oz.	04549626AD	8
Nickel Anti-Seize Lubricant	8 Oz.	05012249AC	9
Oil Lubricant		05019059AC	9
Rear Window Defogger Repair Kit	1.5 Gram Kit	04549275AB	9
Rust Penetrant	10.8 Oz.	04318039AE	8
Undercoat Kit	31 Oz.	68042967AB	8
Undercoat Kit Refill	31 Oz.	68042968AB	8
<b>AUTOMATIC TRANSMISSION FLUIDS</b>			
8 & 9 Speed ATF	1L	68218925AA	10
8 & 9 Speed ATF	1 Qt. Pallet (1,008)	68218926AA	10
ASRC & Trade; ATF	1 Qt.	05189966AB	10
ASRC & Trade; ATF	1 Gal.	05189977AB	10
ASRC & Trade; ATF	1 Qt. Pallet (1,008)	05189978AA	10
ASRC & Trade; ATF	180 Gal. Pallet	05189979AA	10
ATF+4	1 Qt.	68218057AB	10
ATF+4	5L	68218058AC	10
ATF+4	220 Qt. Drum	68218054AA	10
ATF+4	1 Qt. Pallet (1,008)	68218056AA	10
ATF+4	5L Pallet (180)	68218059AA	10
CVTF+4 Transmission Fluid	1 Qt.	05191184AA	10
CVTF+4 Transmission Fluid	5L	05191185AC	10
CVTF+4 Transmission Fluid	1 Qt. Pallet (1,008)	05191186AA	10
CVTF+4 Transmission Fluid	216 Gal. Pallet	05191187AA	10
DEXRON-VI Automatic Transmission Fluid	1 Qt.	68043742AB	11
Long Life Automatic Transmission Fluid DAF 6-SPD AISIN JWS3309	1 Qt.	68333587AA	11

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>AUTOMATIC TRANSMISSION FLUIDS (Continued)</b>			
MB236.12 Automatic Transmission Fluid	1 Qt.	05127382AB	10
MB236.12 Automatic Transmission Fluid	504 Qt. Pallet	68002823AA	10
SP-IV M Automatic Transmission Fluid	1 Qt.	68171866AB	10
SP-IV M Automatic Transmission Fluid	1 Gal.	68171869AB	10
Transmission Cooler Flush	1 Gal.	04796268AB	11
<b>COOLANT</b>			
<b>IAT FAMILY</b>			
Antifreeze/Coolant 3-Year Formula — Embittered	1 Gal.	04267020AD	12
Antifreeze/Coolant 3-Year Formula — Embittered	Gal. Half Pallet	68002827AC	12
Antifreeze/Coolant 3-Year Formula — Embittered	Gal. Pallet	04762648AC	12
Antifreeze/Coolant 3-Year Formula — Embittered	Gal. Drum	68002825AC	12
<b>HOAT FAMILY</b>			
50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	1 Gal.	68051212AC	12
50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Half Pallet	68051217AC	12
50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Pallet	68051216AC	12
50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Drum	68051218AB	12
Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	1 Gal.	68048953AC	12
Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Half Pallet	68051215AC	12
Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Pallet	68051213AC	12
Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	Gal. Drum	68051214AB	12
<b>OAT FAMILY</b>			
50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	1 Gal.	68163849AB	13
50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Half Pallet	68306482AB	13
50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Pallet	68306473AB	13
50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Drum	68140973AA	13
Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	1 Gal.	68163848AB	13
Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Half Pallet	68306483AB	13
Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Pallet	68306476AB	13
Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	Gal. Drum	68140983AA	13
<b>POAT FAMILY</b>			
55/45 Premixed Extended Life	1 Gal.	68334695AA	13
<b>COOLANT SYSTEM TREATMENTS</b>			
Cooling System Flush	22 Oz. Bottle	04856977AC	14
Stop Leak Pellets		04318005	14
Water Pump Lubricant	12 Oz. Bottle	68029698AC	14



# ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>DIESEL FLUIDS</b>			
Diesel Exhaust Fluid	55 Gal. Drum	68035700AC	15
Diesel Exhaust Fluid (DEF)	1 Gal.	68035704AC	15
Diesel Exhaust Fluid (DEF)	2.5 Gal.	68056278AC	15
Diesel Turbocharger Cleaner	14 Oz. Aerosol Can	68044565AB	15
EGR System Cleaner	1L Bottle (33.8 Oz.)	68028729AB	15
<b>ENGINE OILS</b>			
Mopar SAE 0W-20 Engine Oil	1 Qt.	68218950AB	18
Mopar SAE 0W-20 Engine Oil	5L	68218951AB	18
Mopar SAE 0W-20 Engine Oil	220 Qt. Drum	68218952AA	18
Mopar SAE 0W-30 Engine Oil	1 Qt.	68291576AA	18
Mopar SAE 5W-20 Engine Oil	1 Qt.	68218890AB	18
Mopar SAE 5W-20 Engine Oil	5L	68218891AC	18
Mopar SAE 5W-20 Engine Oil	220 Qt. Drum	68218892AA	18
Mopar SAE 5W-20 Engine Oil	1 Qt. Pallet (1,008)	681218893AA	18
Mopar SAE 5W-20 Engine Oil	5L Pallet (180)	68218894AA	18
Mopar SAE 5W-30 Engine Oil	1 Qt.	68218920AB	18
Mopar SAE 5W-30 Engine Oil	5L	68218921AB	18
Mopar SAE 5W-30 Engine Oil	220 Qt. Drum	68218922AA	18
Mopar SAE 5W-30 Engine Oil	1 Qt. Pallet (1,008)	68218923AA	18
Mopar SAE 5W-30 Engine Oil	5L Pallet (180)	68218924AA	18
Mopar SAE 10W-30 Engine Oil	1 Qt.	68218930AB	18
Mopar SAE 10W-30 Engine Oil	5L	68218931AC	18
Mopar SAE 10W-30 Engine Oil	220 Qt. Drum	68218932AA	18
Mopar SAE 10W-30 Engine Oil	1 Qt. Pallet (1,008)	68218933AA	18
Mopar SAE 10W-30 Engine Oil	5L Pallet (180)	68218934AA	18
Mopar SAE 15W-40 Engine Oil	1 Qt.	68218940AB	18
Mopar SAE 15W-40 Engine Oil	5L	68218941AC	18
Mopar SAE 15W-40 Engine Oil	220 Qt. Drum	68218942AA	18
Mopar SAE 15W-40 Engine Oil	1 Qt. Pallet (1,008)	68218943AA	18
Mopar SAE 15W-40 Engine Oil	5L Pallet (180)	68218944AA	18
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	1 Qt.	68024966PB	19
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	1 Gal.	68024967PB	19
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	220 Qt. Drum	68044417PB	19
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	1 Qt. Pallet (1,008)	68024968PB	19
Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	225 Gal. Pallet	68024969PB	19
Shell Rotella T6 SAE 15W-40 Full Synthetic Heavy Duty Engine Oil	1 Qt.	68001332PA	19
Shell Rotella T6 SAE 15W-40 Full Synthetic Heavy Duty Engine Oil	1 Gal.	68171006PA	19
Shell Rotella T6 SAE 15W-40 Full Synthetic Heavy Duty Engine Oil	220 Qt. Drum	68147411PA	19
Shell Rotella T6 SAE 15W-40 Full Synthetic Heavy Duty Engine Oil	1 Qt. Pallet (750)	68001333PA	19
Pennzoil Gold 5W-20 Semi-Synthetic	1 Qt.	68169968PA	20

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>ENGINE OILS (Continued)</b>			
Pennzoil Gold 5W-20 Semi-Synthetic	220 Qt. Drum	68169972PA	20
Pennzoil Gold 5W-20 Semi-Synthetic	1 Qt. Pallet (750)	68185114PA	20
Pennzoil Gold 5W-30 Semi-Synthetic	1 Qt.	68169969PA	20
Pennzoil Gold 5W-30 Semi-Synthetic	220 Qt. Drum	68169973PA	20
Pennzoil Gold 5W-30 Semi-Synthetic	1 Qt. Pallet (750)	68185115PA	20
Pennzoil Gold 10W-30 Semi-Synthetic	1 Qt.	68169970PA	20
Pennzoil Gold 10W-30 Semi-Synthetic	220 Qt. Drum	68169976PA	20
Pennzoil Gold 10W-30 Semi-Synthetic	1 Qt. Pallet (750)	68185116PA	20
Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	1 Qt.	05127394PC	21
Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	220 Qt. Drum	68044407PB	21
Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	1 Qt. Pallet (750)	05166246PB	21
Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	1 Qt.	68152004PA	21
Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	220 Qt. Drum	68152005PA	21
Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	1 Qt. Pallet (750)	68199087PA	21
Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	1 Qt.	05166240PA	21
Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	220 Qt. Drum	68146832PA	21
Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	1 Qt. Pallet (750)	05166247PA	21
Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	1 Qt.	05166241PA	21
Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	220 Qt. Drum	68146834PA	21
Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	1 Qt. Pallet (750)	05166248PA	21
Pennzoil Platinum SAE 10W-30 Full Synthetic Motor Oil	1 Qt.	05166242PA	21
Pennzoil Platinum SAE 10W-30 Full Synthetic Motor Oil	1 Qt. Pallet (750)	05166249PA	21
Pennzoil SAE 5W-20 Engine Oil	1 Qt.	04761872PB	20
Pennzoil SAE 5W-20 Engine Oil	220 Qt. Drum	68044413PB	20
Pennzoil SAE 5W-20 Engine Oil	1 Qt. Pallet (1,008)	04762632PB	20
Pennzoil SAE 5W-30 Engine Oil	1 Qt.	04761838PB	20
Pennzoil SAE 5W-30 Engine Oil	5.1L Bottle	04761844PE	20
Pennzoil SAE 5W-30 Engine Oil	220 Qt. Drum	68044414PB	20
Pennzoil SAE 5W-30 Engine Oil	1 Qt. Pallet (1,008)	04762630PB	20
Pennzoil SAE 5W-30 Engine Oil	5L Pallet (180)	04762635PC	20
Pennzoil SAE 10W-30 Engine Oil	1 Qt.	04761839PB	20
Pennzoil SAE 10W-30 Engine Oil	5.1L Bottle	04761845PE	20
Pennzoil SAE 10W-30 Engine Oil	1 Gal.	04761845PA	20
Pennzoil SAE 10W-30 Engine Oil	220 Qt. Drum	68044416PB	20
Pennzoil SAE 10W-30 Engine Oil	1 Qt. Pallet (1,008)	04762631PB	20
Pennzoil SAE 10W-30 Engine Oil	5L Pallet (180)	04762636PC	20



# ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>ENGINE OILS (Continued)</b>			
Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	1 Qt.	68171066PA	21
Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	5 Gal. Pail	68171067PA	21
Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	220 Qt. Drum	68171068PA	21
Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	1 Qt. Pallet (750)	68171069PA	21
Pennzoil Ultra Platinum SAE 5W-30 Full Synthetic Motor Oil	1 Qt.	68001334PB	21
Pennzoil Ultra Platinum SAE 5W-30 Full Synthetic Motor Oil	1 Qt. Pallet (750)	68001335PA	21
<b>FUEL CLEANERS</b>			
Combustion Chamber Cleaner	13 Oz.	04318001AE	23
Diesel Injector Cleaner	30 Oz.	68194640AB	22
Fuel Injector Cleaner	12 Oz.	68158590AC	22
Fuel System Cleaner	12 Oz.	05019625AB	22
Premium Diesel Fuel Treatment	11 Oz.	05191800AB	22
Premium Fuel System Cleaning Kit		05174566AB	22
Premium Fuel System Cleaning Kit		68079093AB (California)	22
Throttle Body Cleaner	13 Oz.	04897156AD	23
<b>GEAR &amp; AXLE LUBRICANTS</b>			
C Series DDC T SAE 75W Hydraulic Fluid	1 Qt.	68092638AB	26
C Series Manual & Dual Dry Clutch Transmission Fluid	1 Qt.	68092630AA	28
C Series Manual & Dual Dry Clutch Transmission Fluid	1 Gal.	68092636AA	28
Front Axle Power Transfer Unit Lubricant SAE 75W-90	1 Qt.	68280932AA	24
Gear & Axle Lubricant SAE 80W-90	64 Qts.	68218043AA	24
Gear & Axle Lubricant SAE 80W-90	1 Qt.	68218041AA	24
Gear Lubricant SAE 90	1 Qt.	05136033AB	26
Hypoid Gear Lubricant SAE 75W-80	1 Qt.	68339072AA	24
Limited Slip Additive	4 Oz.	04318060AD	28
Limited Slip Differential Axle Lubricant Synthetic SAE 75W-85	1 Qt.	68232948AB	25
Long Life Hypoid Gear Oil SAE 75W-85	1 Qt.	68333589AA	25
Manual Transaxle and Quadra-trac Lubricant	1 Qt.	04874465	26
Manual Transmission Lubricant	1 Qt.	04874464AB	26
Multi Axle Lubricant SAE 75W-85	1 Qt.	68364258AA	24
Open Differential Axle Lubricant Synthetic SAE 75W-85	1 Qt.	68232947AB	25
Rear Axle Lubricant SAE 75W-85	1L	68083381AA	24
Single Speed Transmission Fluid	1 Qt.	68210514AB	28
Synthetic Axle Lubricant SAE 75W-85	1 Qt.	68210057AB	25
Synthetic Axle Lubricant SAE 75W-85	1 Qt.	05136035AC	26
Synthetic Gear & Axle Lubricant SAE 75W-140	64 Qts.	68218658AA	25
Synthetic Gear & Axle Lubricant SAE 75W-140	1 Qt.	68218657AA	25
Synthetic Gear & Axle Lubricant SAE 75W-85	1 Qt.	68378949AA	26

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>GEAR &amp; AXLE LUBRICANTS (Continued)</b>			
Synthetic Gear & Axle Lubricant SAE 75W-90	64 Qts.	68218656AA	25
Synthetic Gear & Axle Lubricant SAE 75W-90	1 Qt.	68218655AA	25
Synthetic Manual Transmission Lubricant SAE 75W-85	1 Qt.	04874459	28
Synthetic Gear & Axle Lubricant SAE 75W-90	1 Qt.	68218654AA	26
Transfer Case Lubricant	1 Qt.	05016796AC	27
Transfer Case Lubricant for BorgWarner 44-45, 44-46, 44-47, 44-48 and Pre-2016 44-44	1 Qt.	68089195AA	27
Transfer Case Lubricant for BorgWarner 44-40 And 2016+ 44-44	1L	68049954AA	27
Transfer Case Lubricant NV146	1 Qt.	68001758AB	27
Transfer Case Lubricant NV246	1.004 Qt. (950 mL)	05179014AA	27
Transfer Case Lubricant SAE 75W	1 Qt.	68377611AA	27
Vitamol ZH-M Hydraulic Fluid	16.9 Oz.	68035321AB	28
<b>HAND CLEANERS</b>			
Cherry Gel	67 Oz. Bag-in-Box	68291701AA	29
Dispenser for Bag-In-Box	1 Dispenser	04897618AB	29
Hand Cleaner/Natural Citrus	1 Gal.	82300022AB	29
Orange Scent Hand Cleaner	67 Oz. Bag-in-Box	04856970AD	29
Ultra-Max Hand Cleaner	67 Oz. Bag-in-Box	04856971AD	29
<b>LEAK DETECTION</b>			
4-in-1 Leak Detection Dye	1/4 Fl. Oz.	05010042AC	30
Air Leak Detector	8 Oz.	05191804AA	30
Coolant Leak Detection Dye	1 Oz. Bottle	05161618AC	30
R-134A Leak Detection Dye	1/4 Fl. Oz. Bottles	04798219AC	30
<b>LUBRICANTS &amp; GREASE</b>			
Brake & Suspension Grease	0.88 Oz. Tube	05019061AB	32
Brake Grease	2 Oz. Tube	J8993704AB	32
Brake Lubricant	1.76 Oz. Tube	04796269AB	32
Bushing Grease	2 Oz. Tube	68028730AA	32
Coil Dielectric Grease	2 Oz. Tube	68364292AA	32
Dielectric Grease	2 Oz. Tube	J8126688AB	32
Half Shaft Grease	4.93 Oz. Tube	68194558AA	31
High Temp Light Bearing Grease	5.3 Oz. Tube	05127533AA	33
Metal Assembly Paste	2.8 Oz. Tube	05127534AA	33
Multi-Mileage Lube	14.5 Oz. Cartridge	04897841AB	31
Multi-Purpose Grease	14.5 Oz. Cartridge	05083150AA	31
Output Shaft Assembly Lubricant	1.76 Oz. Tube	68002256AB	32
Rubber Bushing Installation Lube	4 Oz. Can	05010319AB	31
Silicone Spray Lube	12 Oz. Aerosol Can	04318070AE	31
Spray White Lube Lithium Grease	12 Oz. Aerosol Can	04318066AE	31

# ALPHABETICAL INDEX

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>LUBRICANTS &amp; GREASE (Continued)</b>			
Weatherstrip Lubricant	1 Oz. Bottle	04773427AB	33
Wheel Bearing Grease	1 Lb. Tub	05083149AA	31
White Lithium Grease	3 Oz. Tube	68003883AC	31
<b>POWER STEERING &amp; BRAKE FLUIDS</b>			
Brake & Clutch Fluid DOT 4 Motor Vehicle	12 Oz. Bottle	04549625AE	34
Brake Fluid DOT 3 Motor Vehicle	12 Oz. Bottle	04318080AD	34
Brake Parts Cleaner Non-Chlorinated	15 Oz. Aerosol Can	68065196AB	34
Brake Parts Cleaner Non-Chlorinated	Half Pallet (432 Cans)	68065198AA	34
Brake Parts Cleaner Non-Chlorinated	Full Pallet (864 Cans)	68065199AA	34
Brake Parts Cleaner Non-Chlorinated VOC Exempt	15 Oz. Aerosol Can	68065197AC	34
Brake Parts Cleaner Non-Chlorinated VOC Exempt	Half Pallet (432 Cans)	68065225AC	34
Brake Parts Cleaner Non-Chlorinated VOC Exempt	Full Pallet (864 Cans)	68065226AC	34
Electric Steering Pump Fluid	1 Pint (16 Oz.)	68088485AB	34
Hydraulic System Power Steering Fluid	1 Qt.	68234631AA	34
Power Steering Fluid	1 Pint (16 Oz.)	04883077	34
Power Steering Fluid +4	1 Pint (16 Oz.)	68218064AB	34
<b>SEALANTS &amp; ADHESIVES</b>			
ATF-RTV	3 Oz. Tube	05010884AD	35
Axle RTV	3 Oz. Tube	05013477AD	35
Bed Plate Sealant	50 mL Tube	04773257	36
Bond-All Gel	.06 Oz. Tube	04467709AB	37
Butyl Tape (ROPE)	15' Roll	04076274AB	36
Engine Sealant RTV Silicone Rubber Adhesive	3 Oz. Tube	04883971AC	35
Gasket Maker	50 mL Tube	04318083AB	36
Gasket Sealant	9 Oz. Aerosol Can	04318035AC	36
Hylomar Gasket Dressing/Flange Sealant	1.2 Oz. Tube	05127819AA	36
Lock & Seal Adhesive	6 mL Tube	04318031AB	37
Paintable Repair Sealer	10 Oz. Cartridge	04318026AB	36
Rear View Mirror Adhesive	.06 mL Kits	05015983AB	37
RTV Sealant	5 Oz. Bottle	68379579AA	35
Silicone Rubber RTV	3 Oz. Tube	82300234AC	36
Silicone Windshield & Glass Sealer	1.5 Oz. Tube	04467708	37
Stud N' Bearing Mount Adhesive	6 mL Tube	04318032	37
Thread Sealant with PTFE	6 mL Tube	04318034	37
Threebond 1281B Transmission Sealant	4.1 Oz. Tube	68145518AB	35
Threebond Engine RTV	5 Oz. Tube	68082860AB	35
Vinyl Foam Tape	30' Roll	04318028	36
Weatherstrip Adhesive	5 Oz. Tube	04773774	37
Windshield Install Adhesive Package		04864015AD	37

ITEM	SIZE	PART NUMBER	PAGE NO.
<b>VEHICLE PREP AND DETAIL</b>			
Battery Terminal Protector Pads	2 Pads	68048547AA	41
Car Wash Concentrate	1 Gal.	05003238AD	41
Car Wash Concentrate	55 Gal. Drum	68350001AA	41
Car Wash Concentrate	5 Gal. Pail (Liquid)	05013678AD	41
Carpet Cleaner	18 Oz.	05175050AB	41
Chrome Cleaner	16 Oz. Bottle	04318013AD	38
Cleaner Wax	16 Oz.	04796237AD	42
Convertible Cloth Top Cleaner Concentrate	16 Oz.	05012245AD	39
Convertible Cloth Top Treatment	16 Oz.	05012246AC	39
Degreaser Concentrate	1 Gal.	05003241AC	43
Engine Degreaser	12 Oz. Aerosol Can	04318040AC	39
Finish Enhancer	16 Oz.	04796238AD	42
Glass Cleaner	11 Oz. Aerosol Can	04318014AC	38
Glass Cleaner	16 Oz.	04897623AD	38
Interior Cleaner Concentrate	1 Gal.	05003240AC	43
Jeep Vehicle Soft Glass Window Cleaner	16 Oz. Bottle	05012248AD	39
Leather, Rubber & Vinyl Protector	16 Oz. Bottle	04318017AC	38
Mopar Automatic Car Wash Drying Agent	5 Gal.	05093095AB	44
Mopar Automatic Car Wash Frictionless Cleaner	5 Gal.	05093093AB	44
Mopar Complete Windshield Washer Solvent	64 Oz. Bottle	68044762AB	40
Mopar Automatic Car Wash Detergent	5 Gal.	05093094AB	44
Mopar Car Care Kit	4 Oz. Spray Bottles (3)	68319193AA	41
Odor Remover	24 Oz.	05073224AC	41
Premium Windshield Washer Solvent/De-Icer	64 Oz. Bottle	05139803AB	40
Rain Repellant Windshield Washer Fluid	64 Oz. Bottle	05139804AB	40
Rain Repelling Glass Treatment	Box of 24 Kits	68194881AA	38
Shop Floor Cleaner Concentrate	50 Lb.	04883968AB	44
Soft Top Zipper Cleaner & Lubricant	2 Oz. Bottle	05066440AB	39
Sunroof Track Grease	1.98 Oz. Tube	68337909AA	39
Super Kleen Bug, Tar & Spot Remover	16 Oz. Bottle	04886330AD	38
Tire & Wheel Cleaner	24 Oz.	05066247AE	41
Tire & Wheel Cleaner	5 Gal. Pail	05066248AD	41
Tire Cleaner Concentrate	1 Gal.	05003239AC	43
Tire Treatment	16 Oz.	04796240AD	42
Total Clean	16 Oz.	04897840AD	42
Total Clean	1 Gal.	04318020AE	42
Whitewall & Vinyl Top Cleaner	16 Oz.	04856593AC	39
Windshield Washer Solvent	55 Gal. Drum	68040095AB	40

## AIR CONDITIONING



### R-134A A/C REFRIGERANT

Convenient 30 lb. non-returnable container.  
30 lb. Cylinder  
MSQ: 30 (unit of measure represents lbs.)  
**Part No. 82300101AC**  
MS-50039



### 1234YF A/C REFRIGERANT

New Air Conditioning Refrigerant for use in vehicles equipped with the 1234YF systems.  
Net Weight 10 lbs. (4.5kg) Cylinder  
MSQ: 160 Oz. (unit of measure represents oz.)  
**Part No. 68224028AB**  
MS-50034



### ND-OIL 8 A/C COMPRESSOR OIL PAG TYPE

250 mL Can  
MSQ: 1 Can  
**Part No. 82300102AC**



### RL-897 A/C COMPRESSOR OIL POE TYPE

Formulated for use in certain piston type and electrically driven compressors.  
210 mL Can  
MSQ: 1 Can  
**Part No. 68170681AB**



### ND-11 A/C COMPRESSOR OIL POE TYPE

Formulated for use only in electrically driven compressors.  
250 mL Can  
MSQ: 1 Can  
**Part No. 68043289AB**



### SP-15 A/C COMPRESSOR LUBRICANT

250 mL Can  
MSQ: 1 Can  
**Part No. 04886129AA**  
MS-9176



### A/C COMPRESSOR OIL

Formulated to lubricate specific automotive air conditioning systems.  
7.1 Oz. Can  
MSQ: 1  
**Part No. 68232939AB**



### VC-PAG 46 A/C COMPRESSOR LUBRICANT

Specifically intended for use in Visteon air conditioning compressors.  
7 Oz. (210 mL) Per Can  
MSQ: 1 Can  
**Part No. 05114554AD**



### COOLING COIL COATING

Provides a durable coating to the air conditioning evaporator to reduce or eliminate odors.  
8 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 04728942AC**



### COOLING COIL CLEANER

Heavy-duty, fast-acting cleaner. Removes dirt and odor-causing organic matter. Biodegradable, safe on automotive surfaces.  
8 Oz. Bottle  
MSQ: 12 Bottles  
**Part No. 05170022AB**



## ASSEMBLY & REPAIR



### CAVITY WAX KIT

Custom installation kit includes one flexible direct spray wand, one flexible fan spray wand, one rigid fan spray wand, and two bottles of cavity wax.

31 Oz. Container

MSQ: 1 Kit

**Part No. 68042969AB**

### CAVITY WAX KIT REFILL

To maintain the integrity of the repair following any welding or repairs where metal is exposed.

31 Oz. Container

MSQ: 4 Bottles

**Part No. 68042970AB**



### UNDERCOAT KIT

Kit includes air undercoating gun and two 31 oz. bottles of undercoat mixture.

31 Oz. Container

MSQ: 1 Kit

**Part No. 68042967AB**

### UNDERCOAT KIT REFILL

Refill kit of four 31 oz. bottles of undercoat mixture.

31 Oz. Container

MSQ: 4 Bottles

**Part No. 68042968AB**



### ELECTRICAL CONTACT CLEANER

Cleans and loosens any oxidation deposits from all kinds of electrical terminals, connectors or contacts. Removes oxide and sulphide deposits, residue, resin, oil or dirt. Eliminates distortion and the occurrence of unreliable resistance or cracking noises. Safe for use on automotive circuit boards. Specify non-chlorinated.

9.7 Oz. Aerosol Can

MSQ: 12 Cans

**Part No. 05018045AB**



### RUST PENETRANT

Superior formula to loosen virtually all rusted and corroded parts. Excellent heat valve solvent.

10.8 Oz. Aerosol Can

MSQ: 12 Cans

**Part No. 04318039AE**

MS-3613



### MP-50

Displaces moisture from wet ignition system and leaves a moisture-resistant barrier. Penetrates metal fittings to ease disassembly and provides short-term rust prevention and protection.

9 Oz. Aerosol Can

MSQ: 12 Cans

**Part No. 04549626AD**



### GEAR MARKING COMPOUND

Brightly colored gear marking compound to aid in assembly and adjustment of ring and pinion preload or lash. Convenient brush-top can.

4 Fl. Oz. Can

MSQ: 1 Can

**Part No. 04883065AB**

## ASSEMBLY & REPAIR



### NICKEL ANTI-SEIZE LUBRICANT

Nickel-graphite lubricant prevents corrosion and eliminates galling. Use on oxygen sensors, EGR bolts, manifold/turbocharger studs and spark plug threads. Withstands temperatures up to 2,600°F and will not wash off.

8 Oz. Bottle

MSQ: 1 Bottle

**Part No. 05012249AC**



### REAR WINDOW DEFOGGER REPAIR KIT

A one-step, air curable silver coating that quickly repairs broken or cracked rear defogger electric grids. Kit contains silver compound, brush, template and instruction sheet.

1.5 Gram Kit

MSQ: 1 Kit

**Part No. 04549275AB**



### BUZZ, SQUEAKS & RATTLES

These items may help eliminate cabin noises.

Anti-Squeak Tape

**Part No. 05019054AA** – MSQ: 24

Flock Tape –

**Part No. 68230057AB** – MSQ: 4

Foam Tape –

**Part No. 05019056AA** – MSQ: 24,  
**05019058AA** – MSQ: 24

Oil Lubricant –

**Part No. 05019059AC** – MSQ: 1

Grease Lubricant –

**Part No. 05019059AC** – MSQ: 1

# AUTOMATIC TRANSMISSION FLUIDS



## 8 & 9 SPEED ATF

Formulated as a high-quality fluid specifically for the ZF 8HP45 & ZF 9HP45 transmission used in FCA US LLC vehicles. Ensures smooth and quiet operation. Provides superior lubrication to reduce wear. Meets ZF specifications.

1 Liter Bottle MSQ: 6  
**Part No. 68218925AA**

1,008 Quart Pallet MSQ: 1  
**Part No. 68218926AA**



## ATF+4\*

The approved automatic transmission fluid for all vehicles factory filled with ATF+4.

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 68218057AB**

5L Bottle MSQ: 3  
**Part No. 68218058AC**

220 Quart Drum MSQ: 220  
**Part No. 68218054AA**

1,008 Quart Pallet MSQ: 1  
**Part No. 68218056AA**

180 5L Bottle Pallet MSQ: 1  
**Part No. 68218059AA**

MS-9602



## SP-IV M AUTOMATIC TRANSMISSION FLUID

This ATF is specifically designed and approved for use in the 6-speed automatic Powertech transmission for front-wheel drive or all-wheel drive FCA US LLC vehicles (only transverse engine layout). Controls oxidation and minimizes the formation of deposits.

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 68171866AB**

1 Gallon Bottle MSQ: 4  
**Part No. 68171869AB**



## ASRC & TRADE; ATF

Formulated as an exceptionally high-performance lubricant for use in AS68RC and AS69RC slip-controlled lock-up automatic transmissions. Recommended for use in transmissions made by Aisin-Seiki requiring Type T-IV fluids. Refer to vehicle owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 05189966AB**

1 Gallon Bottle MSQ: 4  
**Part No. 05189977AB**

1,008 Quart Pallet MSQ: 1  
**Part No. 05189978AA**

180 Gallon Pallet MSQ: 1  
**Part No. 05189979AA**



## CVTF+4 TRANSMISSION FLUID

Mopar® CVT fluid is specially formulated for Continuously Variable Transmission in PM/MK body.

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 05191184AA**

5L Bottle MSQ: 3  
**Part No. 05191185AC**

1,008 Quart Pallet MSQ: 1  
**Part No. 05191186AA**

216 Gallon Pallet MSQ: 1  
**Part No. 05191187AA**



## MB236.12 AUTOMATIC TRANSMISSION FLUID

This fluid is specifically designed for Chrysler Crossfire and Dodge Sprinter automatic transmissions. Not intended for use in power steering systems or other FCA US LLC transmissions. Meets MB236.12.

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 05127382AB**

504 Quart Pallet MSQ: 1  
**Part No. 68002823AA**

Note: The photos shown on this page may not be representative of actual product.

\*ATF+4 products must be purchased using a promo code. The promo code has no discount but it ensures the dealer orders in the correct quantity which is 4 drums. The minimum sales quantity (MSQ) for each drum is 220 which represent the number of quarts in a 55 gallon drum. Dealer must order in 880 increments which is 4 drums. Promo code MDO to purchase Mopar branded drum ATF+4.



## AUTOMATIC TRANSMISSION FLUIDS



### DEXRON®-VI AUTOMATIC TRANSMISSION FLUID

For use only in Chrysler Hybrid Electric Vehicle (HEV) transmissions. Controls oxidation and helps reduce formation of deposits.

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 68043742AB**



### LONG LIFE AUTOMATIC TRANSMISSION FLUID DAF 6-SPD AISIN JWS3309

Formulated for 6-speed automatic transmissions to protect against rusting, corrosion and foaming. Viscosity stability helps ensure adequate lubrication without excessive thinning in severe high-temperature operation or thickening at low starting temperatures.

1 Quart (32 Oz.) Bottle  
MSQ: 2 Bottles  
**Part No. 68333587AA**



### TRANSMISSION COOLER FLUSH

For back-flushing ATF cooler and lines. Dissolves and flushes unwanted particles in transmission system. Does not foam up and is compatible with transmission cooler system components.

1 Gallon Bottle  
MSQ: 6 Bottles  
**Part No. 04796268AB**  
MS-552

# COOLANT

## IAT FAMILY



### **ANTIFREEZE/COOLANT 3-YEAR FORMULA — EMBITTERED**

Ethylene glycol based three-year formulation to prevent freeze-up and boil-over while inhibiting corrosion. Only for vehicles factory filled with three-year coolant.

1 Gallon Bottle  
MSQ: 6 Bottles  
**Part No. 04267020AD**

Gallon Half Pallet  
MSQ: 108  
**Part No. 68002827AC**

Gallon Pallet  
MSQ: 216  
**Part No. 04762648AC**

Gallon Drum  
MSQ: 2 Drums (110 Gallons)  
**Part No. 68002825AC**  
MS-7170

## HOAT FAMILY



### **50/50 PREDILUTED ANTIFREEZE/COOLANT 5-YEAR/100,000-MILE — EMBITTERED**

Do not add water. Ethylene glycol-based five-year formulation to prevent freeze-up and boil-over while inhibiting corrosion. Only for vehicles factory filled with 5-year/100,000-mile coolant.

1 Gallon Bottle  
MSQ: 6 Bottles  
**Part No. 68051212AC**

Gallon Half Pallet  
MSQ: 108  
**Part No. 68051217AC**

Gallon Pallet  
MSQ: 216  
**Part No. 68051216AC**

Gallon Drum  
MSQ: 2 Drums (110 Gallons)  
**Part No. 68051218AB**  
MS-9769G



### **CONCENTRATE ANTIFREEZE/COOLANT 5-YEAR/100,000-MILE — EMBITTERED**

Ethylene glycol-based five-year formulation to prevent freeze-up and boil-over while inhibiting corrosion. Only for vehicles factory filled with 5-year/100,000-mile coolant.

1 Gallon Bottle  
MSQ: 6 Bottles  
**Part No. 68048953AC**

Gallon Half Pallet  
MSQ: 108  
**Part No. 68051215AC**

Gallon Pallet  
MSQ: 216  
**Part No. 68051213AC**

Gallon Drum  
MSQ: 2 Drums (110 Gallons)  
**Part No. 68051214AB**  
MS-9769G

# COOLANT

## OAT FAMILY



### 50/50 PREDILUTED ANTIFREEZE/COOLANT 10-YEAR/150,000-MILE

Do not add water. Ethylene glycol based formulation to prevent freeze-up and boil-over while inhibiting corrosion. Must not be mixed with any non-conforming antifreeze. OAT (Organic Acid Technology). Developed for new vehicle technologies.

1 Gallon Bottle MSQ: 4 Bottles <b>Part No. 68163849AB</b>	Gallon Half Pallet MSQ: 84 <b>Part No. 68306482AB</b>	Gallon Pallet MSQ: 168 <b>Part No. 68306473AB</b>	Gallon Drum MSQ: 55 <b>Part No. 68140973AA*</b>
MS-12106			



### CONCENTRATE ANTIFREEZE/COOLANT 10-YEAR/150,000-MILE

Ethylene glycol based formulation to prevent freeze-up and boil-over while inhibiting corrosion. Must not be mixed with any non-conforming antifreeze. OAT (Organic Acid Technology). Developed for new vehicle technologies.

1 Gallon Bottle MSQ: 4 Bottles <b>Part No. 68163848AB</b>	Gallon Half Pallet MSQ: 84 <b>Part No. 68306483AB</b>	Gallon Pallet MSQ: 68 <b>Part No. 68306476AB</b>	Gallon Drum MSQ: 55 <b>Part No. 68140983AA*</b>
MS-12106			

\*Coolants are interchangeable

## POAT FAMILY



### 55/45 PREMIXED EXTENDED LIFE

5-year, green-colored coolant formulated as an ethylene glycol-based product for long-lasting protection. Developed to provide corrosion and rust protection for aluminum and all other cooling system components. Requires no additional corrosion inhibitors and provides year-round protection. For use in FIAT® 124 Spider only.

1 Gallon Bottle MSQ: 1 <b>Part No. 68334695AA</b>
---

Note: The photos shown on this page may not be representative of actual product.





# COOLANT

## COOLANT SYSTEM TREATMENTS



### COOLING SYSTEM FLUSH

Dissolves oil and sludge from cooling system while removing scale and rust from components. Does not foam and is compatible with all aluminum components.

22 Oz. Bottle

MSQ: 12 Bottles

**Part No. 04856977AC**



### WATER PUMP LUBRICANT

Formulated to help prevent rust and corrosion while lubricating the water pump. This is compatible with the 5-year/100,000-miles coolant, HOAT. It is not compatible with the 10-year/150,000-mile coolant, OAT.

12 Oz. Bottle

MSQ: 12 Bottles

**Part No. 68029698AC**



### STOP LEAK PELLETS

Permanently seals minor coolant leaks in radiator, block, head gasket or hose connections. Approved for all types of coolant.

MSQ: 24

**Part No. 04318005**

MS-3417

## DIESEL FLUIDS

Federal emission standards for many diesel vehicles, including all 2011 and later Ram 3500/4500/5500 Diesels, require a new chemical to operate.

### DIESEL EXHAUST FLUID (DEF)

DEF is carried in a separate tank on board the vehicle and injected into the exhaust system. DEF consumption is expected to be approximately 2% of fuel consumption.

#### DIESEL EXHAUST FLUID

55 Gallon Drum  
MSQ: 110 (2 Drums)  
**Part No. 68035700AC**



### DIESEL EXHAUST FLUID (DEF)

DEF is carried in a separate tank on board the vehicle and injected into the exhaust system. DEF consumption is expected to be approximately 2% of fuel consumption.

1 U.S. Gallon

MSQ: 4

**Part No. 68035704AC**

2.5 U.S. Gallons

MSQ: 2

**Part No. 68056278AC**



### EGR SYSTEM CLEANER

For use with appropriate Service Manual cleaning procedure. Must be diluted with water.

1 Liter Bottle (33.8 Oz.)

MSQ: 6 Bottles

**Part No. 68028729AB**



### DIESEL TURBOCHARGER CLEANER

Formulated as a non-flammable, water-based solvent for removing soot accumulation on internal diesel turbocharger exhaust components. For use with compatible service kit.

14 Oz. Aerosol Can

MSQ: 12 Cans

**Part No. 68044565AB**



# MOPAR® BULK OIL AND MBO REWARDS PROGRAM UPDATE

The Mopar® Bulk Oil Program continues to grow and evolve to better meet the requirements of our valued customers - FCA US LLC dealers. Dealers meeting their Mopar part group size purchase targets (delivered and invoiced) of bulk oil products over a rolling three (3) month period will qualify for MBO Rewards program credits. ATF+4 and ATF Multi Vehicle purchase volume is included in qualifying bulk purchases calculation if at least one grade of oil is purchased.

Dealers who do not have the dedicated capacity for bulk storage can earn the same MBO Rewards by purchasing 55-gallon drum or EcoBox products to meet their tiered level minimum gallons (bulk oil,

drum and EcoBox product over a rolling three (3) month period). ATF+4 and ATF Multi Vehicle drum purchase volume is included in the qualifying target MBO purchase calculation if at least one grade of oil is purchased.

## NEW MOPAR BULK OIL (MBO) PROGRAM TARGETS

DEALER PART GROUP SIZE	MBO TARGET
GROUP 1	300 GALLONS
GROUP 2	400 GALLONS
GROUP 3	600 GALLONS
GROUP 4	1,000 GALLONS
GROUP 5	1,300 GALLONS

MBO Rewards credit requires the dealer's retail service sales data to be extracted from the dealer's DBS and transmitted to Mopar.



**1. MBO Rewards** dealers receive monthly credit based on the retail sales (sold on a CRO, IRO or Service Contract) of the following Mopar Parts:

- ▶ Mopar Oil Filters -  
Earn 45% of Dealer Net MBO Rewards credit\*
- ▶ Mopar Air Filters -  
Earn 25% of Dealer Net MBO Rewards credit\*

\*MBO Rewards credit requires the retail sale of the Mopar Bulk Oil quart part number on the same repair order.

**2. Mopar Bulk Oil Cash Back** is a quarterly rebate based on the total combined purchases of Mopar Bulk Oil/ATF+4.

## QUARTERLY CASH BACK SCALE

500 to 999 gallons . . . . .	\$.05 per gallon
1,000 to 1,499 gallons . . . . .	\$.10 per gallon
1,500 to 2,999 gallons . . . . .	\$.15 per gallon
3,000 to 5,999 gallons . . . . .	\$.20 per gallon
6,000 to 11,999 gallons . . . . .	\$.30 per gallon
12,000 to 19,999 gallons . . . . .	\$.50 per gallon

## HIGH-VOLUME QUARTERLY CASH BACK SCALE

20,000 to 34,999 gallons . . . . .	\$.60 per gallon
35,000+ gallons . . . . .	\$.70 per gallon



- 3. Mopar® Bulk Oil** 100% interest-free funding through Shell Lubricants for five-year loans. These BDFs (Business Development Funds) can be used to install equipment that will help grow the dealer's Express Lane/Oil business. **In addition, new eligible funding categories, including local marketing, personnel and technology expenses, have been added to the BDF funding program.**

For more BDF information, contact MBO headquarters at 800-352-2174.

- 4. Mopar Bulk Oil** is delivered and invoiced in metered **gallons**. Dealers must use the bulk **quart** part numbers listed in the first column that correspond with the gallon part number invoiced to report sales and charge out Mopar Bulk Oil/ATF+4 in the parts section of a CRO, IRO or Service Contract:

QUART	PART NUMBER/DESCRIPTION	BULK GALLON
68055890AA	5W20 (SM/GF-5)	68101996AA
68055891AA	5W30 (SM/GF-5)	68101997AA
68055892AA	10W30 (SM/GF-5)	68101998AA
68055893AA	15W40 (CJ-4/CI-4+)	68101999AB
68357422AA	Rotella T6 (Synthetic)	68232237AA
68349314AA	5W20 (Pennzoil High Mileage)	68349310AA
68349315AA	5W30 (Pennzoil High Mileage)	68349311AA
68283520AA	0W20 (Platinum Synthetic)	68283518AA
68247836AA	5W20 (Platinum Synthetic)	68232244AA
68339482AA	5W30 (Platinum Synthetic)	68232245AA
68258687AA	5W20 (Pennzoil Gold)	68258686AA
68258689AA	5W30 (Pennzoil Gold)	68258688AA
68258691AA	5W40 (Pennzoil Ultra Euro)	68258690AA
68055894AA	ATF+4 (MS-9602)	68102000AA
68333664AA	ATF Multi Vehicle (Pennzoil Platinum)	68333663AA



- 5. MBO Purchases** earn Dealer Rewards  
(dealers can earn up to **8% Dealer Rewards Discount**).
- 6. MBO Dealers** earn Mopar One funds,  
and earn discounts on Mopar Vehicle Protection® and convenience items.
- 7. MBO Dealers** earn 2% - 4% Parts Return Allowance on Bulk Oil purchased from Mopar.

Please contact Mopar Bulk Oil Headquarters at 800-352-2174 or [support@mboprogram.com](mailto:support@mboprogram.com) for more information on the MBO program.

## MOPAR® ENGINE OILS



### SAE 0W-20 ENGINE OIL

Mopar® 0W-20 Full Synthetic

*Rating API SN Energy Conserving, ILSAC GF-5*  
Specially developed with FCA US engineering, this product exceeds requirements for API Certified SN engine oils.

1 Quart (32 Oz.) Bottle MSQ: 12  
MS-6395

**Part No. 68218950AB**

5L Bottle MSQ: 3  
MS-6395

**Part No. 68218951AB**

220 Quart Drum\* MSQ: 220  
**Part No. 68218952AA**



### SAE 0W-30 MOPAR ENGINE OIL

*Rating: ILSAC GF-5, API SN and all previous categories*

Engineered as an advanced full synthetic formula that lubricates, cleans and protects engines under extreme temperatures. Removes sludge and provides superior wear protection versus conventional or synthetic blend oils.

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 68291576AA**

MS-13340



### SAE 5W-20 MOPAR ENGINE OIL

*Rating API SN Energy Conserving, ILSAC GF-5*  
Specially developed with FCA US engineering, this product exceeds requirements for API Certified SN engine oils.

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 68218890AB**

5L Bottle MSQ: 4

**Part No. 68218891AC**

220 Quart Drum\* MSQ: 220

**Part No. 68218892AA**

1,008 Quart Pallet MSQ: 1

**Part No. 681218893AA**

180 5L Bottle Pallet MSQ: 1

**Part No. 68218894AA**  
MS-6395



### SAE 5W-30 MOPAR ENGINE OIL

*Rating: API SN / GF-5 Energy Conserving*

Approved to service all engines that require SAE 5W-30 engine oils in all climates. Suitable for use in gasoline, flexible fuel (E85).

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 68218920AB**

5L Bottle MSQ: 4

**Part No. 68218921AB**

220 Quart Drum\* MSQ: 220

**Part No. 68218922AA**

1,008 Quart Pallet MSQ: 1

**Part No. 68218923AA**

180 5L Bottle Pallet MSQ: 1

**Part No. 68218924AA**

MS-6395



### SAE 10W-30 MOPAR ENGINE OIL

*Rating: API SN, Energy Conserving, ILSAC GF-5*

Approved to service all engines that require SAE 10W-30 engine oils in all climates. Suitable for use in both gasoline and flexible fuel engines.

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 68218930AB**

5L Bottle MSQ: 4

**Part No. 68218931AC**

220 Quart Drum\* MSQ: 220

**Part No. 68218932AA**

1,008 Quart Pallet MSQ: 1

**Part No. 68218933AA**

180 5L Bottle Pallet MSQ: 1

**Part No. 68218934AA**

MS-6395



### SAE 15W-40 MOPAR ENGINE OIL

*Rating: API CJ-4/CI-4+*

6700 CJ-4 rated for Ram truck with low emissions 6.7L Cummins turbo diesel engine. Approved for 5.9L Cummins diesels operating on low or high sulfur fuel.

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 68218940AB**

5L Bottle MSQ: 4

**Part No. 68218941AC**

220 Quart Drum\* MSQ: 220

**Part No. 68218942AA**

1,008 Quart Pallet MSQ: 1

**Part No. 68218943AA**

180 5L Bottle Pallet MSQ: 1

**Part No. 68218944AA**

MS-10902

Note: The photos shown on this page may not be representative of actual product.

\*Drum oil products must be purchased using a promo code. The promo code has no discount but it ensures the dealer orders in the correct quantity which is 4 drums. The minimum sales quantity (MSQ) for each drum is 220 which represent the number of quarts in a 55 gallon drum. Dealer must order in 880 increments which is 4 drums. Promo code MDO to purchase Mopar branded drum oil.

# SHELL ENGINE OILS



## SHELL ROTELLA® T4 SAE 15W-40 HEAVY DUTY ENGINE OIL

(NOTE: T Triple is now named T4)

1 Quart (32 Oz.) Bottle MSQ: 12

**Part No. 68024966PB**

1 Gallon Bottle MSQ: 3

**Part No. 68024967PB**

220 Quart Drum\* MSQ: 220

**Part No. 68044417PB**

1,008 Quart Pallet MSQ: 1

**Part No. 68024968PB**

225 Gallon Pallet MSQ: 1

**Part No. 68024969PB**

MS-10902

MS-6395



## SHELL ROTELLA® T6 SAE 15W-40 FULL SYNTHETIC HEAVY DUTY ENGINE OIL

Approved for 5.9L Cummins turbo diesel. Recommended for heavy duty drive cycle, towing and commercial use. Preferred when temperature is 5° F or below.

1 Quart (32 Oz.) Bottle MSQ: 6

**Part No. 68001332PA**

1 Gallon MSQ: 6

**Part No. 68171006PA**

220 Quart Drum\* MSQ: 220

**Part No. 68147411PA**

750 Quart Pallet MSQ: 1

**Part No. 68001333PA**

Note: The photos shown on this page may not be representative of actual product.

\*Drum oil products must be purchased using a promo code. The promo code has no discount but it ensures the dealer orders in the correct quantity which is 4 drums. The minimum sales quantity (MSQ) for each drum is 220 which represent the number of quarts in a 55 gallon drum. Dealer must order in 880 increments which is 4 drums. Promo code PDO to purchase Pennzoil branded drum oil.

## PENNZOIL ENGINE OILS



### PENNZOIL SAE 10W-30 ENGINE OIL

Rating: API SN, Energy Conserving, ILSAC GF-5  
Approved to service all engines that require SAE 10W-30 engine oils in all climates. Suitable for use in both gasoline and flexible fuel engines.

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 04761839PB**

5.1 Quart Bottle MSQ: 3  
**Part No. 04761845PE**

1 Gallon Bottle MSQ: 4  
**Part No. 04761845PA**

220 Quart Drum\* MSQ: 220  
**Part No. 68044416PB**

1,008 Quart Pallet MSQ: 1  
**Part No. 04762631PB**

180 5.1 Quart Pallet MSQ: 1  
**Part No. 04762636PC**  
MS-6395



### PENNZOIL SAE 5W-20 ENGINE OIL

Rating API SN Energy Conserving, ILSAC GF-5  
Specially developed with FCA US engineering, this product exceeds requirements for API Certified SN engine oils.

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 04761872PB**

220 Quart Drum\* MSQ: 220  
**Part No. 68044413PB**

1,008 Quart Pallet MSQ: 1  
**Part No. 04762632PB**  
MS-6395



### PENNZOIL SAE 5W-30 ENGINE OIL

Rating: API SN / GF-5 Energy Conserving  
Approved to service all engines that require SAE 5W-30 engine oils in all climates. Suitable for use in gasoline, flexible fuel (E85).

1 Quart (32 Oz.) Bottle MSQ: 12  
**Part No. 04761838PB**

5.1 Quart Bottle MSQ: 3  
**Part No. 04761844PE**

220 Quart Drum\* MSQ: 220  
**Part No. 68044414PB**

1,008 Quart Pallet MSQ: 1  
**Part No. 04762630PB**

180 5.1 Quart Pallet MSQ: 1  
**Part No. 04762635PC**  
MS-6395



### PENNZOIL GOLD 10W-30 SEMI-SYNTHETIC

1 Quart (32 Oz.) Bottle MSQ: 6  
**Part No. 68169970PA**

220 Quart Drum\* MSQ: 220  
**Part No. 68169976PA**

750 Quart Pallet MSQ: 1  
**Part No. 68185116PA**



### PENNZOIL GOLD 5W-20 SEMI-SYNTHETIC

1 Quart (32 Oz.) Bottle MSQ: 6  
**Part No. 68169968PA**

220 Quart Drum\* MSQ: 220  
**Part No. 68169972PA**

750 Quart Pallet MSQ: 1  
**Part No. 68185114PA**



### PENNZOIL GOLD 5W-30 SEMI-SYNTHETIC

1 Quart (32 Oz.) Bottle MSQ: 6  
**Part No. 68169969PA**

220 Quart Drum\* MSQ: 220  
**Part No. 68169973PA**

750 Quart Pallet MSQ: 1  
**Part No. 68185115PA**

Note: The photos shown on this page may not be representative of actual product.

\*Drum oil products must be purchased using a promo code. The promo code has no discount but it ensures the dealer orders in the correct quantity which is 4 drums. The minimum sales quantity (MSQ) for each drum is 220 which represent the number of quarts in a 55 gallon drum. Dealer must order in 880 increments which is 4 drums. Promo code PDO to purchase Pennzoil branded drum oil.



## PENNZOIL ENGINE OILS



### PENNZOIL ULTRA PLATINUM™ SAE 0W-40 FULL SYNTHETIC MOTOR OIL

Service Fill SRT8®, 6.4L.

1 Quart (32 Oz.) Bottle MSQ: 6

**Part No. 68171066PA**

5 Gallon Pail MSQ: 20

**Part No. 68171067PA**

220 Quart Drum\* MSQ: 220

**Part No. 68171068PA**

750 Quart Pallet MSQ: 1

**Part No. 68171069PA**

MS-12633



### PENNZOIL ULTRA PLATINUM™ SAE 5W-30 FULL SYNTHETIC MOTOR OIL

Approved for 3.0L CRD (WK) and Sprinter 3.0L OM642 (VB).

1 Quart (32 Oz.) Bottle MSQ: 6

**Part No. 68001334PB**

750 Quart Pallet MSQ: 1

**Part No. 68001335PA**

MS-11106 (MB-229.51)



### PENNZOIL PLATINUM® EURO SAE 5W-40 FULL SYNTHETIC MOTOR OIL

Service Fill SRT8, 6.1L.

Service Fill SRT10, 8.3L, 8.4L.

Service Fill Crossfire & SRT6.

Service Fill 2.8L diesel (KJ).

1 Quart (32 Oz.) Bottle MSQ: 6

**Part No. 05127394PC**

220 Quart Drum\* MSQ: 220

**Part No. 68044407PB**

750 Quart Pallet MSQ: 1

**Part No. 05166246PB**

MS-12991



### PENNZOIL PLATINUM® SAE 0W-20 FULL SYNTHETIC MOTOR OIL

Approved to service all engines that require SAE 0W-20 engine oils.

1 Quart (32 Oz.) Bottle MSQ: 6

**Part No. 68152004PA**

220 Quart Drum\* MSQ: 220

**Part No. 68152005PA**

750 Quart Pallet MSQ: 1

**Part No. 68199087PA**

MS-12145



### PENNZOIL PLATINUM® SAE 5W-20 FULL SYNTHETIC MOTOR OIL

Energy conserving viscosity grade recommended for many modern gasoline engines.

1 Quart (32 Oz.) Bottle MSQ: 6

**Part No. 05166240PA**

220 Quart Drum\* MSQ: 220

**Part No. 68146832PA**

750 Quart Pallet MSQ: 1

**Part No. 05166247PA**

MS-12007



### PENNZOIL PLATINUM® SAE 5W-30 FULL SYNTHETIC MOTOR OIL

Energy conserving viscosity provides excellent all-season protection and unsurpassed levels of performance.

1 Quart (32 Oz.) Bottle MSQ: 6

**Part No. 05166241PA**

220 Quart Drum\* MSQ: 220

**Part No. 68146834PA**

750 Quart Pallet MSQ: 1

**Part No. 05166248PA**

MS-6395

MS-13340



### PENNZOIL PLATINUM® SAE 10W-30 FULL SYNTHETIC MOTOR OIL

Provides unsurpassed levels of performance, cleaning power and engine wear protection. Service fill for 1997-2005 Viper 8.0L.

1 Quart (32 Oz.) Bottle MSQ: 6

**Part No. 05166242PA**

750 Quart Pallet MSQ: 1

**Part No. 05166249PA**

Note: The photos shown on this page may not be representative of actual product.

\*Drum oil products must be purchased using a promo code. The promo code has no discount but it ensures the dealer orders in the correct quantity which is 4 drums. The minimum sales quantity (MSQ) for each drum is 220 which represent the number of quarts in a 55 gallon drum. Dealer must order in 880 increments which is 4 drums. Promo code PDO to purchase Pennzoil branded drum oil.

## FUEL CLEANERS



### PREMIUM FUEL SYSTEM CLEANING KIT

This kit is designed to improve customer satisfaction by addressing drivability concerns, including rough idle, loss of power, hesitation, hard starting and poor fuel economy.

#### One Kit Includes:

Premium Fuel System Cleaner, Premium Combustion Chamber Cleaner, Premium Air Intake Cleaner.

MSQ: 8

Part No. 05174566AB

Part No. 68079093AB (California)

*Air Intake Cleaner (pictured) ships in aerosol container for all states except CA (ships in bottle).*



### FUEL SYSTEM CLEANER

The ultimate fuel injector cleaner. It is a powerful, non-halogenated cleaner for use in all fuel-injected gasoline engines. Catalytic converter and sensor safe.

12 Oz. Aerosol Can  
MSQ: 12 Cans

Part No. 05019625AB



### FUEL INJECTOR CLEANER

Cleans performance-robbing carbon deposits from the entire fuel system, restoring lost power, drivability and fuel economy. Cleans and protects sensitive fuel gauge sensors from harmful sulfur in some gasolines.

12 Oz. Bottle  
MSQ: 6 Bottles  
Part No. 68158590AC



### DIESEL INJECTOR CLEANER

Compatible with all diesel fuels and bio-diesel. Emissions-reducing formula is non-corrosive and contains no alcohol. Rated "superior" in Cummins L-10 test for injector cleanliness. Complies with federal ultra-low sulfur content requirements for use in all diesel motor vehicles and non-road engines. Increases power and reduces black smoke.

30 Oz. Bottle  
MSQ: 12 Bottles  
Part No. 68194640AB



### PREMIUM DIESEL FUEL TREATMENT

Increases cetane rating 2-5 numbers. Improves fuel economy and corrosion protection. Removes fuel injector/system deposits and may reduce emissions. Provides exceptional fuel lubricity for reducing fuel pump and injector wear. Improves cold temperature flow for low temperature starting, smoother idling and shortened warm-up time. Stabilizes fuel when in storage. This diesel fuel additive complies with the federal low sulfur content requirements for use in diesel motor vehicles and non-road engines.

11 Oz. Bottle  
MSQ: 24 Bottles  
Part No. 05191800AB

## FUEL CLEANERS



### COMBUSTION CHAMBER CLEANER

Cleans carburetors, intake manifolds, intake and exhaust valves, pistons and combustion chambers. Removes deposits, eliminates carbon knock and restores performance.

13 Oz. Aerosol Can

MSQ: 12 Cans

**Part No. 04318001AE**



### THROTTLE BODY CLEANER

Quickly removes deposits and carbon buildup from throttle bodies, carburetors, chokes, linkages and PCV valves. Meets C.A.R.B. automotive product VOC standards.

13 Oz. Aerosol Can

MSQ: 12 Cans

**Part No. 04897156AD**

## GEAR & AXLE LUBRICANTS



### FRONT AXLE POWER TRANSFER UNIT LUBRICANT SAE 75W-90

Formulated as a full-synthetic multi-grade, long life 75W-90 for use specifically in axles produced by GKN Driveline. Lubricant offers fuel savings and reduced emissions due to balanced viscometric and frictional characteristics. Optimal anti-wear, extreme pressure performance at all ambient temperatures and load conditions.

1 Quart (32 Oz.) Bottle

MSQ: 1

**Part No. 68280932AA**



### REAR AXLE LUBRICANT SAE 75W-85

Rear Axle Lube for ZF-ELSD Assembly.

1 Liter Bottle

MSQ: 4 Bottles

**Part No. 68083381AA**



### MULTI AXLE LUBRICANT SAE 75W-85

Fully synthetic lubricant formulated for car differential units where API GL5 is required. Specific formulation warrants total protection of the differential also at the most extreme temperatures. Protects fuel economy and lowers operating temperatures and noise. Refer to vehicle owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle

MSQ: 1

**Part No. 68364258AA**



### GEAR & AXLE LUBRICANT SAE 80W-90

General purpose GL-5 gear lubricant. Use in select Dana axles as specified.

64 Quarts (60.56 Liters)

MSQ: 64

**Part No. 68218043AA**

MS-9020



### GEAR & AXLE LUBRICANT SAE 80W-90

General purpose GL-5 gear lube. Use in rear axles as specified. Excellent wear and noise protection.

1 Quart (32 Oz.) Bottle

MSQ: 12 Bottles

**Part No. 68218041AA**

MS-9020



### HYPOID GEAR LUBRICANT SAE 75W-80

Designed as a high-performance hypoid gear lubricant specifically formulated to withstand extreme pressure and provide lasting protection against surface stress under extreme conditions.

1 Quart (32 Oz.) Bottle

MSQ: 1

**Part No. 68339072AA**

Note: The photos shown on this page may not be representative of actual product.

\*Gear & Axle Lubricant products must be purchased using a promo code. The promo code has no discount but it ensures the dealer orders in the correct quantity which is 4 drums. The minimum sales quantity (MSQ) for each drum is 64 quarts. Dealer must order in 256 increments which is 4 drums. Promo code MGO to purchase Mopar Gear & Axle Lubricant.



## GEAR & AXLE LUBRICANTS



### SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-140

High-performance synthetic GL-5 gear lubricant. Recommended for trailer tow, heavy-duty and high-load in 2X4 and 4X4 applications.

64 Quarts (60.56 Liters)

MSQ: 64

**Part No. 68218658AA**

MS-8985



### SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-140

High-performance synthetic GL-5 gear lube. Also highly recommended for LX body rear axle. Recommended for trailer tow and heavy-duty, high-load vehicles.

1 Quart (32 Oz.) Bottle

MSQ: 12 Bottles

**Part No. 68218657AA**

MS-8985



### SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-90

GL-5 formula for use in all FCA US LLC corporate axles (205mm, 8.25").

64 Quarts (60.56 Liters)

MSQ: 64

**Part No. 68218656AA**

MS-9763



### SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-90

Specifically formulated for improved fuel efficiency while providing exceptional antiwear properties. For use in all FCA US LLC corporate axles.

1 Quart (32 Oz.) Bottle

MSQ: 12 Bottles

**Part No. 68218655AA**

MS-9763



### SYNTHETIC AXLE LUBRICANT SAE 75W-85

Formulated for use in specific Ram and Jeep® axles. Maintains proper shift quality in cold temperatures. Improved fuel efficiency, noise protection and anti-wear properties. Maintains lubrication under extreme pressure and high-temperature applications. Meets GL-5, MT-1, SAE J2360 specifications.

1 Quart (32 Oz.) Bottle

MSQ: 12

**Part No. 68210057AB**



### OPEN DIFFERENTIAL AXLE LUBRICANT SYNTHETIC SAE 75W-85

Formulated for use only in select ZF open differential axles. Maintains proper shift quality in cold temperatures. Improved fuel efficiency, noise protection and anti-wear properties. Maintains lubrication under extreme pressure and high-temperature applications. Meets GL-5, MT-1, SAE J2360 specifications.

1 Quart (32 Oz.) Bottle

MSQ: 6

**Part No. 68232947AB**



### LIMITED SLIP DIFFERENTIAL AXLE LUBRICANT SYNTHETIC SAE 75W-85

Formulated for use only in Alfa Romeo vehicles. Maintains proper shift quality in cold temperatures. Improved fuel efficiency, noise protection and exceptional anti-wear properties. Maintains lubrication under extreme pressure and high-temperature applications. Refer to your service manual for lubricant specifications.

1 Quart (32 Oz.) Bottle

MSQ: 1

**Part No. 68232948AB**



### LONG LIFE HYPOID GEAR OIL SAE 75W-85

Formulated as a rear differential fluid to resist breakdown under high temperatures and pressure produced by hypoid gear boxes. Meets SAE 75W-85, API GL-4 and 9.55550-MZ3 specifications.

1 Quart (32 Oz.) Bottle

MSQ: 1

**Part No. 68333589AA**

## GEAR & AXLE LUBRICANTS



### MANUAL TRANSAXLE AND QUADRA-TRAC LUBRICANT

Unique lubricant specially formulated for the NV T350 transaxle and Jeep Q-trac. Required to maintain shift properties.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 04874465**



### MANUAL TRANSMISSION LUBRICANT

Unique lubricant specially formulated for the NV 3500 and NSG 370 transmissions. Required to maintain shift properties.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 04874464AB**  
MS-9224



### GEAR LUBRICANT SAE 90

Formulated as a GL-5 fluid intended for use only in Dodge Sprinter axle assemblies. Not intended for use in other FCA US LLC vehicles.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 05136033AB**



### SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-90

SAE 75W-90 for use specifically in DR 2500-3500 and axles produced by American Axle Manufacturing.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 68218654AA**



### SYNTHETIC GEAR & AXLE LUBRICANT SAE 75W-85

Designed as an API GL-5 synthetic gear and axle lubricant formulated to withstand extreme pressure for improved fuel economy in heavy-, mid- and light-duty applications. This lubricant contains extreme pressure additives, as well as rust, oxidation and corrosion inhibitors to protect gears and bearings operated under a wide variety of load conditions. Refer to your owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 68378949AA**  
MS-A0450



### SYNTHETIC AXLE LUBRICANT SAE 75W-85

This fully synthetic GL-5 fluid is intended for use only in the Chrysler Crossfire axle assembly. Not intended for use in other FCA US LLC vehicles.

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 05136035AC**



### C SERIES DDCT SAE 75W HYDRAULIC FLUID

Fully synthetic lubricant specifically for cars with Selespeed gearboxes. Cleans mechanical parts and provides extreme fluidity when cold, and protection when hot.

1 Quart (32 Oz.) Bottle  
MSQ: 6 Bottles  
**Part No. 68092638AB**

## GEAR & AXLE LUBRICANTS



### TRANSFER CASE LUBRICANT FOR BORGWARNER 44-40 AND 2016+ 44-44

Transfer case lubricant for all BorgWarner 44-40, and 2016 and newer BorgWarner 44-44. Formulated for use in LX (Charger 300) BorgWarner 44-40, and 2016 model year BorgWarner 44-44 DS (Ram 1500) Transfer Case. Not recommended for use in other applications. Consult vehicle service manual for further information.

1 Liter (33.8 Fl. Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 68049954AA**



### TRANSFER CASE LUBE FOR BORGWARNER 44-45, 44-46, 44-47, 44-48 AND PRE-2016 44-44

Specified for use in BorgWarner 44-45, 44-46, 44-47, 44-48 and pre-2016 44-44 transfer case. Not recommended for use in other applications. Consult vehicle service manual for further information. Do not use in any transmission or transaxle. ISO 32 viscosity grade, classified as Automatic Transmission Fluid under California law.

1 Quart (32 Oz.) Bottle  
MSQ: 6 Bottles  
**Part No. 68089195AA**



### TRANSFER CASE LUBRICANT SAE 75W

All-wheel drive synthetic that is specifically formulated to withstand the most severe operating conditions required in fill-for-life lubrication applications. Refer to the vehicle owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle  
MSQ: 1  
**Part No. 68377611AA**



### TRANSFER CASE LUBRICANT NV146

Specially formulated high-performance lubricant required for carbon fiber clutch plates used in the Jeep® Grand Cherokee SRT8 NV 146 transfer case.

1 Quart (32 Oz.) Bottle  
MSQ: 6 Bottles  
**Part No. 68001758AB**



### TRANSFER CASE LUBRICANT NV246

Unique lubricant required for NV246 in 2006 DR Truck.

1.004 Quart (950 mL) Bottle  
MSQ: 12 Bottles  
**Part No. 05179014AA**



### TRANSFER CASE LUBRICANT

This lubricant is intended for use in the NV245, NV247 and NV249 transfer case and not recommended for use in other vehicle transfer case applications.

1 Quart (32 Oz.) Bottle  
MSQ: 12  
**Part No. 05016796AC**

## GEAR & AXLE LUBRICANTS



### C SERIES MANUAL & DUAL DRY CLUTCH TRANSMISSION FLUID

Specifically blended for the C51 O/C514/C635 Manual Transmissions and C635/C725/C735 Dual Dry Clutch Transmissions. Maintains component durability, shift quality and cold temperature properties. Not intended for conventional automatic transmissions, power steering systems or other transmissions unless specified in your Chrysler/FIAT service manual.

1 Quart (32 Oz.) Bottle

MSQ: 12 Bottles

**Part No. 68092630AA**

1 Gallon Bottle

MSQ: 4 Bottles

**Part No. 68092636AA**



### LIMITED SLIP ADDITIVE

Reduces wear, noise and chatter in limited slip (Sure-Grip, Trak-Lok, Power-Lok) differentials. Should be added whenever the gear oil is changed or improper limited slip operation is detected.

4 Oz. Bottle

MSQ: 24 Bottles

**Part No. 04318060AD**

MS-10111



### SINGLE SPEED TRANSMISSION FLUID

For use only in DAC single speed transmissions. Provides excellent viscosity stability and resistance to foaming. Refer to vehicle owner's manual for proper fluid requirements.

1 Quart (32 Oz.) Bottle

MSQ: 1

**Part No. 68210514AB**



### VITAMOL ZH-M HYDRAULIC FLUID

Recommended for Chrysler Sebring (JS-27) convertible/retractable hardtop system.

16.9 Oz. Bottle

MSQ: 4 Bottles

**Part No. 68035321AB**



### SYNTHETIC MANUAL TRANSMISSION LUBRICANT SAE 75W-85

This unique synthetic transmission lubricant is specially formulated for the NV-4500 and certain T56 transmissions – check your owner's manual. Required to maintain shift properties. Do not use in other manual transmissions unless specified in your vehicle service manual. GL-4, MIL-L2105 rated.

1 Quart (32 Oz.) Bottle

MSQ: 12 Bottles

**Part No. 04874459**

MS-9070

Note: The photos shown on this page may not be representative of actual product.



# HAND CLEANERS



## DISPENSER FOR BAG-IN-BOX

Dispenser for Ultra-Max, Orange Scent and Cherry gel Hand Cleaner.

1 Dispenser

MSQ: 1 Dispenser

**Part No. 04897618AB**



## HAND CLEANER/NATURAL CITRUS

Citrus scented hand cleaner with aloe, lanolin and jojoba to clean hands quickly and naturally without harsh solvents. Contains pumice to remove heavy grime.

1 Gallon Bottle

MSQ: 4 Bottles

**Part No. 82300022AB**



## ULTRA-MAX HAND CLEANER

Advanced cleaning agent for heavy-duty soils. Enables the removal of the heaviest grease and grime, including tough contaminants such as oil, asphalt and tar without unnecessarily damaging the skin. The sanitary, sealed, Bag-in-Box dispensing system means easy-to-load cartridge refills that minimize waste at a minimal cost.

67 Oz. Bag-in-Box

MSQ: 4 Boxes

**Part No. 04856971AD**



## ORANGE SCENT HAND CLEANER

Contains a Natural Citrus Ingredient with Fine Italian Pumice for fast, complete cleaning combined with gentle skin care. The Natural Citrus Ingredient leaves hands with a pleasant Citrus scent. The sanitary sealed, Bag-in-Box dispensing system means minimized waste at minimal cost per wash.

67 Oz. Bag-in-Box

MSQ: 4 Boxes

**Part No. 04856970AD**



## CHERRY GEL

The all-new Gel formula cuts through the toughest dirt, grease and oil with an awesome cherry blast fragrance that eliminates odors and leave hands smelling clean. The sanitary, sealed, Bag-in-Box dispensing system means easy-to-load cartridge refills that minimize waste at a minimal cost.

67 Oz. Bag-in-Box

MSQ: 4 Boxes

**Part No. 68291701AA**

# LEAK DETECTION

## LEAK DETECTION DYES

Simple-to-use dye identifies leaks. Fluorescent dye leak detecting compounds make short work of pinpointing difficult-to-diagnose leaks by glowing brightly when exposed to ultraviolet (UV) light. Convenient, single-application bottles.



### COOLANT LEAK DETECTION DYE

Coolant Leak Detection Dye is used in Mopar® 5-Year/100,000-Mile Antifreeze (Part No. 05066386AA). Dilution ratio of 1 oz. to 4 quarts of antifreeze.

1 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 05161618AC**



### R-134A LEAK DETECTION DYE

Bright Solution's A/C dye products meet the new SAE J2297 standard for both R-134A and R-1234YF refrigerants.

1/4 Fl. Oz. Bottles  
MSQ: 24 Bottles  
**Part No. 04798219AC**



### AIR LEAK DETECTOR

8 Oz. Bottle  
MSQ: 1 Bottle  
**Part No. 05191804AA**



### 4-IN-1 LEAK DETECTION DYE

4-in-1 Leak Detection Dye can be used in engine oil (1/4 oz. dye per 4-5 quarts of oil), ATF (1/4 oz. dye per 6 quarts of ATF), fuel (1/4 oz. dye per 2 gallons of fuel), and power steering fluid. (NOTE: For finding power steering leaks, only use 1/4 of total amount of dye in the 4-in-1 1/4 oz. dye bottle).

1/4 Fl. Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 05010042AC**

## LUBRICANTS & GREASE



### WHEEL BEARING GREASE

Extreme temperature, extreme pressure grease. Use on wheel bearings, ball joints, tie rod ends, clutch linkages, axle bearings, driveline splines and slip yokes.

1 Lb. Tub  
MSQ: 12 Tubs  
**Part No. 05083149AA**  
MS-6560



### MULTI-MILEAGE LUBE

An excellent suspension and steering linkage grease. A barium-based grease that stands up to punishing conditions. Protects and reduces wear on ball joints, tie rod ends, universal joints and axle shaft bearings.

14.5 Oz. Cartridge  
MSQ: 10 Cartridges  
**Part No. 04897841AB**  
MS-4178



### MULTI-PURPOSE GREASE

General purpose grease for lubricating clutch torque shaft bearings, clutch release bearing sleeves, clutch release forks, brake assemblies, wheel bearings and more (NLGI - 2 certified).

14.5 Oz. Cartridge  
MSQ: 10 Cartridges  
**Part No. 05083150AA**  
MS-6560



### RUBBER BUSHING INSTALLATION LUBE

An excellent lubricant that quickly becomes a dry film. Aids in the installation and assembly of press-fit rubber bushings. Will not deteriorate or degrade rubber.

4 Oz. Can  
MSQ: 1 Can  
**Part No. 05010319AB**



### WHITE LITHIUM GREASE

An all-purpose lithium grease for automotive and general purpose.

3 Oz. Tube  
MSQ: 6  
**Part No. 68003883AC**



### HALF SHAFT GREASE

Formulated as a NLGI number 1-2 grease for CY joint lubrication.

4.93 Oz. Tube  
MSQ: 6  
**Part No. 68194558AA**



### SPRAY WHITE LUBE LITHIUM GREASE

An all-purpose, lithium-based white grease for automotive and general purpose applications. Ideal for hinges, slide tracks and lock mechanisms.

12 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 04318066AE**



### SILICONE SPRAY LUBE

Ideal for all sticking and/or squeaking, sliding or hinged contact points. Makes locks operate smoothly and protects from freezing. Not for use on plastic or rubber components.

12 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 04318070AE**

## LUBRICANTS & GREASE



### BRAKE LUBRICANT

Superior lubricant to prevent noise, squeaks and backing plate wear. Lubricates contact points between brake shoes and backing plates. Required on NS minivan.

1.76 Oz. Tube  
MSQ: 1 Tube  
**Part No. 04796269AB**  
MS-9708



### BRAKE GREASE

Brake grease used for sliders, pins and backing plates with resistance to water and brake dust. Prolongs caliper pin and bushing life, preventing noise and squeaks.

2 Oz. Tube  
MSQ: 1 Tube  
**Part No. J8993704AB**



### BRAKE & SUSPENSION GREASE

High-temperature grease intended for brake calipers, parking brake cables and ball joints. Excellent water resistance and mechanical stability over a wide temperature range.

0.88 Oz. Tube  
MSQ: 1 Tube  
**Part No. 05019061AB**  
MS-7751



### BUSHING GREASE

Rubber bushing lubricant. Aids in the installation and assembly of press-fit rubber bushings.

2 Oz. Tube  
MSQ: 1 Tube  
**Part No. 68028730AA**



### DIELECTRIC GREASE

A silicone-based, electrically thermal insulating grease for use on wiring harnesses, bulkhead connectors, spark wires and other electrical connections. Prevents dirt, grease and moisture from contaminating connection and causing open circuits.

2 Oz. Tube  
MSQ: 12 Tubes  
**Part No. J8126688AB**  
MS-3089



### COIL DIELECTRIC GREASE

For use on ignition coils, spark plug boots and electric connections. Formulated as an NLGI 2-3 grade.

2 Oz. Tube  
MSQ: 12  
**Part No. 68364292AA**



### OUTPUT SHAFT ASSEMBLY LUBRICANT

For use in completely coating the splined area of the NAG1 transmission output shaft prior to installing the MS-140 transfer case.

1.76 Oz. Tube  
MSQ: 1  
**Part No. 68002256AB**

Note: The photos shown on this page may not be representative of actual product.



## LUBRICANTS & GREASE



### WEATHERSTRIP LUBRICANT

Unique Krytox (synthetic fluorinated lubricant) formulation lubricates weatherstripping to prevent it from sticking to door glass and frames. Clear fluid provides long-lasting lubrication. Will not stain or mar clothing. Features built-in sponge applicator.

1 Oz. Bottle

MSQ: 1 Bottle

**Part No. 04773427AB**

## SPECIALTY PRODUCTS

The following "Specialty Products" have been identified in a Service Bulletin for specific service procedures. Refer to the Service Bulletin for application information.

Description	Part No.	Contents	MSQ
Nye® Synthetic Lubricant	05018626AA	1 Oz. Tube	1
Nye® Dielectric Grease	05013781AA	2 Oz.	1
Multi Purpose Grease	05083160AA	3 Oz. Tube	12
Liquid Gasket for MMC	MD974421	3 Oz. Tube	1



### HIGH TEMP LIGHT BEARING GREASE

Contains silicone resistant to oxidation, moisture and corrosive atmosphere. For use on the Dodge Sprinter.

5.3 Oz. Tube

MSQ: 1 Tube

**Part No. 05127533AA**



### METAL ASSEMBLY PASTE

Contains molybdenum disulfide. Excellent performance under extreme pressure. For use on the Dodge Sprinter.

2.8 Oz. Tube

MSQ: 1 Tube

**Part No. 05127534AA**

## POWER STEERING & BRAKE FLUIDS



### POWER STEERING FLUID

Excellent power steering fluid for all pre-1998 vehicles. Recommended for pre-2005 Grand Cherokee.

1 Pint (16 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 04883077**  
MS-5931



### HYDRAULIC SYSTEM POWER STEERING FLUID

Specifically developed for WK hydraulic/power steering systems.

1 Quart (32 Oz.) Bottle  
MSQ: 4 Bottles  
**Part No. 68234631AA**  
MS-10838



### ELECTRIC STEERING PUMP FLUID

This fluid is approved for EPS pump systems and meets material specification MS-90030. Do not mix power steering fluid types. Severe electrical power steering pump damage may result if a different fluid is used. Do not overfill.

1 Pint (16 Oz.) Bottle  
MSQ: 6 Bottles  
**Part No. 68088485AB**  
MS-90030



### POWER STEERING FLUID +4

Convenient, easy-to-pour, pint-sized container. Meets FCA US material specification for post-1998 power steering systems that require MS-9602 fluid. Compatible with ATF+4.

1 Pint (16 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 68218064AB**  
MS-9602



### BRAKE FLUID DOT 3 MOTOR VEHICLE

For use in hydraulic brake systems specifying DOT 3 brake fluid or disc or drum brakes. Meets or exceeds SAE and federal specifications.

12 Oz. Bottle  
MSQ: 12 Bottles  
**Part No. 04318080AD**  
MS-90039 (MS.4574)



### BRAKE & CLUTCH FLUID DOT 4 MOTOR VEHICLE

Specially blended to withstand brake heat and pressure. DOT 4 fluid meets all DOT requirements for DOT 4.

12 Oz. Bottle  
MSQ: 12 Bottles  
**Part No. 04549625AE**  
MS-90039 (MS-9971)



### BRAKE PARTS CLEANER NON-CHLORINATED

Removes oil, grease and brake fluid residue from all metal brake parts. Loosens brake dust for easy removal.

15 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 68065196AB**  
Half Pallet (432 Cans)  
MSQ: 1  
**Part No. 68065198AA**  
Full Pallet (864 Cans)  
MSQ: 1  
**Part No. 68065199AA**



### BRAKE PARTS CLEANER NON-CHLORINATED VOC EXEMPT

Removes oil, grease and brake fluid residue from all metal brake parts. Loosens brake dust for easy removal. Meets C.A.R.B. automotive product VOC standards.

15 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 68065197AC**  
Half Pallet (432 Cans) MSQ: 1  
**Part No. 68065225AC**  
Full Pallet (864 Cans) MSQ: 1  
**Part No. 68065226AC**

Note: The photos shown on this page may not be representative of actual product.

## sealants & adhesives



### ATF-RTV

Silicone rubber RTV developed specifically to retain sealing and adhesion properties when exposed to automatic transmission fluid.

3 Oz. Tube  
MSQ: 12 Tubes  
**Part No. 05010884AD**  
MS-GF41B



### AXLE RTV

The only RTV sealer approved for use in Chrysler built axles using Mopar SAE 75W-90 Axle Lubricant P/N 68218655AA. This is the only factory used sealer compatible for use with this lubricant.

3 Oz. Tube  
MSQ: 12 Tubes  
**Part No. 05013477AD**  
MS-GF46



### THREEBOND™ ENGINE RTV

Formulated as a high-performance temperature-vulcanized silicone. It has good elasticity, temperature and chemical resistance when cured. Highly resistant to oils such as motor oil, transmission fluid or gear oil. Not recommended for sealing engine coolant.

5 Oz. Tube  
MSQ: 1 Tube  
**Part No. 68082860AB**



### ENGINE SEALANT RTV SILICONE RUBBER ADHESIVE

Use to seal components exposed to engine oil. Specifically designed black silicone rubber RTV retains adhesion and sealing properties when exposed to engine oil.

3 Oz. Tube  
MSQ: 12 Tubes  
**Part No. 04883971AC**  
MS-GF44B



### RTV SEALANT

High-performance temperature vulcanized sealant. Tested for elasticity, temperature and chemical resistance when cured.

5 Oz. Bottle  
MSQ: 1  
**Part No. 68379579AA**  
MS-50111



### THREEBOND™ 1281B TRANSMISSION SEALANT

High-viscosity silicone adhesive for sealing transmission housings and gear boxes with ATF resistance. Corrodes copper and copper-based alloys. Refer to service manual for additional information.

4.1 Oz. Tube  
MSQ: 1  
**Part No. 68145518AB**

## SEALANT APPLICATIONS

Part No.	Description	MS	Color	Recommended Usage
04318035AC	Gasket Sealant	CD78D	Brown	Coolant
04318083AB	Gasket Maker	CD98D	Red	Metal to Metal
04773257	Bed Plate Sealant	CD98F	Green	Engine Main Bearing
04883971AC	Engine RTV	GF44B	Black	Engine Oil
05010884AD	ATF-RTV	GF41B	Black	Automatic Transmissions
05013477AD	Axle RTV	GF46	Red/Orange	Axle Section
82300234AC	World Engine Oil/Trans/Glycol Sealant RTV	GF44D	Gray	Gear Lube

## SEALANTS & ADHESIVES



### GASKET MAKER

Use when assembling metal-to-metal components. Red anaerobic sealer fills gaps to .030" and cures to a flexible seal in one to eight hours. Excellent resistance to solvents and gasoline.

50 mL Tube

MSQ: 10 Tubes

**Part No. 04318083AB**

MS-CD98D



### GASKET SEALANT

Slow drying, permanently soft sealer. Recommended for sealing threaded fittings and gaskets against leakage of oil and/or antifreeze/coolant. Use on threaded and machined parts under all temperatures. Prevents corrosion.

9 Oz. Aerosol Can

MSQ: 12 Cans

**Part No. 04318035AC**

MS-CD78D



### SILICONE RUBBER RTV

Silicone rubber RTV developed specifically to be engine oil, gear lubricant and coolant compatible. Excellent adhesion, even on oily surfaces. Withstands temperatures to 635°F (330°C).

3 Oz. Tube

MSQ: 12 Tubes

**Part No. 82300234AC**

MS-GF44D



### HYLOMAR GASKET DRESSING/ FLANGE SEALANT

High-tack gel sealant that is non-hardening, for easy disassembly of flanged components even after long-term operation. Temperature range -60°F to 600°F. Resists fuels, lubricants, water, glycol and related engine fluids. Contains no ODC/VOC solvents.

1.2 Oz. Tube

MSQ: 6 Tubes

**Part No. 05127819AA**



### BED PLATE SEALANT

Use when installing main bearing bed plates on engine assemblies. Delayed anaerobic green sealant that cures slowly to allow proper assembly and torquing of main cap plate. Cures with heat.

50 mL Tube

MSQ: 10

**Part No. 04773257**

MS-CD98F



### PAINTABLE REPAIR SEALER

Excellent panel sealant, particularly in appearance areas. Fast-skinning surface that dries tack-free and can be painted in 30 minutes. Flows at temperatures above 50°F. Will not harden or crack.

10 Oz. Cartridge

MSQ: 1 Cartridge

**Part No. 04318026AB**



### BUTYL TAPE (ROPE)

Forms a windproof and waterproof seal. Not for use in place of urethane. Each roll contains 4 feet of 3/8" bead Butyl Tape.

15' Roll

MSQ: 1 Roll

**Part No. 04076274AB**



### VINYL FOAM TAPE

Builds up low spots in doors and trunks. Weatherstrips to seal out leaks and noise. Easy to cut to exact length; adheres quickly and securely. Each roll contains 30 feet of 3/16" (thick) by 1" (wide) tape.

30' Roll

MSQ: 1 Roll

**Part No. 04318028**



## SEALANTS & ADHESIVES



### WEATHERSTRIP ADHESIVE

Adheres weatherstripping to painted metals for a permanent bond. Withstands heat and freezing conditions; also resists gasoline, kerosene, antifreeze and most solvents.

5 Oz. Tube  
MSQ: 10 Tubes  
**Part No. 04773774**  
MS-CC223



### BOND-ALL GEL

Super adhesive glue instantly bonds a wide variety of materials. Thick, no-run glue for use on weatherstripping, bumper rub strips, body side moldings and many other items where permanent repair is needed.

.06 Oz. Tube  
MSQ: 10 Tubes  
**Part No. 04467709AB**  
MS-CC15



### WINDSHIELD INSTALL ADHESIVE PACKAGE

Contains: Tube Urethane Adhesive (10.5 oz.), Painted Metal Primer (1.1 oz.), Glass Primer (1.1 oz.), Application Dauber (1), Foam Spacers (10) and Windshield Supports (2).

MSQ: 1  
**Part No. 04864015AD**



### REAR VIEW MIRROR ADHESIVE

Two part, single application package of accelerant and adhesive to permanently rebond inside rear view mirror to windshield. (Non-TCE Formula.)

.06 mL Kits  
MSQ: 10 Kits  
**Part No. 05015983AB**  
MS-CC73



### SILICONE WINDSHIELD & GLASS SEALER

Clear, flowable sealant for windshields, sunroofs and headlamp assemblies. Flows into leaks like water, but dries to a tough, flexible waterproof seal that is resistant to temperature changes, vibration and shock.

1.5 Oz. Tube  
MSQ: 12 Tubes  
**Part No. 04467708**  
MS-CD929



### LOCK & SEAL ADHESIVE

Locks nuts and bolts to prevent vibration loosening, wear and thread corrosion. Seals against air, oil, fuel and hydraulic leaks. Can be disassembled. Blue threadlocking compound.

6 mL Tube  
MSQ: 10 Tubes  
**Part No. 04318031AB**  
MS-90061



### STUD N' BEARING MOUNT ADHESIVE

Securely locks studs and high-strength fasteners into place. Retains bearings to prevent spin out. Strengthens light press fittings, permanently locks nuts and bolts, prevents leaks. Requires heat for disassembly. Red threadlocking compound.

6 mL Tube  
MSQ: 10 Tubes  
**Part No. 04318032**  
MS-90061



### THREAD SEALANT WITH PTFE

Liquid that seals fittings instantly and allows them to be adjusted without losing their seal. Ideal for use with imperfect threads. Resists chemicals and gasses. Allows easy disassembly.

6 mL Tube  
MSQ: 10 Tubes  
**Part No. 04318034**  
MS-90061

Note: The photos shown on this page may not be representative of actual product.

## Vehicle Prep And Detail



### CHROME CLEANER

Excellent chrome surfaces cleaner. Specifically formulated for use on surfaces that are exposed to weather or water. Use on chrome bumpers; wheels, including chrome-clad wheels; mirror backs and grilles.

16 Oz. Bottle  
MSQ: 12 Bottles  
**Part No. 04318013AD**



### SUPER KLEEN BUG, TAR & SPOT REMOVER

Wipes away gummy substances such as tar, asphalt, oil and undercoating from automobile finishes. Also helps keep interiors looking new by removing grease, wax, lipstick and gum from upholstery.

16 Oz. Bottle  
MSQ: 8 Bottles  
**Part No. 04886330AD**



### LEATHER, RUBBER & VINYL PROTECTOR

Renews and preserves leather, rubber and vinyl interior components. Protects surfaces with a beautiful medium gloss shine. Prevents weathering with UV protectant.

**Warning:** This is a medium gloss product used for vehicle detailing. To minimize glare, do not use on dashboard surfaces. Do not use to detail or prep new vehicles.

16 Oz. Bottle  
MSQ: 12 Bottles  
**Part No. 04318017AC**



### RAIN REPELLING GLASS TREATMENT

Professional Grade Glass treatment that repels water, sleet and snow. Improves visibility for up to 6 months. This bulk box contains 24 easy-to-use applications and comes with 24 consumer handouts. 1 box equates to 24 individual applications and consumer handouts.

Box of 24 Kits  
MSQ: 1 Box  
**Part No. 68194881AA**



### GLASS CLEANER

Streak-free, maximum cleaning formula removes dirt, grime, oil and even freshly sprayed paint from glass. Year-round formulation. A must for every dealership.

11 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 04318014AC**



### GLASS CLEANER

Reformulated for automotive and household use. Quickly removes haze, smudges, smears and film. Streak-free formula.

16 Oz. Trigger Spray Bottle  
MSQ: 12 Bottles  
**Part No. 04897623AD**

## VEHICLE PREP AND DETAIL



### JEEP® VEHICLE SOFT GLASS WINDOW CLEANER

Safely cleans all plastic windows without scratching. Removes fine scratches to improve visibility and provides UV protection to help prevent yellowing. Simply rinse window, then apply Jeep® Soft Window Cleaner with a clean towel.

16 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 05012248AD**



### SOFT TOP ZIPPER CLEANER & LUBRICANT

Specially formulated to clean and lubricate all types of plastic and metal zippers. The patented push/pull dispenser brush removes harmful dirt, sand and salt deposits. Rinses away, yet leaves a unique protective film which lubricates without collecting residue. Biodegradable; contains no silicones or wax.

2 Oz. Bottle  
MSQ: 24 Bottles  
**Part No. 05066440AB**



### SUNROOF TRACK GREASE

For use on sunroof tracks and open slideways.

1.98 Oz. Tube  
MSQ: 1  
**Part No. 68337909AA**



### CONVERTIBLE CLOTH TOP CLEANER CONCENTRATE

Formulated to clean cloth tops. Concentrated formula makes 6 to 8 gallons of cleaning solution. For vinyl tops, use Mopar® Vinyl Top Cleaner P/N 04856593AC.

16 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 05012245AD**



### CONVERTIBLE CLOTH TOP TREATMENT

Restores water-repellent nature to cloth convertible tops. Simply spray on and allow to dry. Use in conjunction with Cloth Top Cleaner Concentrate P/N 05012245AD.

16 Oz. Trigger Spray  
MSQ: 12 Bottles  
**Part No. 05012246AC**



### WHITEWALL & VINYL TOP CLEANER

Effectively and easily removes scuff marks and abrasions from whitewall tires, vinyl and convertible tops. Also excellent on floor mats. Safe for use near paint, glass, rubber or chrome. Not for use on cloth tops. For cloth tops, use Convertible Cloth Top Cleaner Concentrate P/N 05012245AA.

16 Oz. Pump Spray Bottle  
MSQ: 12 Bottles  
**Part No. 04856593AC**



### ENGINE DEGREASER

Formulated to penetrate and dissolve grease, oil, dirt and grime on vehicle engines. Safe for use on hoses, wiring and rubber parts. Fast, emulsifying degreaser leaves a clean, dry surface.

12 Oz. Aerosol Can  
MSQ: 12 Cans  
**Part No. 04318040AC**

Note: The photos shown on this page may not be representative of actual product.

## VEHICLE PREP AND DETAIL



### RAIN REPELLANT WINDSHIELD WASHER FLUID

Removes insect debris, oily films, grime, dirt, frost and ice. Also waterproofs windshield; rain and snow bead on the windshield and roll right off. Ready to use. No mixing required. Protects to -25°F.

64 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 05139804AB**



### PREMIUM WINDSHIELD WASHER SOLVENT/DE-ICER

Removes frost; won't refreeze after spraying on frosted windshield. Provides freeze protection to -30°F (-34.4°C). Formulated for all-season use. Ready to use. No mixing required.

64 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 05139803AB**



### MOPAR COMPLETE WINDSHIELD WASHER SOLVENT

Concentrate contains a heavy-duty de-icer, a premium detergent package and rain repellent. Solvent must be diluted with water. Protects to -25°F (-31.6°C).

64 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 68044762AB**



### 55 GALLON DRUM WINDSHIELD WASHER SOLVENT

Concentrated 99% methanol formula. 1:1.2 ratio protects to -30°F (-34.4°C). 1:9 ratio protects to 20°F (-6.6°C).

55 Gallon Drum  
MSQ: 110 (2 Drums)  
**Part No. 68040095AB**

## WINDSHIELD WASHER SOLVENT



Washer Solvent (Parts)	Water (Parts)	Freeze Point	16 Oz. Makes	32 Oz. Makes
1	5	+24°F	3/4 gal.	1-1/2 gal.
1	4	+20°F	5/8 gal.	1-1/4 gal.
1	3	+10°F	1/2 gal.	1 gal.
1	2	-5°F	3/8 gal.	3/4 gal.
1	1	-25°F	1/4 gal.	1/2 gal.

16 Oz. Bottle  
MSQ: 24 Bottles  
**Part No. 04318067AC**  
*MS-3037*

1 Quart (32 Oz.) Bottle  
MSQ: 12 Bottles  
**Part No. 04318068AC**  
*MS-3037*

Concentrated methanol formula removes bugs, dirt and grime. Will not harm automotive finishes. Protects to -25°F. Concentrated formula: 16 Oz. makes up to 3/4 gallon; 32 Oz. bottle makes up to 1-1/2 gallons (depending on dilution rate and freeze point desired).



## VEHICLE PREP AND DETAIL



### CAR WASH CONCENTRATE

Clean up to 3,500 cars with one 55-gallon drum of Mopar® Car Wash Concentrate. Special gloss enhancers will have your vehicles looking like new. This versatile and safe new product can be used by hand, through a power washer or through your automatic cloth car wash. Use according to directions and your cost per car will be under 10 cents!

55 Gallon Drum (Liquid)  
MSQ: 1 Drum  
**Part No. 68350001AA**



### CAR WASH CONCENTRATE

This economical detergent cleans over 400 vehicles. Just a splash of product into the bottom of a pail will create lots of creamy lather when hit with water. Perfect for power washer or automatic car wash use. Contains gloss enhancers to renew that showroom shine.

5 Gallon Pail (Liquid)  
MSQ: 1 Pail  
**Part No. 05013678AD**



### CAR WASH CONCENTRATE

A fast-acting detergent that dissolves dirt and grime. Streak-free formula works with both hard and soft water. Will not harm wax or paint. Helps neutralize acid rain.

1 Gallon Bottle  
MSQ: 4 Bottles  
**Part No. 05003238AD**  
*Dispensing pump included*



### MOPAR® CAR CARE KIT

Strengthen your owner loyalty with the Mopar® Car Care Kit. Created especially for your customers, this useful cleaning kit will help them maintain the interior of their vehicles. Kit includes Glass Cleaner, Leather & Vinyl Protectant and Total Clean.

3 4 Oz. Spray Bottles  
MSQ: 1 kit  
**Part No. 68319193AA**



### BATTERY TERMINAL PROTECTOR PADS

This kit helps to clean terminals and prevent corrosion. This kit includes Battery Terminal Cleaner and Battery Terminal Protector pads.

2 Pads  
MSQ: 25 Pouches  
**Part No. 68048547AA**



### TIRE & WHEEL CLEANER

This all-in-one cleaner removes brake dust, dirt and grease. And it cleans raised white lettering. Non-toxic, biodegradable formula is safe to use on chrome, aluminum or painted wheels.

24 Oz. Trigger Spray Bottle  
MSQ: 6 Bottles  
**Part No. 05066247AE**  
5 Gallon Pail  
MSQ: 1  
**Part No. 05066248AD**



### ODOR REMOVER

Eliminates odor by neutralizing the source. Non-scented, non-staining formula removes pet, smoke and food odors from carpeting and upholstery. An unscented, non-toxic, highly efficient product that permanently eliminates odors.

24 Oz. Trigger Spray Bottle  
MSQ: 6 Bottles  
**Part No. 05073224AC**



### CARPET CLEANER

Premium formula foaming action cleaner removes dirt and stains from interior carpeting. Perfect for new vehicle prep or used vehicle reconditioning. FCA US engineering approved.

18 Oz. Aerosol Can  
MSQ: 12 Bottles  
**Part No. 05175050AB**

## VEHICLE PREP AND DETAIL



### TOTAL CLEAN

Superior cleaner for use on interiors. Has a pleasant scent. Deodorizes and restores fresh scent to vehicle. Use on fabric, velour, carpet, leather and vinyl. Ready-to-use formula; no mixing required.

16 Oz. Trigger Spray Bottle  
MSQ: 12 Bottles  
**Part No. 04897840AD**

1 Gallon Bottle  
MSQ: 6 Bottles  
**Part No. 04318020AE**



### CLEANER WAX

Specially formulated for today's sophisticated paints. Leaves finish glossy and well protected. Easy one-step application. Removes light swirls and surface pollutants while providing durable wax protection.

16 Oz. Bottle  
MSQ: 6 Bottles  
**Part No. 04796237AD**



### TIRE TREATMENT

Spray and wipe to enhance tire appearance. Designed as an occasional use product, exclusively for tires and sidewalls.

16 Oz. Trigger Spray Bottle  
MSQ: 6 Bottles  
**Part No. 04796240AD**



### FINISH ENHANCER

Use between washes to remove dust and other pollutants. Quick and easy, just mist and wipe. Safe for clear and pearl coat high-tech finishes.

16 Oz. Trigger Spray Bottle  
MSQ: 6 Bottles  
**Part No. 04796238AD**

## VEHICLE PREP AND DETAIL

The Mopar® line of concentrated vehicle cleaning products is the economical and efficient way to tackle even the toughest cleaning jobs. With these concentrated cleaning products and the free dispensing pump provided, you will increase efficiency in the prep and detail area of your dealership.



### TIRE CLEANER CONCENTRATE

Excellent for removing grease, grime, road film and scuffs. Cleans whitewalls and raised white lettering. Safe for use on all factory wheels and wheel covers.

1 Gallon Bottle  
MSQ: 3 Bottles

**Part No. 05003239AC**

*Empty labeled spray bottle plus pail label  
Dispensing pump included*



### INTERIOR CLEANER CONCENTRATE

Formulated to clean quickly without leaving residue. Cleans fabric, upholstery and vinyl. Safe for use on carpets, door panels, seats and head liners. Leaves a clean, fresh fragrance.

1 Gallon Bottle  
MSQ: 3 Bottles

**Part No. 05003240AC**

*Empty labeled spray bottle plus pail label  
Dispensing pump included*



### DEGREASER CONCENTRATE

Dissolves dirt, grease and oil from engine compartments and wheel wells. Great for stubborn grease and oil stains in carpeted areas, or on plastic surfaces.

1 Gallon Bottle  
MSQ: 3 Bottles

**Part No. 05003241AC**

*Empty labeled spray bottle plus pail label  
Dispensing pump included*

## VEHICLE PREP AND DETAIL



### SHOP FLOOR CLEANER CONCENTRATE

One box of this heavy-duty Shop Floor Cleaner will clean over 5,000 square feet. Just sprinkle the powder onto a wet floor and agitate with a broom or mop. Rinse well, and you're ready to use. Will not harm floor paint or remove floor stripping.

50 Lb. Container

MSQ: 1

Part No. 04883968AB



### MOPAR® AUTOMATIC CAR WASH DETERGENT

This concentrated detergent contains a high foaming cleaning agent that removes surface dirt, bugs and road film. At the same time, it lubricates both car wash brushes and cloths. This product can be used in a pressure washer.

5 Gal. Container

MSQ: 1

Part No. 05093094AB



### MOPAR AUTOMATIC CAR WASH FRICTIONLESS CLEANER

When used with a high-pressure rinse in touchless car washes, it is designed to clean without the use of brushes or cloth. Super concentrated, a five-gallon container is equal to 30 gallons of traditional cleaner. This product can be used in a pressure washer.

5 Gal. Container

MSQ: 1

Part No. 05093093AB



### MOPAR AUTOMATIC CAR WASH DRYING AGENT

This superior drying agent causes rinse water to bead up and roll off vehicle surfaces. It also eliminates excess soap foam, which can dry to an unattractive white residue. It adds shine and luster while preventing the spotting that can occur after air drying.

5 Gal. Container

MSQ: 1


Part No. 05093095AB

Note: The photos shown on this page may not be representative of actual product.



# TOUCH-UP PAINT ASSORTMENT KIT & DISPLAY RACK

Visit the Service Drive Store to reference, download and print the



2018 TOUCH-UP PAINT GUIDE

## 4-in-1 Paint Tube Assortment Kit

2018-2019 CHRYSLER, DODGE, JEEP®, RAM AND FIAT™

PAINT CODE	SALES CODE	COLOR	PART NUMBER	QTY.
KXJ	PXJ	DIAMOND BLACK CRYSTAL P/C	68154436AB	5
SHR	PHR	SANGRIA	06103121AA	2
SBM	PBM	OCEAN BLUE	06103123AA	2
SE4	PE4	PUNK'N	06103125AA	2
RFQ	PFQ	GREEN	06103127AA	1
P72	P72	NEW HOLLAND BLUE	06103020AA	1
P61	P61	CASE RED	06103205AA	1
SPT	PPT	BIKINI	06103209AA	4
TBF	PBF	BLUE SHADE	06103211AA	4
SSE	PSE	ATOMIC SILVER	06103207AA	2
			<b>TOTAL:</b>	<b>24</b>

Order Assortment Kit with a display rack part **#68436630AA** or just the Display Rack part **#68290303AA** through DealerCONNECT.



# NUMERICAL PART NUMBER INDEX

PART NUMBER	ITEM	PAGE NO.
04318005	Stop Leak Pellets	14
04318028	Vinyl Foam Tape	36
04318032	Stud N' Bearing Mount Adhesive	37
04318034	Thread Sealant with PTFE	37
04467708	Silicone Windshield & Glass Sealer	37
04773257	Bed Plate Sealant	36
04773774	Weatherstrip Adhesive	37
04874459	Synthetic Manual Transmission Lubricant SAE 75W-85	28
04874465	Manual Transaxle and Quadra-trac Lubricant	26
04883077	Power Steering Fluid	34
04076274AB	Butyl Tape (ROPE)	36
04267020AD	Antifreeze/Coolant 3-Year Formula — Embittered	12
04318001AE	Combustion Chamber Cleaner	23
04318013AD	Chrome Cleaner	38
04318014AC	Glass Cleaner	38
04318017AC	Leather, Rubber & Vinyl Protector	38
04318020AE	Total Clean	42
04318026AB	Paintable Repair Sealer	36
04318031AB	Lock & Seal Adhesive	37
04318035AC	Gasket Sealant	36
04318039AE	Rust Penetrant	8
04318040AC	Engine Degreaser	39
04318060AD	Limited Slip Additive	28
04318066AE	Spray White Lube Lithium Grease	31
04318070AE	Silicone Spray Lube	31
04318080AD	Brake Fluid DOT 3 Motor Vehicle	34
04318083AB	Gasket Maker	36
04467709AB	Bond-All Gel	37
04549275AB	Rear Window Defogger Repair Kit	9
04549625AE	Brake & Clutch Fluid DOT 4 Motor Vehicle	34
04549626AD	MP-50	8
04728942AC	Cooling Coil Coating	7
04761838PB	Pennzoil SAE 5W-30 Engine Oil	20
04761839PB	Pennzoil SAE 10W-30 Engine Oil	20
04761844PE	Pennzoil SAE 5W-30 Engine Oil	20
04761845PA	Pennzoil SAE 10W-30 Engine Oil	20
04761845PE	Pennzoil SAE 10W-30 Engine Oil	20
04761872PB	Pennzoil SAE 5W-20 Engine Oil	20
04762630PB	Pennzoil SAE 5W-30 Engine Oil	20
04762631PB	Pennzoil SAE 10W-30 Engine Oil	20
04762632PB	Pennzoil SAE 5W-20 Engine Oil	20
04762635PC	Pennzoil SAE 5W-30 Engine Oil	20
04762636PC	Pennzoil SAE 10W-30 Engine Oil	20
04762648AC	Antifreeze/Coolant 3-Year Formula — Embittered	12
04773427AB	Weatherstrip Lubricant	33
04796237AD	Cleaner Wax	42
04796238AD	Finish Enhancer	42
04796240AD	Tire Treatment	42
04796268AB	Transmission Cooler Flush	11
04796269AB	Brake Lubricant	32

PART NUMBER	ITEM	PAGE NO.
04798219AC	R-134A Leak Detection Dye	30
04856593AC	Whitewall & Vinyl Top Cleaner	39
04856970AD	Orange Scent Hand Cleaner	29
04856971AD	Ultra-Max Hand Cleaner	29
04856977AC	Cooling System Flush	14
04864015AD	Windshield Install Adhesive Package	37
04874464AB	Manual Transmission Lubricant	26
04883065AB	Gear Marking Compound	8
04883968AB	Shop Floor Cleaner Concentrate	44
04883971AC	Engine Sealant RTV Silicone Rubber Adhesive	35
04886129AA	SP-15 A/C Compressor Lubricant	7
04886330AD	Super Kleen Bug, Tar & Spot Remover	38
04897156AD	Throttle Body Cleaner	23
04897618AB	Dispenser for Bag-In-Box	29
04897623AD	Glass Cleaner	38
04897840AD	Total Clean	42
04897841AB	Multi-Mileage Lube	31
05003238AD	Car Wash Concentrate	41
05003239AC	Tire Cleaner Concentrate	43
05003240AC	Interior Cleaner Concentrate	43
05003241AC	Degreaser Concentrate	43
05010042AC	4-in-1 Leak Detection Dye	30
05010319AB	Rubber Bushing Installation Lube	31
05010884AD	ATF-RTV	35
05012245AD	Convertible Cloth Top Cleaner Concentrate	39
05012246AC	Convertible Cloth Top Treatment	39
05012248AD	Jeep Vehicle Soft Glass Window Cleaner	39
05012249AC	Nickel Anti-Seize Lubricant	9
05013477AD	Axle RTV	35
05013678AD	Car Wash Concentrate	41
05015983AB	Rear View Mirror Adhesive	37
05016796AC	Transfer Case Lubricant	27
05018045AB	Electrical Contact Cleaner	8
05019054AA	Anti-Squeak Tape	9
05019056AA	Foam Tape	9
05019058AA	Foam Tape	9
05019059AC	Grease Lubricant	9
05019059AC	Oil Lubricant	9
05019061AB	Brake & Suspension Grease	32
05019625AB	Fuel System Cleaner	22
05066247AE	Tire & Wheel Cleaner	41
05066248AD	Tire & Wheel Cleaner	41
05066440AB	Soft Top Zipper Cleaner & Lubricant	39
05073224AC	Odor Remover	41
05083149AA	Wheel Bearing Grease	31
05083150AA	Multi-Purpose Grease	31
05093093AB	Mopar Automatic Car Wash Frictionless Cleaner	44
05093094AB	Mopar Automatic Car Wash Detergent	44
05093095AB	Mopar Automatic Car Wash Drying Agent	44
05114554AD	VC-PAG 46 A/C Compressor Lubricant	7

# NUMERICAL PART NUMBER INDEX

PART NUMBER	ITEM	PAGE NO.
05127382AB	MB236.12 Automatic Transmission Fluid	10
05127394PC	Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	21
05127533AA	High Temp Light Bearing Grease	33
05127534AA	Metal Assembly Paste	33
05127819AA	Hylomar Gasket Dressing/Flange Sealant	36
05136033AB	Gear Lubricant SAE 90	26
05136035AC	Synthetic Axle Lubricant SAE 75W-85	26
05139803AB	Premium Windshield Washer Solvent/De-Icer	40
05139804AB	Rain Repellant Windshield Washer Fluid	40
05161618AC	Coolant Leak Detection Dye	30
05166240PA	Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	21
05166241PA	Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	21
05166242PA	Pennzoil Platinum SAE 10W-30 Full Synthetic Motor Oil	21
05166246PB	Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	21
05166247PA	Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	21
05166248PA	Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	21
05166249PA	Pennzoil Platinum SAE 10W-30 Full Synthetic Motor Oil	21
05170022AB	Cooling Coil Cleaner	7
05174566AB	Premium Fuel System Cleaning Kit	22
05175050AB	Carpet Cleaner	41
05179014AA	Transfer Case Lubricant NV246	27
05189966AB	ASRC & Trade; ATF	10
05189977AB	ASRC & Trade; ATF	10
05189978AA	ASRC & Trade; ATF	10
05189979AA	ASRC & Trade; ATF	10
05191184AA	CVTF+4 Transmission Fluid	10
05191185AC	CVTF+4 Transmission Fluid	10
05191186AA	CVTF+4 Transmission Fluid	10
05191187AA	CVTF+4 Transmission Fluid	10
05191800AB	Premium Diesel Fuel Treatment	22
05191804AA	Air Leak Detector	30
68001332PA	Shell Rotella T6 SAE 15W-40 Full Synthetic Heavy Duty Engine Oil	19
68001333PA	Shell Rotella T6 SAE 15W-40 Full Synthetic Heavy Duty Engine Oil	19
68001334PB	Pennzoil Ultra Platinum SAE 5W-30 Full Synthetic Motor Oil	21
68001335PA	Pennzoil Ultra Platinum SAE 5W-30 Full Synthetic Motor Oil	21
68001758AB	Transfer Case Lubricant NV146	27
68002256AB	Output Shaft Assembly Lubricant	32
68002823AA	MB236.12 Automatic Transmission Fluid	10
68002825AC	Antifreeze/Coolant 3-Year Formula — Embittered	12
68002827AC	Antifreeze/Coolant 3-Year Formula — Embittered	12
68003883AC	White Lithium Grease	31
68024966PB	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	19
68024967PB	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	19
68024968PB	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	19
68024969PB	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	19
68028729AB	EGR System Cleaner	15
68028730AA	Bushing Grease	32
68029698AC	Water Pump Lubricant	14
68035321AB	Vitamol ZH-M Hydraulic Fluid	28
68035700AC	Diesel Exhaust Fluid	15

PART NUMBER	ITEM	PAGE NO.
68035704AC	Diesel Exhaust Fluid (DEF)	15
68040095AB	Windshield Washer Solvent	40
68042967AB	Undercoat Kit	8
68042968AB	Undercoat Kit Refill	8
68042969AB	Cavity Wax Kit	8
68042970AB	Cavity Wax Kit Refill	8
68043289AB	ND-11 A/C Compressor Oil POE Type	7
68043742AB	DEXRON-VI Automatic Transmission Fluid	11
68044407PB	Pennzoil Platinum Euro SAE 5W-40 Full Synthetic Motor Oil	21
68044413PB	Pennzoil SAE 5W-20 Engine Oil	20
68044414PB	Pennzoil SAE 5W-30 Engine Oil	20
68044416PB	Pennzoil SAE 10W-30 Engine Oil	20
68044417PB	Shell Rotella T4 SAE 15W-40 Heavy Duty Engine Oil	19
68044565AB	Diesel Turbocharger Cleaner	15
68044762AB	Mopar Complete Windshield Washer Solvent	40
68048547AA	Battery Terminal Protector Pads	41
68048953AC	Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	12
68049954AA	Transfer Case Lubricant For BorgWarner 44-40 And 2016+ 44-44	27
68051212AC	50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	12
68051213AC	Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	12
68051214AB	Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	12
68051215AC	Concentrate Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	12
68051216AC	50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	12
68051217AC	50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	12
68051218AB	50/50 Prediluted Antifreeze/Coolant 5-Year/100,000-Mile — Embittered	12
68056278AC	Diesel Exhaust Fluid (DEF)	15
68065196AB	Brake Parts Cleaner Non-Chlorinated	34
68065197AC	Brake Parts Cleaner Non-Chlorinated VOC Exempt	34
68065198AA	Brake Parts Cleaner Non-Chlorinated	34
68065199AA	Brake Parts Cleaner Non-Chlorinated	34
68065225AC	Brake Parts Cleaner Non-Chlorinated VOC Exempt	34
68065226AC	Brake Parts Cleaner Non-Chlorinated VOC Exempt	34
68079093AB (California)	Premium Fuel System Cleaning Kit	22
68082860AB	Threebond Engine RTV	35
68083381AA	Rear Axle Lubricant SAE 75W-85	24
68088485AB	Electric Steering Pump Fluid	34
68089195AA	Transfer Case Lube For BorgWarner 44-45, 44-46, 44-47, 44-48 and Pre-2016 44-44	27
68092630AA	C Series Manual & Dual Dry Clutch Transmission Fluid	28
68092636AA	C Series Manual & Dual Dry Clutch Transmission Fluid	28
68092638AB	C Series DDCT SAE 75W Hydraulic Fluid	26
681218893AA	SAE 5W-20 Mopar Engine Oil	18
68140973AA	50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	13
68140983AA	Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	13
68145518AB	Threebond 1281B Transmission Sealant	35

# NUMERICAL PART NUMBER INDEX

PART NUMBER	ITEM	PAGE NO.
68146832PA	Pennzoil Platinum SAE 5W-20 Full Synthetic Motor Oil	21
68146834PA	Pennzoil Platinum SAE 5W-30 Full Synthetic Motor Oil	21
68147411PA	Shell Rotella T6 SAE 15W-40 Full Synthetic Heavy Duty Engine Oil	19
68152004PA	Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	21
68152005PA	Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	21
68158590AC	Fuel Injector Cleaner	22
68163848AB	Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	13
68163849AB	50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	13
68169968PA	Pennzoil Gold 5W-20 Semi-Synthetic	20
68169969PA	Pennzoil Gold 5W-30 Semi-Synthetic	20
68169970PA	Pennzoil Gold 10W-30 Semi-Synthetic	20
68169972PA	Pennzoil Gold 5W-20 Semi-Synthetic	20
68169973PA	Pennzoil Gold 5W-30 Semi-Synthetic	20
68169976PA	Pennzoil Gold 10W-30 Semi-Synthetic	20
68170681AB	RL-897 A/C Compressor Oil POE Type	7
68171006PA	Shell Rotella T6 SAE 15W-40 Full Synthetic Heavy Duty Engine Oil	19
68171066PA	Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	21
68171067PA	Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	21
68171068PA	Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	21
68171069PA	Pennzoil Ultra Platinum SAE 0W-40 Full Synthetic Motor Oil	21
68171866AB	SP-IV M Automatic Transmission Fluid	10
68171869AB	SP-IV M Automatic Transmission Fluid	10
68185114PA	Pennzoil Gold 5W-20 Semi-Synthetic	20
68185115PA	Pennzoil Gold 5W-30 Semi-Synthetic	20
68185116PA	Pennzoil Gold 10W-30 Semi-Synthetic	20
68194558AA	Half Shaft Grease	31
68194640AB	Diesel Injector Cleaner	22
68194881AA	Rain Repelling Glass Treatment	38
68199087PA	Pennzoil Platinum SAE 0W-20 Full Synthetic Motor Oil	21
68210057AB	Synthetic Axle Lubricant SAE 75W-85	25
68210514AB	Single Speed Transmission Fluid	28
68218041AA	Gear & Axle Lubricant SAE 80W-90	24
68218043AA	Gear & Axle Lubricant SAE 80W-90	24
68218054AA	ATF+4	10
68218056AA	ATF+4	10
68218057AB	ATF+4	10
68218058AC	ATF+4	10
68218059AA	ATF+4	10
68218064AB	Power Steering Fluid +4	34
68218654AA	Synthetic Gear & Axle Lubricant SAE 75W-90	26
68218655AA	Synthetic Gear & Axle Lubricant SAE 75W-90	25
68218656AA	Synthetic Gear & Axle Lubricant SAE 75W-90	25
68218657AA	Synthetic Gear & Axle Lubricant SAE 75W-140	25
68218658AA	Synthetic Gear & Axle Lubricant SAE 75W-140	25
68218890AB	SAE 5W-20 Mopar Engine Oil	18
68218891AC	SAE 5W-20 Mopar Engine Oil	18
68218892AA	SAE 5W-20 Mopar Engine Oil	18
68218894AA	SAE 5W-20 Mopar Engine Oil	18
68218920AB	SAE 5W-30 Mopar Engine Oil	18
68218921AB	SAE 5W-30 Mopar Engine Oil	18

PART NUMBER	ITEM	PAGE NO.
68218922AA	SAE 5W-30 Mopar Engine Oil	18
68218923AA	SAE 5W-30 Mopar Engine Oil	18
68218924AA	SAE 5W-30 Mopar Engine Oil	18
68218925AA	8 & 9 Speed ATF	10
68218926AA	8 & 9 Speed ATF	10
68218930AB	SAE 10W-30 Mopar Engine Oil	18
68218931AC	SAE 10W-30 Mopar Engine Oil	18
68218932AA	SAE 10W-30 Mopar Engine Oil	18
68218933AA	SAE 10W-30 Mopar Engine Oil	18
68218934AA	SAE 10W-30 Mopar Engine Oil	18
68218940AB	SAE 15W-40 Mopar Engine Oil	18
68218941AC	SAE 15W-40 Mopar Engine Oil	18
68218942AA	SAE 15W-40 Mopar Engine Oil	18
68218943AA	SAE 15W-40 Mopar Engine Oil	18
68218944AA	SAE 15W-40 Mopar Engine Oil	18
68218950AB	SAE 0W-20 Engine Oil	18
68218951AB	SAE 0W-20 Engine Oil	18
68218952AA	SAE 0W-20 Engine Oil	18
68224028AB	1234YF A/C Refrigerant	7
68230057AB	Flock Tape	9
68232939AB	A/C Compressor Oil	7
68232947AB	Open Differential Axle Lubricant Synthetic SAE 75W-85	25
68232948AB	Limited Slip Differential Axle Lubricant Synthetic SAE 75W-85	25
68234631AA	Hydraulic System Power Steering Fluid	34
68280932AA	Front Axle Power Transfer Unit Lubricant SAE 75W-90	24
68291576AA	SAE 0W-30 Mopar Engine Oil	18
68291701AA	Cherry Gel	29
68306473AB	50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	13
68306476AB	Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	13
68306482AB	50/50 Prediluted Antifreeze/Coolant 10-Year/150,000-Mile	13
68306483AB	Concentrate Antifreeze/Coolant 10-Year/150,000-Mile	13
68319193AA	Mopar Car Care Kit	41
68333587AA	Long Life Automatic Transmission Fluid DAF 6-SPD AISIN JWS3309	11
68333589AA	Long Life Hypoid Gear Oil SAE 75W-85	25
68334695AA	55/45 Premixed Extended Life	13
68337909AA	Sunroof Track Grease	39
68339072AA	Hypoid Gear Lubricant SAE 75W-80	24
68350001AA	Car Wash Concentrate	41
68364258AA	Multi Axle Lubricant SAE 75W-85	24
68364292AA	Coil Dielectric Grease	32
68377611AA	Transfer Case Lubricant SAE 75W	27
68378949AA	Synthetic Gear & Axle Lubricant SAE 75W-85	26
68379579AA	RTV Sealant	35
82300022AB	Hand Cleaner/Natural Citrus	29
82300101AC	R-134A A/C Refrigerant	7
82300102AC	ND-OIL 8 A/C Compressor Oil PAG Type	7
82300234AC	Silicone Rubber RTV	36
J8126688AB	Dielectric Grease	32
J8993704AB	Brake Grease	32



