

Catalog of floor system solution

Professional SPC Rigid and LVT floors with accessories in the same floor decor. A complete floor system for your home, restaurant, company, shop.



www.egibifloors.com

English version




Contents

Egibi Floor System	4
SPC Rigid floors Egibi Floor System	8
Comparison of Egibi Floor System floor collections.	
Floor collections	
Egibi Floors Designer	
Egibi Floor System floor decors	12
Decors, illustrative images and availability of decors in individual collections.	10
Available decors Decors available in individual collections	
SPC Rigid floor Canadian Design Premium	28
SPC Rigid floor Canadian Design	32
SPC Rigid floor Canadian Design Premium XXL	36
SPC Rigid floor Canadian Design Herringbone The popular herringbone decor is back on the scene.	40
SPC Rigid floor Canadian Design Rocky Line	44
LVT floor Canadian Design Dry Back	48
Self-adhesive vinyl tiles Canadian Design Peel & Stick Easy and quick installation, modern design, affordable solution.	52
Accessories for Egibi Floor System floors The perfect choice for all vinyl floors.	56
Egibi Floors Adhesives	63
Egibi Floors Designer	66


Egibi Floor System

Introducing the Egibi Floor System. A modern floor solution that makes a difference in standards. Egibi's flooring system is based on the principles of simple installation and modularity. With our flooring solution, you can easily achieve perfect design throughout the house.





The system includes all floor elements and accessories in complete sets. You can choose the appropriate transition profiles, skirting boards, stair elements and floor accessories for each floor decor. The individual floor decors are available in different floor collections, which differ in their design.





Egibi Floor Sytem One decor

See all the elements of the Egibi Floor System on one double sheet. For this sample we have chosen the Calgary decor.



T-Line transition profile

CD60 skirting board

Vinyl edge

PVC skirting board

Canadian Design floor

Accessories for skirting boards


Multi transition profile



SPC Rigid floors Egibi Floor Sytem

Introducing Egibi Floor System. For many years we have been working hard to create something special. The results of our efforts are floor collections that bring you great features and modern decors.

All Egibi Floor System floors are 100% waterproof, free of harmful substances and suitable for hot water underfloor heating.



Egibi Floors Designer

Check out the floors in your interior by using the floor designer at www.egibifloors.com or www.egibi.cz or by scanning the QR code.











Canadian Design Herringbone

Canadian Design Rocky Line

Canadian Design Dry Back



0,937 m² / 12 pcs (6x L, 6x R)



625x125 mm



5,0 mm (1,0 mm underlay)



23/32



2,2034 m² / 12 pcs



606x303 mm



5,2 mm (1,0 mm underlay)



23/32



3,6232 m² / 26 pcs



152,4x914,4 mm



2,0 mm



23/32

SPC Rigid podlahy Egibi Floor Sytem certifications



All floor collections of Egibi Floor System have been thoroughly tested and meet Indoor Air Comfort Gold (IACG) and CE certifications.









BOD-19-05-28-01

Products

SPC Floorings "JH-LVT Flooring", Structure: BP (deep embossing texture) dimensions: length (460-1840) mm x width (100-460) mm x thickness (3.0-5.0) mm

Order:

Testing and classification of selected properties according to EN 14041:2008 (CE-labelling)

The above mentioned SPC floorings can be classified regarding to the tested properties according to EN 14041:2008 (CE-labelling) as follows:

Properties	Results	Declaration according to EN 14041:2008
Reaction to fire performance according to EN ISO 9239-1 and EN ISO 11925-2, Classification according to EN 13501-1:2010	,	
- Critical heat flow - Smoke production	11.4 kW / m ² 291 % x min	Reaction to fire class B _{ff} -s1
Anti-sliding properties according to EN 13893:2003	μ = 0.48	class DS

Dresden, 28/05/2019





All floor collections of Egibi Floor System:





meet IACG certification

meet CE certification

are 100% waterproof

Egibi Floors Designer Visualisation of the floor in your interior via mobile phone

Whether you are browsing this catalogue in store, on the internet or at home, you can quickly and easily view Egibi Floors decors directly in your interior. Use the QR code below to start browsing our Egibi Floors Designer.

QR codes can be found throughout the catalogue. For example, the individual decors or floor collections.

















Although the dark grey Vancouver decor might seem bland, the opposite is true. Vancouver decor will make anyone feel cosy apartment and home and help create a warm and peaceful atmosphere of the home.























Egibi Floor System floor decors
























Do you like the herringbone pattern? Decor Jägerndorf brings you this pattern in the form of our selected SPC RIGID Herringbone flooring.























































Precise presentation of natural wood, stone and concrete with the benefits of SPC RIGID and LVT.



Our floors and accessories are matched to the same patterns and colours.

Egibi Floor	System	Canadian Design	Canadian Design Herringbone	Canadian Design Premium	Canadian Design Premium XXL	Canadian Design Rocky Line	Canadian Design Peel & Stick	Canadian Design Dry Back
1	Calgary	✓						✓
4300	Edmonton	✓						
	Vancouver	✓					✓	✓
The second	Toronto	✓						
	Golden	✓						
	Victoria	✓						✓
	Hamilton	✓					✓	✓
	Kingstone	✓						
2200	Montreal	✓						
	Ottawa	✓					✓	✓
	Jasper			✓				✓
	Canmore			✓			✓	✓
	Vernon			✓				
	Regina	✓		✓				✓
Constitution of the same of th	Banff				✓			
	Winnipeg				✓			
	Windsor				✓			
	Barrie				✓			
	Jägerndorf		✓					✓
4	Nice Grey					✓		
A. A.	Wild Rock					✓		
	Nature concrete						✓	✓
	Grey concrete						✓	
	Beige stone						✓	
	London		✓					

Overview of available decors



SPC Rigid floor Canadian Design Premium

A sensual and very durable floor that faithfully captures the different shades of natural oak. Canadian Design Premium flooring is suitable for low and extreme loads.



















23/33

SPC Rigid floor Canadian Design Premium

A modern flooring that faithfully captures the decor of natural oak with great properties. It is a very high quality and durable floor. Canadian Design Premium is the premium solution for SPC RIGID floor.



Decor	Product name	Order code	Package
-	Canadian Design Premium decor Canmore	8594187730987	2,1706 m² / 8 pcs
	Canadian Design Premium decor Jasper Oak	8594187730994	2,1706 m² / 8 pcs
	Canadian Design Premium decor Vernon Oak	8594187731007	2,1706 m² / 8 pcs
	Canadian Design Premium decor Regina Oak	8594187730970	2,1706 m² / 8 pcs
	Canadian Design Premium decor Ottawa	IN PRODUCTION	2,1706 m² / 8 pcs







1190x228 mm



5,5 mm (1,0 mm underlay)







Material:	100% pure PVC with calcium calcite admixture (powder)	Logistics data:	Package: 2,1706 m² / 8 pcs Package weight: 16 kg Palette: 130,236 m² / 60 pkg. Pallet weight: 960 kg
Floor type:	Click vinyl tiles with 2G Välinge lock	Thermal conductivity:	EN 12524: 0,11 W/mK
Total thickness:	5,5 mm (1,0 mm underlay)		suitable for hot water heating
Dimensions:	Length: 1190 mm Width: 228 mm	Load class:	23/33
Top layer:	0,5 mm	Resistance to mess:	EN: class 0
Fire resistance:	BFL-S1	Abrasion resistance:	EB 660-2: class abrasion T
Emission formalde- hyde:	E1	Wheel resistance (constant load):	EN 425: compliant with the standard
Anti-slip properties:	R9, DIN 51130	Installation:	floating, Click System
Surface:	matt polyurethane surface with ceramic particles	Structure:	wood, without V-joints
Construction:	luxury vinyl flooring, composite core with density > 2090 kg /m³	Warranty:	20 years for domestic use, 15 years for commercial use
Dimensional stability:	EN 427: Length max. 0,05 mm EN 434: average < 0,15%	Customs tariff number:	39181090























23/32

SPC Rigid floor Canadian Design

Canadian Design's certified health-safe flooring is made of several layers of durable material. Decorative layer looks extremely natural and is indistinguishable from a wooden plank.

The floor has excellent acoustic properties, is suitable for hot water underfloor heating, is free of harmful substances and has solid The unique decors are inspired by Canadian nature.



Decor	Product name	Order code	Package
	Canadian Design decor Calgary	8594187739478	1,77 m² / 8 pcs
	Canadian Design decor Edmonton	8594187739485	1,77 m² / 8 pcs
	Canadian Design decor Vancouver	8594187739454	1,77 m² / 8 pcs
	Canadian Design decor Toronto	8594187739461	1,77 m² / 8 pcs
	Canadian Design decor Golden	8594187739447	1,77 m² / 8 pcs
	Canadian Design decor Victoria	8594187739492	1,77 m² / 8 pcs
The state of the s	Canadian Design decor Hamilton	8594187739508	1,77 m² / 8 pcs
	Canadian Design decor Kingstone	8594187739515	1,77 m² / 8 pcs
10000	Canadian Design decor Montreal	8594187739522	1,77 m² / 8 pcs
9	Canadian Design decor Ottawa	8594187739539	1,77 m ² / 8 pcs
	Canadian Design decor Regina	8594187739546	1,77 m² / 8 pcs







1230x180 mm



5,0 mm (1,0 mm underlay)







Decor	Product name	Order code	Package
	Canadian Design decor Jägerndorf	IN PRODUCTION	,77 m² / 8 pcs
	Canadian Design decor Canmore	IN PRODUCTION	,77 m² / 8 pcs
	Canadian Design decor Vernon	IN PRODUCTION	,77 m² / 8 pcs
	Canadian Design decor Jasper	IN PRODUCTION	,77 m² / 8 pcs

Material:	100% pure PVC with calcium calcite admixture (powder)	Logistics data:	Package: 1,77m² / 8 pcs Package weight: 15 kg Palette: 141,6 m² / 80 pkg. Pallet weight: 1200 kg
Floor type:	Click vinyl tiles with 2G Välinge lock	Thermal conductivity:	EN 12524: 0,11 W/mK
Total thickness:	5 mm (1,0 mm underlay)		suitable for hot water heating
Dimensions:	Length: 1230 mm Width: 180 mm	Load class:	23/32
Top layer:	0,3 mm	Resistance to mess:	EN: class 0
Fire resistance:	BFL-S1	Abrasion resistance:	EB 660-2: class abrasion T
Emission formalde- hyde:	E1	Wheel resistance (constant load):	EN 425: compliant with the standard
Anti-slip properties:	R9, DIN 51130	Installation:	floating, Click System
Surface:	matt polyurethane surface with ceramic particles	Structure:	wood, without V-joints
Construction:	luxury vinyl flooring, composite core with density > 2090 kg /m³	Warranty:	20 years for domestic use, 15 years for commercial use
Dimensional stability:	EN 427: Length max. 0,05 mm EN 434: average < 0,15%	Customs tariff number:	39181090






SPC Rigid floor Canadian Design Premium XXL

Egibi Floor System is our most durable floor to date. Canadian Design Premium XXL flooring brings you the best features and a guarantee of long life.











8,0 mm (1,5 mm underlay)









23/33

SPC Rigid floor Canadian Design Premium XXL

Canadian Design Premium XXL is a premium vinyl SPC RIGID floor with a 0.5 mm thick tread plate and 2G/5Gi Välinge locks. This combination of performance features delivers not only durability and longevity, but also ease of installation. The 0.5mm thickness of the footplate makes Canadian Design Premium XXL resistant to wear, scratches and abrasion, making it an ideal choice for high traffic environments. Thanks to the integrated underlay, the floor has excellent acoustic properties and is suitable for hot water underfloor heating.



Decor	Product name	Order code	Package
ecus of the second	Canadian Design Premium XXL decor Banff Oak	8594187733148	1,678 m² / 4 pcs
	Canadian Design Premium XXL decor Winnipeg Oak	8594187733155	1,678 m² / 4 pcs
	Canadian Design Premium XXL decor Windsor Oak	8594187733162	1,678 m² / 4 pcs
	Canadian Design Premium XXL decor Barrie Oak	8594187733179	1,678 m² / 4 pcs







1840x228 mm



8,0 mm (1,5 mm underlay)







Material:	100% pure PVC with calcium calcite admixtu- re (powder)	Logistics data:	Package: 1,678 m² / 4 pcs Package weight: 15 kg Palette: 83,9 m² / 50 pkg. Pallet weight: 750 kg
Floor type:	Click vinylové desky se zámkem 2G / 5Gi Välinge	Thermal conductivity:	EN 12524: 0,11 W/mK
Total thickness:	8,0 mm (1,5 mm underlay)	Floor heating:	suitable for hot water heating
Dimensions:	Length: 1840 mm Width: 228 mm	Load class:	23/33
Top layer:	0,5 mm	Resistance to mess:	EN: class 0
Fire resistance:	BFL-S1	Abrasion resistance:	EB 660-2: class abrasion T
Emission formalde- hyde:	E1	Wheel resistance (constant load):	EN 425: compliant with the standard
Anti-slip properties:	R9, DIN 51130	Installation:	floating, Click System
Surface:	matt polyurethane surface with ceramic particles	Structure:	wood, without V-joints
Construction:	luxury vinyl flooring, composite core with density > 2090 kg /m³	Warranty:	20 years for domestic use, 15 years for commercial use
Dimensional stability:	EN 427: Length max. 0,05 mm EN 434: average < 0,15%	Customs tariff number:	39181090






SPC Rigid floor Canadian Design Herringbone

Get all the benefits of Canadian Design flooring in herringbone. Discover the forgotten floor of old castles.



















23/32

SPC Rigid floor Canadian Design Herringbone

SPC RIGID vinyl floor in herringbone is a design classic. Canadian Design Herringbone brings you this herringbone look along with the great features of Canadian Design flooring and integrated underlay. The floor is suitable for residential and commercial spaces and stands out for its performance. It is also suitable for hot water underfloor heating.



Decor	Product name	Order code	Package
	Canadian Design Herringbone decor Jägerndorf	8594187739430	0,9375 m² / 12 pcs
	Canadian Design Herringbone decor London	IN PRODUCTION	0,9375 m² / 12 pcs







625x125 mm









Material:	100% pure PVC with calcium calcite admixture (powder)	Logistics data:	Package: 0,9375 m² / 12 pcs Package weight: 8 kg Palette: 126,56 m² / 135 pkg. Pallet weight: 1080 kg
Floor type:	Click vinyl records with 5G Välinge lock	Thermal conductivity:	EN 12524: 0,11 W/mK
Total thickness:	5 mm (1,0 mm underlay)		suitable for hot water heating
Dimensions:	Length: 625 mm Width: 125 mm	Load class:	23/32
Top layer:	0,3 mm	Resistance to mess:	EN: class 0
Fire resistance:	BFL-S1	Abrasion resistance:	EB 660-2: class abrasion T
Emission formalde- hyde:	E1	Wheel resistance (constant load):	EN 425: compliant with the standard
Anti-slip properties:	R9, DIN 51130	Installation:	floating, Click System
Surface:	matt polyurethane surface with ceramic particles	Structure:	wood, without V-joints
Construction:	luxury vinyl flooring, composite core with density > 2090 kg /m³	Warranty:	20 years for domestic use, 15 years for commercial use
Dimensional stability:	EN 427: Length max. 0,05 mm EN 434: average < 0,15%	Customs tariff number:	39181090





SPC Rigid floor Canadian Design Rocky Line

Modern interior floor faithfully capturing natural stone and concrete. Rocky Line brings you the alternative beauty of nature.


















23/32

SPC Rigid floor Canadian Design Rocky Line

The SPC RIGID Rocky Line vinyl floor offers fashionable and innovative decors inspired by raw stone and concrete. It is the perfect solution if you are planning to create a minimalist and elegant interior. Rocky Line vinyl floor is an absolute novelty on the market. This floor fits perfectly with modern, bright elements and accessories referring to nature. The floor is suitable for both home and commercial spaces. The Rocky Line floor has an integrated underlay that isolates sound well.



Decor	Product name	Order code	Package
	Rocky Line decor Wild Rocky	8594187731069	2,2034 m² / 8 pcs
	Rocky Line decor Nice Grey	8594187731076	2,2034 m² / 8 pcs







600x300 mm









Material:	100% pure PVC with calcium calcite admixture (powder)	Logistics data:	Package: 2,2034 m² / 8 pcs Package weight: 9 kg Palette: 114,576 m² / 52 pkg. Pallet weight: 468 kg
Floor type:	Click vinyl tiles with 2G Välinge lock	Thermal conductivity:	EN 12524: 0,11 W/mK
Total thickness:	5,2 mm (1,0 mm underlay)	Floor heating:	suitable for hot water heating
Dimensions:	Length: 600 mm Width: 300 mm	Load class:	23/32
Top layer:	0,3 mm	Resistance to mess:	EN: class 0
Fire resistance:	BFL-S1	Abrasion resistance:	EB 660-2: class abrasion T
Emission formalde- hyde:	E1	Wheel resistance (constant load):	EN 425: compliant with the standard
Anti-slip properties:	R9, DIN 51130	Installation:	floating, Click System
Surface:	matt polyurethane surface with ceramic particles	Structure:	stone/concrete, without V-joints
Construction:	luxury vinyl flooring, composite core with density > 2090 kg /m³	Warranty:	20 years for home use, 15 years for commercial use
Dimensional stability:	EN 427: Length max. 0,05 mm EN 434: average < 0,15%	Customs tariff number:	39181090








Affordable solution. Glued vinyl floor without integrated underlay. Dry Back flooring is easy to install by gluing.



















23/32

LVT floor Canadian Design Dry Back

Dry Back bonded vinyl floor brings the best in vinyl flooring at an affordable price. This modern vinyl floor does not contain underlay and is suitable for underfloor heating. The floor is waterproof and health-safe. The floor is easy to install by gluing.



Decor	Product name	Order code	Package
	Dry Back decor Victoria	8594187731250	3,6232 m² / 26 pcs
	Dry Back decor Ottawa	8594187731267	3,6232 m² / 26 pcs
	Dry Back decor Hamilton	8594187731274	3,6232 m² / 26 pcs
	Dry Back decor Regina	8594187731281	3,6232 m² / 26 pcs
	Dry Back decor Canmore	8594187731298	3,6232 m² / 26 pcs
	Dry Back decor Calgary	8594187731304	3,6232 m² / 26 pcs
	Dry Back decor Jasper	8594187731311	3,6232 m² / 26 pcs
	Dry Back decor Jägerndorf	8594187731328	3,6232 m² / 26 pcs
	Dry Back decor Vancouver	8594187731335	3,6232 m² / 26 pcs
	Dry Back decor Nature concrete	8594187731342	3,6232 m² / 26 pcs







23

3,6232 m² 26 pcs

152,4x914,4 mm





Material:	100% pure PVC with calcium calcite admixtu- re (powder)	Logistics data:	Package: 3,6232 m² / 26 pcs Package weight: 14 kg Palette: 253,624 m² / 70 pkg. Pallet weight: 980 kg
Floor type:	Glued vinyl tiles	Thermal conductivity:	EN 12524: 0,11 W/mK
Total thickness:	2,0 mm		suitable for hot water heating
Dimensions:	Length: 152,4 mm Width: 914,4 mm	Load class:	23/32
Top layer:	0,3 mm	Resistance to mess:	EN: class 0
Fire resistance:	BFL-S1	Abrasion resistance:	EB 660-2: class abrasion T
Emission formalde- hyde:	E1	Wheel resistance (constant load):	EN 425: compliant with the standard
Anti-slip properties:	R9, DIN 51130	Installation:	floating, bonding
Surface:	matt polyurethane surface with ceramic particles	Structure:	wood / concrete, without V-coupling, embossed
Construction:	luxury vinyl flooring, composite core with density > 2090 kg /m³	Warranty:	15 years for home use, 10 years for commercial use
Dimensional stability:	EN 427: Length max. 0,05 mm EN 434: average < 0,15%	Customs tariff number:	39181090

We recommend: adhesive PROFESIONAL

Learn more about PROFESIONAL flooring glue on page 65.







Canadian Design Peel & Stick

Install the self-adhesive vinyl tiles quickly and easily. Peel & Stick floor is easy to maintain, has a modern look and is an affordable solution.









304,8x609,6 mm 152,4x917,4 mm











Self-adhesive vinyl tiles Canadian Design Peel & Stick

Peel & Stick self-adhesive vinyl tiles are a contemporary floor collection from the Canadian Design family of flooring. It is the newest addition. This floor is the perfect choice for lower traffic rooms. Canadian Design Peel & Stick floor stands out for its excellent value for money.



Decor	Product name	Order code	Package
	Peel & Stick decor Grey concrete	8594187736088	4,088 m²/ 22 pcs
	Peel & Stick decor Beige stone	8594187736095	4,088 m² / 22 pcs
	Peel & Stick decor Nature concrete	8594187736149	4,088 m² / 22 pcs
9	Peel & Stick decor Ottawa	8594187736101	3,6232 m² / 26 pcs
	Peel & Stick decor Canmore	8594187736118	3,6232 m² / 26 pcs
	Peel & Stick decor Hamilton	8594187736125	3,6232 m² / 26 pcs
	Peel & Stick decor Vancouver	8594187736132	3,6232 m²/ 26 pcs



4,088 m² / 22 pcs 3,6232 m² / 26 pcs



304,8x609,6 mm 152.4x917.4 mm



2.0 mm




Material:	100% pure PVC with calcium calcite admixture (powder)	Logistics data:	Package: 4,088 m² / 22 pcs, 3,6232 m² / 26 pcs Package weight: 16 kg, 14 kg Palette: 171,696 m² / 42 pkg., 260,8704 m² / 72 pkg. Pallet weight: 672 kg, 1008 kg
Floor type:	Glued vinyl parts with self-adhesive layer	Thermal conductivity:	EN 12524: 0,11 W/mK
Total thickness:	2,0 mm (without underlay)	Floor heating:	suitable for hot water heating
Dimensions:	Length: 304,8 mm / 152,4 mm Width: 609,6 mm / 917,4 mm	Load class:	-
Top layer:	0,15 mm	Resistance to mess:	EN: class 0
Fire resistance:	BFL-S1	Abrasion resistance:	EB 660-2: class abrasion T
Emission formaldehyde:	E1	Wheel resistance (constant load):	EN 425: compliant with the standard
Anti-slip properties:	R9, DIN 51130	Installation:	floating, bonding
Surface:	matt polyurethane surface with ceramic particles	Structure:	wood / concrete, without V-coupling, embossed
Construction:	luxury vinyl flooring, composite core with density > 2090 kg /m³	Warranty:	15 years for home use, 10 years for commercial use
Dimensional stability:	EN 427: Length max. 0,05 mm EN 434: average < 0,15%	Customs tariff number:	39181090












SPC RIGID skirting board




T-Line transition profile




CD60 skirting board




Multi transition profile




PVC skirting board



Stair step



CD60 skirting board accessories




Stair profile



PVC skirting board accessories



Vinyl stair



Vinyl edge

Accessories for floors - SPC RIGID

Stair step SPC RIGID



Decor	Product name	Order code
W. W.	Stair step SPC RIGID 120x11,5x2,5 cm, decor Calgary	8594187732257
	Stair step SPC RIGID 120x11,5x2,5 cm, decor Vancouver	8594187732264
	Stair step SPC RIGID 120x11,5x2,5 cm, decor Ottawa	8594187732271
	Stair step SPC RIGID 120x11,5x2,5 cm, decor Toronto	8594187732288
	Stair step SPC RIGID 120x11,5x2,5 cm, decor Jägerndorf	8594187732295
	Stair step SPC RIGID 120x11,5x2,5 cm, decor Victoria	8594187732301
	Stair step SPC RIGID 120x11,5x2,5 cm, decor Golden	8594187732318
	Stair step SPC RIGID 120x11,5x2,5 cm, decor Montreal	8594187732325
	Stair step SPC RIGID 120x11,5x2,5 cm, decor Hamilton	8594187732332
1 3 4	Stair step SPC RIGID 120x11,5x2,5 cm, decor Regina	8594187731694
	Stair step SPC RIGID 120x11,5x2,5 cm, decor Jasper	8594187731700
A ALA	Stair step SPC RIGID 120x11,5x2,5 cm, decor Vernon	8594187731724
	Stair step SPC RIGID 120x11,5x2,5 cm, decor Canmore	8594187731717

Vinyl stair SPC RIGID



Decor	Product name	Order code
	Vinyl stair 120x12,5x5,5 cm + bar 120x4 cm, decor Vancouver	8594187739683
W. A.	Vinyl stair 120x12,5x5,5 cm + bar 120x4 cm, decor Calgary	8594187739690
	Vinyl stair 120x12,5x5,5 cm + bar 120x4 cm, decor Toronto	8594187739706
	Vinyl stair 120x12,5x5,5 cm + bar 120x4 cm, decor Edmonton	8594187739713
	Vinyl stair 120x12,5x5,5 cm + bar 120x4 cm, decor Golden	8594187739720
	Vinyl stair 120x12,5x5,5 cm + bar 120x4 cm, decor Hamilton	8594187739737
	Vinyl stair 120x12,5x5,5 cm + bar 120x4 cm, decor Montreal	8594187739744
	Vinyl stair 120x12,5x5,5 cm + bar 120x4 cm, decor Ottawa	8594187739751
	Vinyl stair 120x12,5x5,5 cm + bar 120x4 cm, decor Victoria	8594187739768
	Vinyl stair 120x12,5x5,5 cm + bar 120x4 cm, decor Kingstone	8594187739799
	Vinyl stair 120x12,5x5,5 cm + bar 120x4 cm, decor Canmore	8594187734978

Stair profile SPC RIGID



Decor	Product name	Order code
A THE T	Stair profile 120x5x2,6 cm, decor Calgary	8594187732363
	Stair profile 120x5x2,6 cm, decor Vancouver	8594187732370
The state of	Stair profile 120x5x2,6 cm, decor Ottawa	8594187732387
	Stair profile 120x5x2,6 cm, decor Toronto	8594187732394
	Stair profile 120x5x2,6 cm, decor Jägerndorf	8594187732400
	Stair profile 120x5x2,6 cm, decor Victoria	8594187732417
	Stair profile 120x5x2,6 cm, decor Golden	8594187732424
	Stair profile 120x5x2,6 cm, decor Montreal	8594187732431
	Stair profile 120x5x2,6 cm, decor Hamilton	8594187732448
	Stair profile 120x5x2,6 cm, decor Regina	8594187731762
	Stair profile 120x5x2,6 cm, decor Jasper	8594187731779
A CAN	Stair profile 120x5x2,6 cm, decor Vernon	8594187731786
	Stair profile 120x5x2,6 cm, decor Canmore	8594187731793

Vinyl edge SPC RIGID



Decor	Product name	Order code
	Vinyl edge for stair 120x4 cm, decor Vancouver	8594187739836
	Vinyl edge for stair 120x4 cm, decor Calgary	8594187739843
	Vinyl edge for stair 120x4 cm, decor Toronto	8594187739850
	Vinyl edge for stair 120x4 cm, decor Victoria	8594187739881
	Vinyl edge for stair 120x4 cm, decor Ottawa	8594187739898
	Vinyl edge for stair 120x4 cm, decor Golden	8594187739904
	Vinyl edge for stair 120x4 cm, decor Hamilton	8594187739911
	Vinyl edge for stair 120x4 cm, decor Jägerndorf	8594187739928
	Vinyl edge for stair 120x4 cm, decor Montreal	8594187739935
	Vinyl edge for stair 120x4 cm, decor Jasper	8594187739942
	Vinyl edge for stair 120x4 cm, decor Canmore	8594187739959
A MAN	Vinyl edge for stair 120x4 cm, decor Vernon	8594187739966
1 3 4	Vinyl edge for stair 120x4 cm, decor Regina	8594187739973

Accessories for floors - SPC RIGID

T-Line transition profile 1,2 m SPC RIGID



Decor	Product name	Order code
W. IN	T-Line transition profile SPC RIGID 120x3,5 cm, decor Calgary	8594187732035
	T-Line transition profile SPC RIGID 120x3,5 cm, decor Vancouver	8594187732042
	T-Line transition profile SPC RIGID 120x3,5 cm, decor Ottawa	8594187732059
	T-Line transition profile SPC RIGID 120x3,5 cm, decor Toronto	8594187732066
	T-Line transition profile SPC RIGID 120x3,5 cm, decor Jägerndorf	8594187732073
	T-Line transition profile SPC RIGID 120x3,5 cm, decor Victoria	8594187732080
	T-Line transition profile SPC RIGID 120x3,5 cm, decor Golden	8594187732097
	T-Line transition profile SPC RIGID 120x3,5 cm, decor Montreal	8594187732103
	T-Line transition profile SPC RIGID 120x3,5 cm, decor Hamilton	8594187732110
	T-Line transition profile SPC RIGID 120x3,5 cm, decor Regina	8594187731540
	T-Line transition profile SPC RIGID 120x3,5 cm, decor Jasper	8594187731557
	T-Line transition profile SPC RIGID 120x3,5 cm, decor Canmore	8594187731564
	T-Line transition profile SPC RIGID 120x3,5 cm, decor Vernon	8594187731571

Multi transition profile 1,2 m SPC RIGID



Decor	Product name	Order code
Wind I	Multi transition profile SPC RIGID 120x4 cm, decor Calgary	8594187732141
	Multi transition profile SPC RIGID 120x4 cm, decor Vancouver	8594187732158
	Multi transition profile SPC RIGID 120x4 cm, decor Ottawa	8594187732165
	Multi transition profile SPC RIGID 120x4 cm, decor Toronto	8594187732172
	Multi transition profile SPC RIGID 120x4 cm, decor Jägerndorf	8594187732189
	Multi transition profile SPC RIGID 120x4 cm, decor Victoria	8594187732196
	Multi transition profile SPC RIGID 120x4 cm, decor Golden	8594187732202
	Multi transition profile SPC RIGID 120x4 cm, decor Montreal	8594187732219
	Multi transition profile SPC RIGID 120x4 cm, decor Hamilton	8594187732226
	Multi transition profile SPC RIGID 120x4 cm, decor Regina	8594187731618
	Multi transition profile SPC RIGID 120x4 cm, decor Jasper	8594187731625
	Multi transition profile SPC RIGID 120x4 cm, decor Canmore	8594187731632
4 46 -1	Multi transition profile SPC RIGID 120x4 cm, decor Vernon	8594187731649

Multi transition profile 2,4 m SPC RIGID



Decor	Product name	Order code
A PART	Multi transition profile SPC RIGID 240x4 cm, decor Calgary	8594187732639
	Multi transition profile SPC RIGID 240x4 cm, decor Vancouver	8594187732646
	Multi transition profile SPC RIGID 240x4 cm, decor Ottawa	8594187732653
	Multi transition profile SPC RIGID 240x4 cm, decor Toronto	8594187732660
	Multi transition profile SPC RIGID 240x4 cm, decor Jägerndorf	8594187732677
	Multi transition profile SPC RIGID 240x4 cm, decor Victoria	8594187732684
	Multi transition profile SPC RIGID 240x4 cm, decor Golden	8594187732691
	Multi transition profile SPC RIGID 240x4 cm, decor Montreal	8594187732707
	Multi transition profile SPC RIGID 240x4 cm, decor Hamilton	8594187732714
	Multi transition profile SPC RIGID 240x4 cm, decor Regina	8594187732721
	Multi transition profile SPC RIGID 240x4 cm, decor Jasper	8594187732738
	Multi transition profile SPC RIGID 240x4 cm, decor Canmore	8594187732745
	Multi transition profile SPC RIGID 240x4 cm, decor Vernon	8594187732752

Skirting board 2,4 m SPC RIGID



	•	
Decor	Product name	Order code
1. 18	Skirting board SPC RIGID 240x5x1,2 cm, decor Calgary	8594187732479
	Skirting board SPC RIGID 240x5x1,2 cm, decor Vancouver	8594187732486
	Skirting board SPC RIGID 240x5x1,2 cm, decor Ottawa	8594187732493
	Skirting board SPC RIGID 240x5x1,2 cm, decor Toronto	8594187732509
	Skirting board SPC RIGID 240x5x1,2 cm, decor Jägerndorf	8594187732516
	Skirting board SPC RIGID 240x5x1,2 cm, decor Victoria	8594187732523
	Skirting board SPC RIGID 240x5x1,2 cm, decor Golden	8594187732530
	Skirting board SPC RIGID 240x5x1,2 cm, decor Montreal	8594187732547
	Skirting board SPC RIGID 240x5x1,2 cm, decor Hamilton	8594187732554
	Skirting board SPC RIGID 240x5x1,2 cm, decor Regina	8594187732561
	Skirting board SPC RIGID 240x5x1,2 cm, decor Canmore	8594187732578
	Skirting board SPC RIGID 240x5x1,2 cm, decor Jasper	8594187732585
	Skirting board SPC RIGID 240x5x1,2 cm, decor Vernon	8594187732592

Accessories for floors

Skirting board PVC with accessories

			II			
Decor	Decor name	Skirting board PVC 250 cm	Inner corner IN	Outer corner OUT	Skirting borad connector	Skirting borad end
	Jägerndorf	8594187733810	8594187734534	8594187734763	8594187734299	8594187734060
	Golden	8594187733827	8594187734541	8594187734770	8594187734305	8594187734077
	Vancouver	8594187733834	8594187734558	8594187734787	8594187734312	8594187734084
	Toronto	8594187733841	8594187734565	8594187734794	8594187734329	8594187734091
May 1	Calgary	8594187733858	8594187734572	8594187734800	8594187734336	8594187734107
	Edmonton	8594187733865	8594187734589	8594187734817	8594187734343	8594187734114
	Victoria	8594187733872	8594187734596	8594187734824	8594187734350	8594187734121
	Hamilton	8594187733889	8594187734602	8594187734831	8594187734367	8594187734138
TY NOTE OF	Kingstone	8594187733896	8594187734619	8594187734848	8594187734374	8594187734145
	Ottawa	8594187733902	8594187734626	8594187734855	8594187734381	8594187734152

Skirting board CD60 with accessories

Decor	Decor name	Skirting board CD60 250 cm	Inner corner	Outer corner
	Golden / Hamilton	8594187738532	8594187733230	8594187733278
	Victoria / Jägerndorf	8594187738563	8594187733209	8594187733247
	Calgary	8594187738471	8594187733216	8594187733254
	Ottawa	8594187738570	8594187733223	8594187733261
	Montreal / Jasper / Veron	8594187738518	8594187733193	8594187733315
	Toronto	8594187738495	8594187733346	8594187733308
	Vancouver	8594187738488	8594187733322	8594187733285
	Canmore	8594187738525	8594187733339	8594187733292



Egibi Fix Profi adhesive

FIX PROFI adhesive based on MS polymer, which exhibits immediate fixation of the joint without the use of clamps and bracing. Load capacity on curing 22 kg / 1 cm². Solvent and silicone free.

Excellent adhesion to wood, MDF strips, board materials such as SPC RIGID, PVC, OSB, MDF, MFP, DTD and HDF boards, hobra, grout, lath, window sills, staircases, BIO boards, sololite, sololite, aculite, plywood, rattan and bamboo. Excellent adhesion to stainless steel, aluminum, copper, masonry, plaster, stone, plasterboard, ceramics, glass, etc.

Gluing of shelves, window sills, thresholds, staircases, skirting boards, wooden and panel tiles. Gluing of waterproof joints interior and exterior. Replaces nails, screws and rivets. Instantly "holds" the glued object upright and on the ceiling.

Product name	Order code	Package
Fix Profi adhesive	8595100178343	500 g / 1 pcs

EGIB **FLOORS FIX PROFI** LEPIDLO DRŽÍ IHNED **NA SOKLOVĚ PŘECHODOVÉ** LISTY PRO SPC RIGID PVC, MDF, DŘEVO BÍLÁ

Great grip:



✓ HDF boards

✓ MDF mouldings **✓** BIO boards

SPC RIGID

√ hobra

PVC

sololak

OSB boards

MFP boards



sololite



y plywood

✓ rattan

V bamboo

✓ stainless steel

aluminium masonry

and more ...

Adhesive for floor coverings PROFESIONAL

It is a professional solvent-free, dispersion-based floor adhesive. It creates a permanently strong, elastic bond. Immediate and easy to use, easy to spread. High adhesion to absorbent materials. For bonding floor coverings to absorbent substrates.

Bonding of vinyl parts, carpets (longitudinal fibre), needle-punched carpets (perpendicular fibre), homogeneous PVC, cork, PVC on foam, PVC with felt, CV coverings, linoleum, bonding of coverings also on vertical walls (PVC), on concrete substrates, levelling compounds, mineral substrates, chipboard and cement board, can also be used on plywood, polystyrene or polyurethane.

The substrate should be dry, clean, degreased and free of old adhesives. For gluing, the substrate must always be absorbent; if it is not absorbent, the glue will not dry or, depending on the size of the area, will take a long time to dry. The adhesive has a so-called "touch-up" and is still sticky. Thanks to this effect, the covering can be renovated again at any time without sanding.

Apply the adhesive to the substrate using A1 or A2 trowel for PVC roofing. Installation time is 20 to 50 min. at $+23\,^{\circ}$ C. If the temperature is higher, the time is reduced. If possible, fix and load the bonded joint. Full curing is after 24 – 72 hours (depending on the substrate and adhesive thickness). Minimum application temperature $+15\,^{\circ}$ C to $+30\,^{\circ}$ C. Adhesive consumption 250 –

450 g/m2 (depending on substrate absorbency and type

of squeegee used).

Product name	Order code	Package
Adhesive PROFESIONAL	8595100179630	5 kg / 1 pcs

- **√** High adhesion to vinyl coverings
- Long open time
- Also suitable for underfloor heating
- Easy application

l^{lepidlo} na podlahové krytiny PROFESIONAL Na lasi-u

Egibi Floors Designer

We have prepared for you Designer Egibi Floors. This is an easy and useful tool that can be found on the websites www.egibi.cz and www.egibifloors.com, but also in this catalogue. You can use it on your computer, tablet and smartphone.

Demonstration of using the designer on a smartphone

- 1a On the website www.egibi.cz or www.egibifloors.com click on the little house icon in the red circle. This will launch Egibi Floors Designer.
- 1b Using your smartphone scan the following QR code. This will launch Egibi Floors Designer.






2



Wait for loading Egibi Floors Designer.



Take a photo of your room, use an existing photo, or choose one of our rooms.




Wait for the upload.

Designer prepares the selected room.

5



Now you can see the Egibi Floors flooring in the selected room. You can switch floors using the bottom navigation bar. 6




Use the drop-down menu (top right) to change the room, share preview to your friends, or search for Egibi Floors sales locations.

7



You can also compare the floors in the room with each other or choose to lay them lengthwise or crosswise. You get a preview of the room according to your wishes.

EGIBI FLOORS



Sídlo společnosti: Revoluční 910/20, Krnov, 794 01, Czech Republic

Kanceláře a sklady: Karla Čapka 25, Krnov, 794 01, Czech Republic

Contact:

obchod@egibi.cz

CZ: +420 603 192 945 SK: +420 739 821 294

egibifloors.com

www.egibi.cz www.egibi.sk www.egibi.de